

Glgo

Microbiota-based Treatments in Alcoholic Liver Disease

捐助本站

学术搜索

找到约 106 条结果 (用时0.07秒)

文章

我的图书馆

时间不限

2016以来

2015以来

2012以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利

☒ 包含引用

☒ 创建快讯

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

[HTML] Promotion of hepatocellular carcinoma by the intestinal microbiota and TLR4

DH Dapito, A Mencin, GY Gwak, JP Pradere, MK Jang... - Cancer cell, 2012 - Elsevier

... into healthy mice and mice that had undergone DEN plus eight CCI 4 treatments, followed by ...

In uninjured liver, we observed strong NF-κB p65 nuclear translocation in desmin-positive hepatic ...

Figure S4C). In mice that had undergone DEN plus CCI 4 treatment, we confirmed ...

被引用次数: 202 相关文章 所有 11 个版本 引用 保存

Functional interactions between the gut microbiota and host metabolism

V Tremaroli, F Bäckhed - Nature, 2012 - nature.com

... and its host, we will be in a better position to develop treatments for metabolic ... secretion and

development of non-alcoholic fatty liver disease (NAFLD) and non-alcoholic steatohepatitis (NASH ...

addition, germ-free mice do not develop diet-induced obesity, and treatment of obese ...

被引用次数: 825 相关文章 所有 22 个版本 引用 保存

Gut microbiota: a potential new territory for drug targeting

W Jia, H Li, L Zhao, JK Nicholson - Nature Reviews Drug Discovery, 2008 - nature.com

... of host-flora interactions, it may be too early to propose a clear microbiota-based drug discovery ...

two strategies may be taken for the development of future gut microbiota-targeted therapies. ...

probiotics and prebiotics could be used in a gut microbiota-targeted therapy regimen to ...

被引用次数: 233 相关文章 所有 11 个版本 引用 保存

Structural changes of gut microbiota in a rat non-alcoholic fatty liver disease model treated with a Chinese herbal formula

X Yin, J Peng, L Zhao, Y Yu, X Zhang, P Liu... - Systematic and applied ..., 2013 - Elsevier

... Consequently, the gut microbiota has become a novel target for potential therapies [14], with

probiotics, prebiotics, and antibiotics being ... A and B). CHF (H) and CHF (L) were then combined

into a single CHF treatment group in ... (B) Clustering of gut microbiota based on distances ...

被引用次数: 17 相关文章 所有 5 个版本 引用 保存

[HTML] Role of gut microbiota and Toll-like receptors in nonalcoholic fatty liver disease

K Miura, H Ohnishi - World J Gastroenterol, 2014 - wjgnet.com

... Table 2. Table 2 Classification of gut microbiota based on Gram staining, ... In addition, treatment

with MIYARI 588, a butyrate-producing probiotics, suppressed gut permeability by ... In contrast,

treatment with probiotics or prebiotics protects against the translocation of TLR ligands

sciencedirect.com 中的 [HTML]

gu.se 中的 [PDF]

nature.com 中的 [HTML]

researchgate.net 中的 [PDF]

wjgnet.com 中的 [HTML]

Name of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 25236

Manuscript Type: Minireviews

Microbiota-based treatments in alcoholic liver disease

Sung H *et al.* Microbiota in alcoholic liver disease

Hotaik Sung, Seung Woo Kim, Meegun Hong, Ki Tae Suk

Hotaik Sung, Department of Molecular and Cell Physiology, University of Cincinnati College of Medicine, Cincinnati, OH 45267, United States

Seung Woo Kim, Department of Biomedical Science, ² Hallym University College of Medicine, Chuncheon 200-704, South Korea

Meegun Hong, Ki Tae Suk, Internal Medicine, Hallym University College of Medicine, Chuncheon 200-704, South Korea

Match Overview

1	Internet 161 words crawled on 24-May-2016 www.wjgnet.com	5%
2	CrossCheck 21 words Fujita, Tetsuji. "Level of Evidence Supporting the Use of T... opurine in Crohn's Disease", The American Journal of Gast	1%

学术搜索

找到约 116 条结果 (用时0.08秒)

文章

我的图书馆

时间不限

2016以来

2015以来

2012以来

自定义范围...

按相关性排序

按日期排序


搜索所有网页

中文网页

简体中文网页

☒ 包括专利

☒ 包含引用

 创建快讯

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

[HTML] Promotion of hepatocellular carcinoma by the intestinal microbiota and TLR4

DH Dapito, A Mencin, GY Gwak, JP Pradere, MK Jang... - Cancer cell, 2012 - Elsevier

... into healthy mice and mice that had undergone DEN plus eight CCI 4 treatments, followed by ... In uninjured liver, we observed strong NF-κB p65 nuclear translocation in desmin-positive hepatic ... Figure S4C). In mice that had undergone DEN plus CCI 4 treatment, we confirmed ...

被引用次数: 223 相关文章 所有 11 个版本 引用 保存

sciencedirect.com 中的 [HTML]

Functional interactions between the gut microbiota and host metabolism

V Tremaroli, F Bäckhed - Nature, 2012 - nature.com

... and its host, we will be in a better position to develop treatments for metabolic ... secretion and development of non-alcoholic fatty liver disease (NAFLD) and non-alcoholic steatohepatitis (NASH ... addition, germ-free mice do not develop diet-induced obesity, and treatment of obese ...

被引用次数: 922 相关文章 所有 22 个版本 引用 保存

gu.se 中的 [PDF]

Gut microbiota: a potential new territory for drug targeting

W Jia, H Li, L Zhao, JK Nicholson - Nature Reviews Drug Discovery, 2008 - nature.com

... of host-flora interactions, it may be too early to propose a clear microbiota-based drug discovery ... two strategies may be taken for the development of future gut microbiota-targeted therapies. ... probiotics and prebiotics could be used in a gut microbiota-targeted therapy regimen to ...

被引用次数: 242 相关文章 所有 11 个版本 引用 保存

nature.com 中的 [HTML]

Structural changes of gut microbiota in a rat non-alcoholic fatty liver disease model treated with a Chinese herbal formula

X Yin, J Peng, L Zhao, Y Yu, X Zhang, P Liu... - Systematic and applied ..., 2013 - Elsevier

... Consequently, the gut microbiota has become a novel target for potential therapies [14], with probiotics, prebiotics, and antibiotics being ... A and B). CHF (H) and CHF (L) were then combined into a single CHF treatment group in ... (B) Clustering of gut microbiota based on distances ...

被引用次数: 18 相关文章 所有 5 个版本 引用 保存

researchgate.net 中的 [PDF]

[HTML] Role of gut microbiota and Toll-like receptors in nonalcoholic fatty liver disease

K Miura, H Ohnishi - World J Gastroenterol, 2014 - wjgnet.com

... Table 2, Table 2 Classification of gut microbiota based on Gram staining. ... In addition, treatment with MIYARI 588, a butyrate-producing probiotics, suppressed gut permeability by ... In contrast, treatments with probiotics or prebiotics protects against the translocation of TLR ligands ...

被引用次数: 44 相关文章 所有 8 个版本 引用 保存 更多

wjgnet.com 中的 [HTML]

Programming infant gut microbiota: influence of dietary and environmental factors

TM Marques, R Wall, RP Ross, GF Fitzgerald... - Current opinion in ..., 2010 - Elsevier

... GA-map™ microarray that will enable screening of the infant gut microbiota based on sets ...

全部 图片 新闻 购物 视频 更多 ▾ 搜索工具

找到约 1,150,000 条结果 (用时 0.63 秒)

Gut microbiota in alcoholic liver disease: Pathogenetic role and ... - NCBI

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ 翻译此页

作者 : G Malaguarnera - 2014 - 被引用次数 : 21 - 相关文章

2014年11月28日 - **Alcoholic liver disease** (ALD) is the commonest cause of cirrhosis in Antibiotic **treatment** should be **based** on bacterial sensitivity testing to ...

Review article: Alcohol and gut microbiota - the possible role of ... - NCBI

www.ncbi.nlm.nih.gov/pubmed/25809237 ▾ 翻译此页

作者 : G Vassallo - 2015 - 被引用次数 : 9 - 相关文章

2015年3月23日 - Review article: **Alcohol** and gut **microbiota** - the possible role of gut **microbiota** modulation in the **treatment** of **alcoholic liver disease**. Vassallo ...

Gut microbiota and liver diseases - NCBI - National Institutes of Health

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ 翻译此页

作者 : M Minemura - 2015 - 被引用次数 : 19 - 相关文章

2015年2月14日 - Keywords: Gut **microbiota**, Immune system, **Liver disease**, Metabolites, ... relevant clinical trials of the **treatment** of **liver diseases** by probiotics. ... The maintenance of the gut flora may be **based** on immune tolerance to **microbiota** because of Chronic **alcohol** consumption is related to fatty liver, liver fibrosis ...

Alcohol and Gut Microbiota - Medscape

www.medscape.com/viewarticle/844190 ▾ 翻译此页

Abstract and Introduction; Role of Gut **Microbiota** in **Alcoholic Liver Disease** ... **microbiota** modulation could be a target for the **treatment** of **alcoholic liver disease**. Using an interesting design **based** on the genetic analysis of gut microbiome, ...

Alcohol and Gut Microbiota - Medscape

www.medscape.com/viewarticle/844190_2 ▾ 翻译此页

Review Article. **Alcohol** and Gut **Microbiota**. The Possible Role of Gut **Microbiota** Modulation in the