

学术搜索

找到约 76 条结果 (用时0.12秒)

文章

我的图书馆

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

英语网页

 包括专利 包含引用 创建快讯您是不是要找: Differential Diagnosis of Gallstones by Using Hypericin as a **Fluorescence** Optical Imaging Agent?[\[HTML\] An overview of translational \(radio\) pharmaceutical research related to certain oncological and non-oncological applications](#)

MM Cona, P de Witte, A Verbruggen... - World journal of ..., 2013 - ncbi.nlm.nih.gov

... The costs associated with cancer diagnosis, therapy, and follow-up have drastically soared ... The

mitochondrial swelling causes cytolysis and the debris is discharged into the surroundings ...

soil-to-seeds concept, it offers a one-stop-shop for diagnostic imaging, treatment and follow ...

相关文章 所有 8 个版本 引用 保存

[Single pre-treatment with hypericin, a St. John's wort secondary metabolite, attenuates cisplatin-and mitoxantrone-induced cell death in A2780, A2780cis and HL-60 ...](#)

Z Jendželovská, R Jendželovský, L Hřívová, J Kovač... - Toxicology in Vitro, 2014 - Elsevier

... this reason, hypericin has not been considered one of the major causes of interactions ... The

experimental groups given the combined treatment were compared with the groups treated ... and

hypericin-MTX combination index (CI) values were evaluated using CalcuSyn software ...

被引用次数: 2 相关文章 所有 3 个版本 引用 保存

[Biomodulatory approaches to photodynamic therapy for solid tumors](#)

S Anand, BJ Ortel, SP Pereira, T Hasan, EV Maytin - Cancer letters, 2012 - Elsevier

... light can be used to stimulate the PS to emit fluorescent light for diagnostic purposes. Fluorescence

diagnosis can be used to evaluate the location, depth and size of tumors, or to ... transplant recipients

(OTRs), a group for whom aggressive SCC outstrips all other causes of death ...

被引用次数: 44 相关文章 所有 6 个版本 引用 保存

[Conference Abstracts: CMR2013](#)

J Dai, ZR Lu, MF Rudy, MDR Professorof - atherosclerosis, 2006 - Wiley Online Library

... Assessment of lymph node (LN) metastasis is of high clinical importance for cancer diagnosis. ...

However, successful treatment depends highly on how effectively the DC vaccine homes into ...

However, T1 contrast enhancement is not obvious when using a larger size SIO-10 or ...

相关文章 引用 保存

[Photosensitizing effects of chlorin e6-Polyvinylpyrrolidone for fluorescence guided photodynamic therapy of cancer](#)

WCWEI LIM - 2009 - scholarbank.nus.edu.sg

... Figure 1.1 Principles of photodynamic diagnosis and therapy ... The ROC curves also potentially

demonstrate how the fluorescence diagnostic scheme can be adjusted to obtain the desired

nih.gov 中的 [\[HTML\]](#)nih.gov 中的 [\[HTML\]](#)nus.edu.sg 中的 [\[PDF\]](#)

Name of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 19512

Manuscript Type: ORIGINAL ARTICLE

Basic Study

Differential diagnosis of gallstones by using hypericin as a fluorescent optical imaging agent

Miranda Cona M *et al.* *Differential Diagnosis of Gallstones with Hypericin*

Marlein Miranda Cona, Ye-Wei Liu, Antoine Hubert, Ting Yin, Yuan-Bo Feng, Peter De Witte, Etienne Waelkens, Yan-Sheng Jiang, Jian Zhang, Stefaan Mulier, Qian Xia, Gang Huang, Raymond Oyen, Yi-Cheng Ni

Marlein Miranda Cona, Ye-Wei Liu, Ting Yin, Yuan-Bo Feng, Yan-Sheng Jiang, Stefaan Mulier, Raymond Oyen, Yi-Cheng Ni, Department of Imaging and Pathology, Faculty of Medicine, Biomedical Sciences Group, KU Leuven, B-3000 Leuven, Belgium

Match Overview

Rank	Source	Words	Similarity
1	Internet	129 words crawled on 22-Jan-2016 www.wjnet.com	2%
2	CrossCheck	105 words Cona, M. M., Y. Feng, A. Verbruggen, R. Oyen, and Y. Ni. "I mproved clearance of radioiodinated hypericin as a target ...	2%
3	CrossCheck	48 words Gabriela Bomfim Ferreira. "Protein-induced changes during the maturation process of human dendritic cells: A 2-D DI ...	1%
4	CrossCheck	29 words Ni, Yicheng. "What is the purpose of launching the <i>World ... urnal of Methodology?</i> ", <i>World Journal of Methodology</i> , 201	<1%
5	Internet	27 words crawled on 12-May-2015 ccforum.com	<1%
6	Internet	26 words crawled on 25-Jun-2015 www.thno.org	<1%
7	Internet	22 words crawled on 18-Feb-2012 www.biophysicsnet.ro	<1%

学术搜索

找到约 86 条结果 (用时0.23秒)

文章

我的图书馆

时间不限

2016以来

2015以来

2012以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

包括专利

包含引用

创建快讯

您是不是要找: Differential diagnosis of gallstones by using hypericin as a **fluorescence** optical imaging agent

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置、指定搜索语言

[HTML] An overview of translational (radio) pharmaceutical research related to certain oncological and non-oncological applications

nih.gov 中的 [HTML]

MM Cona, P de Witte, A Verbruggen... - World journal of ..., 2013 - ncbi.nlm.nih.gov
... The costs associated with cancer diagnosis, therapy, and follow-up have drastically soared ... The mitochondrial swelling causes cytolysis and the debris is discharged into the surroundings ... soil-to-seeds concept, it offers a one-stop-shop for diagnostic imaging, treatment and follow ...
被引用次数: 4 相关文章 所有 9 个版本 引用 保存

Luminescence-based imaging approaches in the field of interventional molecular imaging

FWB van Leeuwen, JCH Hardwick, AR van Erkel - Radiology, 2015 - pubs.rsna.org
... PDD photodynamic diagnosis. 5-ALA ... This feature may be used to ensure a more effective treatment, while minimizing the amount of healthy tissue that is damaged. ... The images on the left depict imaging the liver in a preinterventional (diagnostic imaging) setting. ...
被引用次数: 11 相关文章 所有 3 个版本 引用 保存

Single pre-treatment with hypericin, a St. John's wort secondary metabolite, attenuates cisplatin-and mitoxantrone-induced cell death in A2780, A2780cis and HL-60 ...

Z Jendželovská, R Jendželovský, L Hřivňovská, J Koval... - Toxicology in Vitro, 2014 - Elsevier
... this reason, hypericin has not been considered one of the major causes of interactions ... The experimental groups given the combined treatment were compared with the groups treated ... and hypericin-MTX combination index (CI) values were evaluated using CalcuSyn software ...
被引用次数: 9 相关文章 所有 4 个版本 引用 保存

Tumor angiogenesis and metastasis—correlation in invasive breast carcinoma

N Weidner, JP Semple, WR Welch... - New England Journal ..., 1991 - Mass Medical Soc
... The specimens were retrieved from paraffin-embedded tissue of initial breast carcinomas diagnosed at Brigham and Women's Hospital between 1978 and 1983, ... (2015) Differential expression of mitotic regulators and ... (2015) Comparison of the diagnostic performance of digital ...
被引用次数: 6404 相关文章 所有 9 个版本 引用 保存

Biomodulatory approaches to photodynamic therapy for solid tumors

nih.gov 中的 [HTML]

S Anand, BJ Ortel, SP Pereira, T Hasan, EV Maytin - Cancer letters, 2012 - Elsevier
... of PDT is toxic on their own, the light-induced activation of PS causes the production ... light can be used to stimulate the PS to emit fluorescent light for diagnostic purposes, Fluorescence diagnosis can be used to evaluate the location, depth and size of tumors, or to estimate the ...
被引用次数: 65 相关文章 所有 9 个版本 引用 保存



全部 新闻 图片 购物 视频 更多 ▾ 搜索工具

找到约 1,760 条结果 (用时 0.70 秒)

您是不是要找 : [Differential diagnosis of gallstones by using hypericin as a *fluorescence* optical imaging agent](#)

[An overview of translational \(radio\)pharmaceutical research ...](#)

[www.ncbi.nlm.nih.gov](#) > ... > Literature > PubMed Central (PMC) - [翻译此页](#)

作者 : MM Cona - 2013 - 被引用次数 : 4 - 相关文章

2013年12月26日 - Cancer is one of the leading **causes** of mortality worldwide and little progress has ... However, the development of diagnostic imaging agents **with** ... of Hyp as an optical diagnostic imaging agent in patients **with gallstones** was **Hypericin** as an **optical imaging agent** for **fluorescent** detection of **gallstones**.

[New Frontier in Hypericin-Mediated Diagnosis of Cancer ...](#)

[www.ncbi.nlm.nih.gov](#) > ... > PubMed Central (PMC) ▾ [翻译此页](#)

作者 : M Olivo - 2012 - 被引用次数 : 19 - 相关文章

2011年11月29日 - While these **optical diagnostic** techniques are typically used in research ... **clinical use**, and the **diagnostic** values of PDD **agents** have already been ... HY **with** nanoparticles to extend its **use** in other **optical imaging** techniques. **Hypericin**-Mediated PDD of Cancer **with** Vital **Fluorescence** Technologies.

缺少字词 : [gallstones](#)

[Necrosis Avidity: A Newly Discovered Feature of Hypericin ...](#)

[www.thno.org/v03p0667.htm](#) ▾ [翻译此页](#)

作者 : B Jiang - 被引用次数 : 6 - 相关文章

2013年8月10日 - **Hypericin**, along **with** other necrosis-avid contrast **agents**, has been benign necrosis), regardless of the sites and **causes** of necrotic tissues. contrast **agent** for MR **imaging**, **optical imaging**, and **fluorescence** microscopy.

缺少字词 : [gallstones](#)