

Name of journal: *World Journal of Gastroenterology*

Manuscript NO.: 18491

Manuscript type: TOPIC HIGHLIGHT

2015 Advances in Inflammatory Bowel Disease

Protein tyrosine phosphatase non-receptor type 2 and inflammatory bowel disease

Marianne R Spalinger, Declan F McCole, Gerhard Rogler, Michael Scharl

Spalinger MR *et al.* PTPN2 and IBD

Marianne R Spalinger, Gerhard Rogler, Michael Scharl, ¹Division of Gastroenterology and Hepatology, University Hospital Zurich, 8091 Zurich, Switzerland

Match Overview

1	CrossCheck 1754 words Spalinger, Marianne R., Declan F. McCole, Gerhard Rogler, and Michael Scharl. "Role of Protein Tyrosine Phosphatase Non-Receptor Type 2 and Inflammatory Bowel Disease." <i>World Journal of Gastroenterology</i> . 2015. 18491. Web. 26 Oct 2015.	18%
2	Internet 118 words crawled on 26-Oct-2015 www.wjgnet.com	1%
3	CrossCheck 25 words Barthel, Christiane, Marianne R. Spalinger, Jakob Brunner, Silvia Lang, Michael Fried, Gerhard Rogler, and Michael Scharl. "Protein Tyrosine Phosphatase Non-Receptor Type 2 and Inflammatory Bowel Disease." <i>World Journal of Gastroenterology</i> . 2015. 18491. Web. 26 Oct 2015.	<1%
4	Internet 23 words crawled on 04-Dec-2013 www.zora.uzh.ch	<1%
5	Internet 21 words crawled on 27-Mar-2015 www.ibdscotland.org	<1%

学术搜索

文章

我的图书馆

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利

☒ 包含引用

The protein tyrosine phosphatase non-receptor type 22 C1858T polymorphism is a joint susceptibility locus for immunthyroiditis and autoimmune diabetes

G Dultz, N Matheis, M Dittmar, B Röhrig, K Bender... - ..., 2009 - online.liebertpub.com

Background: The lymphoid tyrosine phosphatase (LYP) encoded by the protein tyrosine phosphatase non-receptor type 22 (PTPN22) gene is a strong inhibitor of T cells. The single nucleotide polymorphism (SNP) C1858T within the PTPN22 gene was recently associated ...

被引用次数: 53 相关文章 所有 4 个版本 引用 保存

Protein Tyrosine Phosphatase non - Receptor Type 2 regulates IFN - γ - induced cytokine signaling in THP - 1 monocytes

M Scharl, P Hruz, DF McCole - Inflammatory bowel diseases, 2010 - Wiley Online Library

Background: We have previously shown that the Crohn's disease (CD)-associated gene protein tyrosine phosphatase non-receptor Type 2 (PTPN2) regulates interferon gamma (IFN- γ)-induced signaling and barrier function in intestinal epithelial cells. Overactivation of ...

被引用次数: 21 相关文章 所有 6 个版本 引用 保存

researchgate.net 中的 [PDF]

以上显示的是最相近的搜索结果。 查看全部搜索结果



tein tyrosine phosphatase non-receptor type 2 and inflammatory bowel disease



网页

图片

购物

新闻

视频

更多 ▾

搜索工具

找到约 53,300 条结果 (用时 0.57 秒)

Google 学术 : Protein tyrosine phosphatase non-receptor type 2 and inflammatory bowel disease

Protein Tyrosine Phosphatase non-Receptor Type 2 ... - Scharl - 被引用次数 : 21

The role for protein tyrosine phosphatase nonreceptor type ...

www.ncbi.nlm.nih.gov/pubmed/22671594 - 翻译此页

作者 : M Scharl - 2012 - 被引用次数 : 3 - 相关文章

The role for **protein tyrosine phosphatase nonreceptor type 2** in regulating ...
inflammatory diseases, such as **inflammatory bowel disease (IBD)**, type 1 diabetes, ...

Protein tyrosine phosphatase non-receptor Type 2 regulates ...

www.ncbi.nlm.nih.gov/pubmed/20848498 ▾ 翻译此页

作者 : M Scharl - 2010 - 被引用次数 : 21 - 相关文章

Inflamm Bowel Dis. 2010 Dec;16(12):2055-64. doi: 10.1002/ibd.21325. **Protein tyrosine phosphatase non-receptor Type 2** regulates IFN- γ -induced cytokine ...

A cell type-specific role of protein tyrosine phosphatase non ...

www.ncbi.nlm.nih.gov/pubmed/25823847 - 翻译此页

作者 : SH Kasper - 2015 - 相关文章

2015年3月25日 - ... of **protein tyrosine phosphatase non-receptor type 2** in regulating
ER ... 2 (PTPN2) have been associated with **inflammatory bowel disease** ...

Activation of Protein Tyrosine Phosphatase Non-Receptor ...

journals.plos.org/plosone/article?id=10.1371/journal.pone... ▾ 翻译此页

作者 : B Morón - 2013 - 被引用次数 : 3 - 相关文章

2013年9月9日 - Activation of **Protein Tyrosine Phosphatase Non-Receptor Type 2**