

[全部](#) [图片](#) [视频](#) [新闻](#) [购物](#) [地图](#) [图书](#)

找到约 60,000 条结果

时间不限

过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果

精确匹配

[Predictive and prognostic biomarkers with therapeutic targets in ...](http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3983442/)www.ncbi.nlm.nih.gov/pmc/articles/PMC3983442/

14 Apr 2014 ... **Colorectal cancer** (CRC) is one of the most common human malignant ... A **prognostic factor** is defined as any parameter, **evaluated** at diagnosis (or ... in EGFR GCN as a **predictive biomarker of response to anti-EGFR therapy**. ... Two studies demonstrated that **mCRC patients** with KRAS wild-type tumors ...

[Extended RAS testing in metastatic colorectal cancer—Refining the ...](http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4397245/)www.ncbi.nlm.nih.gov/pmc/articles/PMC4397245/

But, no correlation could be established between the **response to anti-EGFR mAbs** and the ... After the approval of cetuximab and panitumumab for use among **patients** with ... **predictive biomarker for therapy with anti-EGFR antibody therapy** (11,22-27). ... A **systematic review and meta-analysis** by Yang et al. explored the ...

[Markers of resistance to anti-EGFR therapy in colorectal cancer - NCBI](http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3712296/)www.ncbi.nlm.nih.gov/pmc/articles/PMC3712296/

13 May 2013 ... **Colorectal cancer** (CRC) is the fourth most frequently diagnosed cancer and the ... disease highlighting the importance of effective **systemic therapy** (2). ... of resistance and potential **predictive biomarkers** are greatly needed to ... initial **response** in KRAS WT **metastatic colorectal cancer** (mCRC) patients.

[Current Approaches for Predicting a Lack of Response to Anti-EGFR ...](http://www.hindawi.com/journals/bmri/2014/591867/)www.hindawi.com/journals/bmri/2014/591867/

18 Jun 2014 ... According to the available findings, the **evaluation** of BRAF, NRAS, PIK3CA, and PTEN ... **Potential Biomarkers for Anti-EGFR Therapy** ... Due to the poor **prognosis** of BRAF mutated **patients** and the lack of **response to** ... or in combination with other chemotherapy for **metastatic colorectal cancer** (mCRC).

[Predictive biomarkers of response to anti-EGF receptor monoclonal ...](#)

Name of Journal: World Journal of Gastroenterology

ESPS Manuscript NO: 25860

Manuscript Type: SYSTEMATIC REVIEWS

Prognostic and predictive biomarkers in metastatic colorectal cancer anti-EGFR therapy

Cristiana Lo Nigro, Vincenzo Ricci, Daniela Vivenza, Cristina Granetto, Teresa Fabozzi, Emanuela Miraglio, Marco C Merlano

Abstract

AIM: To reviewing genetic and epigenetic make-up of metastatic colorectal cancers (mCRCs) addicted to epidermal growth factor receptor (EGFR) signalling.

METHODS: The present study summarizes the potential value of prognostic and predictive biomarkers in selecting mCRC patients treated with anti-EGFR therapy. A meta-analysis was performed using a systematic search of PubMed, Medline and Web of

Match Overview

1	Internet 323 words crawled on 02-Mar-2016 www.wjgnet.com	6%
2	CrossCheck 80 words Cremolini, C., M. Di Bartolomeo, A. Amatu, C. Antoniotti, R. Moretto, R. Berenato, F. Perrone, E. Tamborini, G. Aprile, S.	2%
3	Internet 79 words crawled on 25-Apr-2015 www.biomedcentral.com	2%
4	Publications 34 words Er, Tze-Kiong Chen, Chih-Chieh Bujanda, - "Current approaches for predicting a lack of response to Anti-EGFR ther ...	1%
5	CrossCheck 27 words Pietrantonio, Filippo, Chiara Cremolini, Fausto Petrelli, Maria Di Bartolomeo, Fotios Loupakis, Claudia Maggi, Carlotta	1%
6	Internet 10 words crawled on 28-Mar-2015 www.ncbi.nlm.nih.gov	<1%



全部 图片 新闻 购物 视频 更多 ▾ 搜索工具



找到约 162,000 条结果 (用时 0.44 秒)

Google 学术: Prognostic and predictive biomarkers in metastatic colorectal cancer anti-EGFR therapy

... efficacy in patients with metastatic colorectal cancer - Amado - 被引用次数: 2585

... vs predictive molecular biomarkers in colorectal cancer ... - Rizzo - 被引用次数: 82

... or cetuximab in metastatic colorectal cancer - Di Nicolantonio - 被引用次数: 1361

Predictive and prognostic biomarkers with therapeutic targets in ...

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ [翻译此页](#)

作者: HY Luo - 2014 - 被引用次数: 19 - 相关文章

2014年4月14日 - Colorectal cancer (CRC) is one of the most common human ... achieved in the personalized treatment of metastatic colorectal cancer and ... increase in EGFR GCN as a predictive biomarker of response to anti-EGFR therapy.

Prognostic vs predictive molecular biomarkers in colorectal cancer: is ...

www.ncbi.nlm.nih.gov/pubmed/21129611 ▾ [翻译此页](#)

作者: S Rizzo - 2010 - 被引用次数: 82 - 相关文章

Prognostic vs predictive molecular biomarkers in colorectal cancer: is KRAS and BRAF ... for metastatic CRC treatment is the epidermal growth factor receptor (EGFR). Many potential biomarkers predictive of response to anti-EGFR monoclonal ...

Prognostic and predictive response factors in colorectal cancer ... - NCBI

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ [翻译此页](#)

作者: C De Divitiis - 2014 - 被引用次数: 12 - 相关文章

2014年11月7日 - Keywords: Colorectal cancer, Prognosis, Prognostic factors, Therapy, ... is a useful predictive biomarker for cetuximab or panitumumab therapy in CRC. ... for patients with metastatic CRC being treated with anti-EGFR mAb.

全部 图片 新闻 购物 视频 更多 ▾ 搜索工具

找到约 196,000 条结果 (用时 0.49 秒)

Google 学术 : Prognostic and predictive biomarkers in metastatic colorectal cancer anti-EGFR therapy

... efficacy in patients with metastatic colorectal cancer - Amado - 被引用次数 : 2598

... vs predictive molecular biomarkers in colorectal cancer ... - Rizzo - 被引用次数 : 82

... or cetuximab in metastatic colorectal cancer - Di Nicolantonio - 被引用次数 : 1368

Predictive and prognostic biomarkers with therapeutic targets in ...

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ 翻译此页

作者 : HY Luo - 2014 - 被引用次数 : 19 - 相关文章

2014年4月14日 - Colorectal cancer (CRC) is one of the most common human ... achieved in the personalized treatment of metastatic colorectal cancer and increase in EGFR GCN as a predictive biomarker of response to anti-EGFR therapy.

Are KRAS/BRAF Mutations Potent Prognostic and/or Predictive ... - NCBI

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ 翻译此页

作者 : T Yokota - 2012 - 被引用次数 : 63 - 相关文章

The development of colorectal cancer (CRC) is a multistep process that occurs ... as potential prognostic and predictive biomarkers in patients with metastatic diseases ... POTENTIAL PREDICTIVE BIOMARKERS FOR ANTI-EGFR THERAPY.

Integrating anti-EGFR therapies in metastatic colorectal cancer - NCBI

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ 翻译此页

作者 : S Haraldsdottir - 2013 - 被引用次数 : 12 - 相关文章

2013年5月13日 - The treatment of metastatic colorectal cancer has evolved others link BRAF mutations to prognosis but not response to EGFR inhibitor therapy (25). ... demonstrating the need for further predictive biomarkers for patients with ...

Extended RAS testing in metastatic colorectal cancer—Refining the ...