

学术搜索

找到约 27,400 条结果 (用时0.11秒)

文章

我的图书馆

时间不限

2016以来

2015以来

2012以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利☒ 包含引用☒ 创建快讯

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

[\[HTML\] Intracellular inactivation of the hepatitis B virus by cytotoxic T lymphocytes](#)[LG Guidotti](#), [T Ishikawa](#), [MV Hobbs](#), [B Matzke](#)... - [Immunity](#), 1996 - Elsevier

... This antiviral function is mediated by IFN γ and TNF α secreted by the CTL or by the ... The relative importance of cytodestructive versus curative CTL functions is obscure even for lymphocytic ... proteins (HBcAg and HBeAg) and for the viral polymerase protein, and it functions as the ...

被引用次数: 1036 相关文章 所有 19 个版本 引用 保存

[The transcriptional function of the hepatitis B virus X protein and its role in hepatocarcinogenesis \(Review\)](#)[OM Andrisani](#), [S Barnabas](#) - ... [journal of oncology](#), 1999 - [spandidos-publications.com](#)

... The pX-mediated induction of the AP-1 activity, via the cytoplasmic function of pX, involves ... indirectly from AP-1 and NF-KB sites (78); in the nucleus pX functions as a ... Unpublished results from our laboratory support the crucial importance of the mitogenic pathway activation by ...

被引用次数: 192 相关文章 所有 6 个版本 引用 保存

[Oxidative stress during viral infection: a review](#)[KB Schwarz](#) - [Free Radical Biology and Medicine](#), 1996 - Elsevier

... Evidence of an immunoregulatory role of cysteine, [Cell Immunol.](#) (3rd ed.), 129 (1990), pp. ... Cytotoxic activity of tumor necrosis factor is mediated by early damage of mitochondrial functions. [J. Biol.](#) ... Dithiocarbamates as potent inhibitors of nuclear factor B activation in intact cells. ...

被引用次数: 450 相关文章 所有 7 个版本 引用 保存

[Putative role of hepatitis B virus X protein in hepatocarcinogenesis: Effects on apoptosis, DNA repair, mitogen - activated protein kinase and JAK/STAT pathways](#)[P Arbuthnot](#), [A Capovilla](#), [M Kew](#) - [Journal of gastroenterology](#) ..., 2000 - [Wiley Online Library](#)

... These investigations have elucidated roles for the products of at least seven genes (XPA to XPG) by ... The functions of NER that are absent in XPC and XPE patients are not known and it is ... that repair is usually mildly affected in XPE cells suggests that the absent function may be ...

被引用次数: 214 相关文章 所有 5 个版本 引用 保存

[Nuclear covalently closed circular viral genomic DNA in the liver of hepatocyte nuclear factor 1 \$\alpha\$ -null hepatitis B virus transgenic mice](#)[AK Raney](#), [CM Eggers](#), [EF Kline](#), [LG Guidotti](#)... - [Journal of](#) ..., 2001 - [Am Soc Microbiol](#)

... In addition, the in vivo importance of specific transcription factors in regulating viral replication

[sciencedirect.com](#) 中的 [\[HTML\]](#)[asm.org](#) 中的 [\[HTML\]](#)

Name of Journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 26191

Manuscript Type: Topic Highlight

2016 Hepatitis B virus: Global view

Hepatocyte nuclear factors in hepatitis B virus infection

Kim DH *et al.* Roles of hepatocyte nuclear factors in HBV infection

Doo Hyun Kim, Hong Seok Kang, Kyun-Hwan Kim

Doo Hyun Kim, Hong Seok Kang, Kyun-Hwan Kim, Department of Pharmacology,
and Center for Cancer Research and Diagnostic Medicine, IBST, School of Medicine,
Konkuk University, Seoul 143-701, South Korea

Kyun-Hwan Kim, KU Open Innovation Center, Konkuk University, Seoul 143-701,
South Korea

Match Overview



全部 图片 新闻 视频 地图 更多 ▾ 搜索工具

找到约 859,000 条结果 (用时 0.42 秒)

Google 学术 : Hepatocyte nuclear factors in hepatitis B virus infection

Inhibition of hepatitis B virus replication by APOBEC3G - Turelli - 被引用次数 : 408

High-level hepatitis B virus replication in transgenic ... - Guidotti - 被引用次数 : 548

Modulation of hepatitis C virus RNA abundance by a ... - Jopling - 被引用次数 : 1923

Inhibition of hepatitis B virus gene expression and replication by ...

www.ncbi.nlm.nih.gov/pubmed/25653429 ▾ 翻译此页

作者 : R Hao - 2015 - 被引用次数 : 1 - 相关文章

2015年2月4日 - ... B virus gene expression and replication by hepatocyte nuclear factor 6. ... suggest a role of HNF6 in the gender dimorphism of HBV infection.

Developmental regulation of hepatitis B virus biosynthesis by ... - NCBI

www.ncbi.nlm.nih.gov/pubmed/19424486 - 翻译此页

作者 : L Li - 2009 - 被引用次数 : 19 - 相关文章

2009年5月8日 - ... of hepatitis B virus biosynthesis by hepatocyte nuclear factor 4alpha. ... The host cellular factors that promote persistent viral infections in vivo ...

The correlation of hepatocyte nuclear factor 4 alpha and 3 beta with ...

www.ncbi.nlm.nih.gov/pubmed/19302415 - 翻译此页

作者 : Y Long - 2009 - 被引用次数 : 22 - 相关文章

2009年2月26日 - ... of hepatocyte nuclear factor 4 alpha and 3 beta with hepatitis B virus ... in the liver tissue of chronic HBV-infected patients and the relationship ...

Hepatocyte Nuclear Factor 3 β Inhibits Hepatitis B Virus Replication In ...

jvi.asm.org/content/76/24/12974.full ▾ 翻译此页

作者 : KE Banks - 2002 - 被引用次数 : 29 - 相关文章

Hepatitis B virus (HBV) transgenic mice expressing rat hepatocyte nuclear factor 3 β ... by using the HBV transgenic mouse model of chronic HBV infection (8).

全部 图片 新闻 视频 购物 更多 ▾ 搜索工具

找到约 833,000 条结果 (用时 0.41 秒)

Google 学术 : Hepatocyte nuclear factors in hepatitis B virus infection

Inhibition of hepatitis B virus replication by APOBEC3G - Turelli - 被引用次数 : 408

High-level hepatitis B virus replication in transgenic ... - Guidotti - 被引用次数 : 548

Modulation of hepatitis C virus RNA abundance by a ... - Jopling - 被引用次数 : 1924

Inhibition of hepatitis B virus gene expression and replication ... - NCBI

www.ncbi.nlm.nih.gov/pubmed/25653429 ▾ 翻译此页

作者 : R Hao - 2015 - 被引用次数 : 1 - 相关文章

2015年2月4日 - ... B virus gene expression and replication by hepatocyte nuclear factor 6, ... suggest a role of HNF6 in the gender dimorphism of HBV infection.

Developmental regulation of hepatitis B virus biosynthesis by ... - NCBI

www.ncbi.nlm.nih.gov/pubmed/19424486 - 翻译此页

作者 : L Li - 2009 - 被引用次数 : 19 - 相关文章

2009年5月8日 - ... of hepatitis B virus biosynthesis by hepatocyte nuclear factor 4alpha. The host cellular factors that promote persistent viral infections in vivo

The correlation of hepatocyte nuclear factor 4 alpha and 3 beta with ...

www.ncbi.nlm.nih.gov/pubmed/19302415 - 翻译此页

作者 : Y Long - 2009 - 被引用次数 : 22 - 相关文章

2009年2月26日 - ... of hepatocyte nuclear factor 4 alpha and 3 beta with hepatitis B virus ... in the liver tissue of chronic HBV-infected patients and the relationship ...

Transcriptional regulation of hepatitis B virus by nuclear hormone ...

www.pnas.org/content/98/4/1841.full.pdf ▾ 翻译此页

作者 : H Tang - 2001 - 被引用次数 : 158 - 相关文章

Hepatotropism is a prominent feature of hepatitis B virus (HBV) infection. Cell lines ... liver-enriched transcription factors on HBV RNA synthesis and replication ...