

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多 ▾](#)[搜索工具](#)

找到约 344 条结果 (用时 0.74 秒)

Tumor necrosis factor-alpha -308G/A polymorphism and risk of ... - NCBI

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ [翻译此页](#)

作者: RM Talaat - 2012 - 被引用次数: 14 - [相关文章](#)

Serum levels of TNF- α were significantly higher in HCV-infected patients than in ... the TNF- α -308 polymorphism may not be a host genetic factor associated with ... Keywords: Tumor necrosis factor- α , polymorphism, hepatitis C virus, liver neoplasm ... Genotype 4 (HCV-G4) is the prevalent genotype in Egypt, the Kingdom of ...

缺少字词: g308a pathological

TNF tumor necrosis factor [(human)] - NCBI

www.ncbi.nlm.nih.gov/gene/7124 ▾ [翻译此页](#)

Our findings indicate that genotype AA of tumor necrosis factor-alpha TNF-alpha and TNFRII polymorphisms might be genetic risk factors for Low IL-10/TNFalpha ratio in coronary artery disease patients was associated with poor prognosis. TNF (G-308A) and SLC11A1 (D543N) in patients with chronic liver diseases ...

缺少字词: pathological

IL6 interleukin 6 [(human)] - NCBI

www.ncbi.nlm.nih.gov/gene/3569 ▾ [翻译此页](#)

2016年5月8日 - RRV-infected H69 cells could be a useful model system for ... The incidence of polymorphic changes in IL-6 gene was in seen in seven (of the 62 well as IL-6 gene polymorphisms are associated with chronic idiopathic urticarial in Iranian patients. Hepatitis C virus genotype G1 and IL-6 and TNF-alpha ...

Protein TNF

Name of Journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 26623

Manuscript Type: ORIGINAL ARTICLE

Basic Study

Tumor necrosis factor- α -G308A polymorphism is associated with liver pathological changes in hepatitis C virus patients

Bader El Din NG *et al.* TNF α associated with liver pathological changes

Noha G Bader El Din, Sally Farouk, Reem El-Shenawy, Marwa K Ibrahim, Reham M Dawood, Mostafa M Elhady, Ahmed M Salem, Naglaa Zayed, Ahmed Khairy, and Mostafa K El Awady.

Abstract

AIM: To investigate the association of tumor necrosis factor α (TNF α) -

Match Overview

| | | |
|---|--|-----|
| 1 | Internet 45 words crawled on 26-Jun-2016 www.wjgnet.com | 1% |
| 2 | CrossCheck 43 words Bader El Din, Noha G., Mohamed A. Anany, Reham M. Dawood, Marwa K. Ibrahim, Reem El-Shenawy, Yasmin S. | 1% |
| 3 | CrossCheck 36 words "23rd Annual Conference of APASL March 12-15, 2014, Brisbane, Australia", Hepatology International, 2014. | 1% |
| 4 | CrossCheck 16 words "Abstracts 1311-1606", Hepatology, 09/23/2009 | <1% |
| 5 | Internet 14 words crawled on 27-Jul-2014 www.gene-profiles.org | <1% |
| 6 | CrossCheck 14 words Hugo R. Rosen. "Tumor necrosis factor genetic polymorphisms and response to antiviral therapy in patients w.... | <1% |
| 7 | CrossCheck 13 words El Awady, Mostafa K, Mohamed A Anany, Gamal Esmat, ... | <1% |

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多 ▾](#)[搜索工具](#)

找到约 807 条结果 (用时 0.69 秒)

Tumor Necrosis Factor- α 308.2 Polymorphism Is Associated with ...

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ [翻译此页](#)

作者: J Jen-Eing - 2007 - 被引用次数: 80 - 相关文章

Host genetic factor and hepatic fibrosis may predispose to risk for ... One hundred eight pairs of gender-matched and age-matched patients with HCC and ... Circulating TNF- α level increases during HBV [11–15] and HCV infection [11,16–19]. and liver injury in hepatitis C is not associated with virus-specific changes in ...

TNF tumor necrosis factor [(human)] - NCBI

www.ncbi.nlm.nih.gov/gene/7124 ▾ [翻译此页](#)

PEG-IFN/RBV therapy response to chronic hepatitis C may be associated, ... The genetic polymorphism of TNF-alpha does not seem to be associated with ... in disease pathology is associated with serum IL-6 or TNFalpha concentration. ... of genotypes and alleles of genes IL-10 and TNF-alpha in the group of patients with ...

Tumor necrosis factor-alpha -308G/A polymorphism and risk of ... - NCBI

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ [翻译此页](#)

作者: RM Talaat - 2012 - 被引用次数: 16 - 相关文章

Serum levels of TNF- α were significantly higher in HCV-infected patients ... that the TNF- α -308 polymorphism may not be a host genetic factor associated with ... Keywords: Tumor necrosis factor- α , polymorphism, hepatitis C virus, liver neoplasm or prolonged prothrombin time; and obvious morphologic change of the liver ...

缺少字词: g308a pathological

IPPEI Role of Tumor Necrosis Factor α Promoter Polymorphism and Insulin

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多 ▾](#)[搜索工具](#)

找到约 809 条结果 (用时 0.81 秒)

Tumor necrosis factor-alpha -308G/A polymorphism and risk of ... - NCBI

www.ncbi.nlm.nih.gov > [NCBI](#) > [Literature](#) > [PubMed Central \(PMC\)](#) ▾ [翻译此页](#)

作者: RM Talaat - 2012 - 被引用次数: 17 - [相关文章](#)

Serum levels of TNF- α were significantly higher in HCV-infected patients ... that the TNF- α -308 polymorphism may not be a host genetic factor associated with ... Keywords: Tumor necrosis factor- α , polymorphism, hepatitis C virus, liver neoplasm or prolonged prothrombin time; and obvious morphologic change of the liver ...

缺少字词: g308a pathological

TNF tumor necrosis factor [(human)] - NCBI

www.ncbi.nlm.nih.gov/gene/7124 ▾ [翻译此页](#)

2016年7月19日 - B cells from relapsing-remitting multiple sclerosis patients produce TNFa ...

TNF-alpha-308G/A polymorphism is associated with obstructive Sleep Apnea. ... in disease pathology is associated with serum IL-6 or TNFalpha concentration. ... 863C/A may have a positive effect on the removal of hepatitis B virus.

Tumor Necrosis Factor- α 308.2 Polymorphism Is Associated with ...

www.ncbi.nlm.nih.gov > [NCBI](#) > [Literature](#) > [PubMed Central \(PMC\)](#) ▾ [翻译此页](#)

作者: J Jen-Eing - 2007 - 被引用次数: 80 - [相关文章](#)

Host genetic factor and hepatic fibrosis may predispose to risk for ... One hundred eight pairs of gender-matched and age-matched patients with HCC and ... Circulating TNF- α level increases during HBV [11-15] and HCV infection [11,16-19]. and liver injury in hepatitis C is not associated with virus-specific changes in ...

[PDF] Role of Tumor Necrosis Factor- α Promoter Polymorphism and Insulin...

synapse.koreamed.org/Synapse/Data/PDFData/1121PGHN/pghn-15-44.pdf ▾ [翻译此页](#)

2012年3月15日 - Key Words: TNF- α polymorphism, Insulin resistance, Fatty liver, Obesity, Child

ease including viral hepatitis, metabolic disease, autoimmune ...