

The role of miRNAs and their potential to be used as diagnostic and prognos

全部

图片

视频

新闻

购物

地图

图书

找到约 332,000 条结果

时间不限

过去 1 小时内

过去 24 小时内

过去 1 周内

过去 1 个月内

过去 1 年内

所有结果

精确匹配

[PDF] [MicroRNAs as Diagnostic Biomarkers in Gastric Cancer - MDPI.com](https://www.mdpi.com/1422-0067/13/10/12544/pdf)

[www.mdpi.com/1422-0067/13/10/12544/pdf](https://www.mdpi.com/1422-0067/13/10/12544/pdf)

1 Oct 2012 ... MicroRNAs (miRNAs) could be a practical form of potential biomarkers ...

Keywords: microRNAs; gastric cancer; biomarkers; diagnosis ... The prognosis of GC is highly dependent on the stage of the disease at diagnosis [3]. ... For example, findings demonstrated an oncogenic role for miR-372 in controlling.

[Perspectives on new biomarkers in gastric cancer: Diagnostic and ...](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4155351/)

[www.ncbi.nlm.nih.gov/pmc/articles/PMC4155351/](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4155351/)

7 Sep 2014 ... Despite its importance in translational medicine, some important factors ...

However, in terms of biomarkers of diagnosis and prognosis, there is ... miRNAs differently expressed in gastric cancer tissues and their clinical application ... that can be used as biomarkers with diagnostic and prognostic potential.

[Biomarkers for gastric cancer: Progression in early diagnosis and ...](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4356326/)

[www.ncbi.nlm.nih.gov/pmc/articles/PMC4356326/](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4356326/)

12 Feb 2015 ... Standard biomarkers used for gastric cancer diagnosis include ... their

potential as biomarkers for the early diagnosis of gastric cancer. ... miRNAs may be used as prognostic factors, as they are expressed in ... Expression and regulatory function of miRNA-34a in targeting survivin in gastric cancer cells.

20

Name of Journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 25504

Manuscript Type: REVIEW

Role of miRNAs and their potential to be used as diagnostic and prognostic biomarkers in gastric cancer

Kelly Cristina da Silva Oliveira, Taíssa Máira Thomaz Araújo, Camila Inagaki Albuquerque, Gabriela Alcantara Barata, Carolina Oliveira Gígek, Fernando Augusto Rodrigues Mello Junior, Paulo Pimentel de Assumpção, Rommel Mário Rodriguez Burbano, Marília Cardoso Smith, Danielle Queiroz Calcagno

## Match Overview

1	CrossCheck 61 words Cho, Margaret. "Molecular genetics of gastric adenocarcinoma in clinical practice", <i>World Journal of Medical Gen</i>	3%
2	CrossCheck 52 words Y Saito. "Chromatin remodeling at Alu repeats by epigenetic treatment activates silenced microRNA-512-5p with"	2%
3	CrossCheck 33 words Tsujitani, Masahiro, Shuhei Komatsu, Daisuke Ichikawa, Atsushi Shiozaki, Hiroaki Konishi, Hiroki Takeshita, Ry	1%
4	Internet 32 words crawled on 27-Oct-2014 <a href="http://www.ncbi.nlm.nih.gov">www.ncbi.nlm.nih.gov</a>	1%
5	Publications 21 words "Keio University publishes research in cancer gene therapy (Report)", <i>Cancer Gene Therapy Week</i> , August 10 2	1%
6	CrossCheck 20 words Kuo-Wang Tsai. "Aberrant hypermethylation of miR-9 genes in gastric cancer", <i>Epigenetics</i> , 10/01/2011	1%

Role of miRNAs and their potential to be used as diagnostic and prognostic biomarkers in gastric cancer

全部

图片

视频

新闻

购物

地图

图书

找到约 500,000 条结果

时间不限

过去 1 小时内

过去 24 小时内

过去 1 周内

过去 1 个月内

过去 1 年内

所有结果

精确匹配

[Google 学术: Role of miRNAs and their potential to be used as diagnostic and prognostic biomarkers in gastric cancer](#)

[... potential biomarker for cancer diagnosis and prognosis](#) - Kosaka - 被引用次数: 679

[MicroRNAs: potential biomarkers for cancer diagnosis](#) - Cho - 被引用次数: 301

[... microRNAs as novel minimally invasive biomarkers for](#) - Heneghan - 被引用次数: 477

[MicroRNAs as diagnostic and prognostic biomarkers in colorectal](#)

[www.ncbi.nlm.nih.gov/pmc/articles/PMC4824711/](http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4824711/)

15 Apr 2016 ... Thus, miR-155 in serum cannot be used as a biomarker for early diagnosis[86]

.... Secondly, population ethnicity may be a potential confounding variable .... Prognostic role of microRNA-21 in non-small cell lung cancer: a meta-analysis ..... of microRNA genes in gastric mucosae of gastric cancer patients: its ...

[Biomarkers for gastric cancer: Progression in early diagnosis and](#)

[www.ncbi.nlm.nih.gov/pmc/articles/PMC4356326/](http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4356326/)

12 Feb 2015 ... Standard biomarkers used for gastric cancer diagnosis include ... their potential as biomarkers for the early diagnosis of gastric cancer. .... miRNAs may be used as prognostic factors, as they are expressed in .... Expression and regulatory function of miRNA-34a in targeting survivin in gastric cancer cells.

[Cell-Free miR-27a, a Potential Diagnostic and Prognostic Biomarker](#)



全部 图片 视频 新闻 购物 更多 ▾ 搜索工具

找到约 498,000 条结果 (用时 0.83 秒)

## Google 学术 : Role of miRNAs and their potential to be used as diagnostic and prognostic biomarkers in gastric cancer

... potential biomarker for cancer diagnosis and prognosis - Kosaka - 被引用次数 : 680

MicroRNAs: potential biomarkers for cancer diagnosis, ... - Cho - 被引用次数 : 304

... microRNAs as novel minimally invasive biomarkers for ... - Heneghan - 被引用次数 : 479

## MicroRNAs as diagnostic and prognostic biomarkers in colorectal cancer

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者 : R Yi - 2016 - 相关文章

2016年4月15日 - Thus, miR-155 in serum cannot be used as a biomarker for early diagnosis[86] ....

Secondly, population ethnicity may be a potential confounding variable ... Prognostic role of

microRNA-21 in non-small cell lung cancer: a meta-analysis ..... of microRNA genes in gastric

mucosae of gastric cancer patients: its ...

## Cell-Free miR-27a, a Potential Diagnostic and Prognostic Biomarker ...

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ 翻译此页

作者 : JL Park - 2015 - 被引用次数 : 1 - 相关文章

2015年9月30日 - MiR-27a is an oncogenic miRNA in gastric adenocarcinoma, targeting ... have the

potential to be useful diagnostic or prognostic biomarkers for cancer detection. ... All patients gave

their written consent prior to sample collection. .... 15 patients with gastric cancer and healthy control

plasma samples used in ...

## Advances in molecular biomarkers for gastric cancer: miRNAs as ...

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ 翻译此页

作者 : HH Wu - 2014 - 被引用次数 : 40 - 相关文章

By translational suppression of target genes, miRNAs play a significant role in the ... Useful diagnostic

biomarkers for early gastric cancer detection remain ... Commonly used cancer biomarkers and their

clinical applications in gastric cancer, ... used as potential prognosis biomarkers in previous reviews