

A case of a tumor comprising early gastric cancer and duodenal neuroendoc

全部

图片

视频

新闻

购物

地图

图书

找到约 29,900 条结果

时间不限

过去 1 小时内

过去 24 小时内

过去 1 周内

过去 1 个月内

过去 1 年内

所有结果

精确匹配

[Endoscopic Treatment for Early Foregut Neuroendocrine Tumors](#)

www.ncbi.nlm.nih.gov/pmc/articles/PMC3797924/

30 Sep 2013 ... Keywords: Stomach, Duodenum, Neuroendocrine tumors, Endoscopic treatment ... Gastric NETs comprise 7% of all gastrointestinal NETs and 2% of all removed gastric ... Endoscopic resection is the treatment of choice for early NETs of the Endoscopic submucosal dissection for foregut neuroendocrine ...

[Classification, clinicopathologic features and treatment of gastric ...](#)

www.ncbi.nlm.nih.gov/pmc/articles/PMC3886000/

7 Jan 2014 ... Recently developed cancer therapies such as inhibition of ... Core tip: Gastric neuroendocrine tumors (GNETs) comprise distinct ... Gastric neuroendocrine tumors (GNETs) are rare tumors, occurring in 1 to 2 cases/1000000 ... However, while endoscopic submucosal dissection (ESD) or local resection can ...

[Endoscopic submucosal dissection for duodenal tumors: a single ...](#)

www.ncbi.nlm.nih.gov/pubmed/22930172

28 Aug 2012 ... Endoscopic submucosal dissection for duodenal tumors: a ... 2 early cancers, 5 adenomas, and 7 neuroendocrine tumors, who were treated by ...

[Future directions of duodenal endoscopic submucosal dissection](#)



25487-Review

BY HIROAKI KANEKO

Quotes Included
Bibliography Included3%
SIMILAR

Name of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 25487

Manuscript Type: CASE REPORT

Case of a tumor comprising gastric cancer and duodenal neuroendocrine
tumor

Hiroaki Kaneko, Akio Miyake, Yasuaki Ishii, Soichiro Sue, Haruo Miwa,

Match Overview

- 1** **CrossCheck** 28 words
Yamaguchi, Takeshi, Takahiro Fujimori, Shigeki Tomita, Kazuhito Ichikawa, Hiroyuki Mitomi, Kazuya Ohno, Yosuke Shi 2%
- 2** **CrossCheck** 23 words
Matsumoto, S., "Duodenal carcinoid tumors: 5 cases treated by endoscopic submucosal dissection", *Gastrointestinal E* 1%

Case of a tumor comprising gastric cancer and duodenal neuroendocrine tur

全部

图片

视频

新闻

购物

地图

图书

找到约 188,000 条结果

时间不限

过去 1 小时内

过去 24 小时内

过去 1 周内

过去 1 个月内

过去 1 年内

所有结果

精确匹配

[Google 学术: Case of a tumor comprising gastric cancer and duodenal neuroendocrine tumor](#)

[... neuroendocrine cell system and its tumors: the WHO ...](#) - KLÖPPEL - 被引用次数: 667

[... carcinoid and the gastric neuroendocrine carcinoma: a ...](#) - Rindi - 被引用次数: 558

[... gastrointestinal neuroendocrine \(carcinoid\) tumors ...](#) - Klöppel - 被引用次数: 149

[Immunohistochemical features of the gastrointestinal tract tumors](#)

www.ncbi.nlm.nih.gov/pmc/articles/PMC3418530/ ▼

Most cases of gastric carcinoma arise within areas of incomplete GIM, and show CK7 ...

Stromal tumors comprise the majority of primary nonepithelial neoplasms in the All gastrointestinal neuroendocrine tumors are positive for the generic ... Duodenal carcinoids, similar to any carcinoid in the gastrointestinal tract can be ...

[Classification, clinicopathologic features and treatment of gastric ...](#)

www.ncbi.nlm.nih.gov/pmc/articles/PMC3886000/ ▼

7 Jan 2014 ... Recently developed cancer therapies such as inhibition of ... Core tip: Gastric neuroendocrine tumors (GNETs) comprise distinct tumor ... Gastric neuroendocrine tumors (GNETs) are rare tumors, occurring in 1 to 2 cases/ 1000000 patients with duodenal gastrinoma with multiple GNETs secondary to ...

全部 图片 新闻 购物 视频 更多 ▾ 搜索工具

找到约 192,000 条结果 (用时 0.71 秒)

Immunohistochemical features of the gastrointestinal tract tumors - NCBI

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ 翻译此页

作者: HH Wong - 2012 - 被引用次数: 23 - 相关文章

Most cases of gastric carcinoma arise within areas of incomplete GIM, and show CK7 ... Stromal tumors comprise the majority of primary nonepithelial neoplasms in the All gastrointestinal neuroendocrine tumors are positive for the generic ... Duodenal carcinoids, similar to any carcinoid in the gastrointestinal tract can be ...

Classification, clinicopathologic features and treatment of gastric ...

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ 翻译此页

作者: TT Li - 2014 - 被引用次数: 19 - 相关文章

2014年1月7日 - Recently developed cancer therapies such as inhibition of ... Core tip: Gastric neuroendocrine tumors (GNETs) comprise distinct tumor ... Gastric neuroendocrine tumors (GNETs) are rare tumors, occurring in 1 to 2 cases/1000000 patients with duodenal gastrinoma with multiple GNETs secondary to ...

A Gastric Composite Tumor with an Adenocarcinoma and a ... - NCBI

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ 翻译此页

作者: JH Lee - 2013 - 被引用次数: 6 - 相关文章

2013年5月31日 - Adenocarcinoma and neuroendocrine carcinoma are each well known to ... of common adenocarcinoma and the neuroendocrine component comprising of at ... We present a case of gastric composite tumor displaying features of both Concurrent occurrence of gastric adenocarcinoma and duodenal ...

All About Carcinoid and Neuroendocrine Tumors | Oncolink - Cancer ...

www.oncolink.org/types/article.cfm?c=23&id=9562 ▾ 翻译此页

Tumors of the neuroendocrine system account for about 2% of all cancers and can be ...

Approximately 12,000 cases of carcinoid tumor are diagnosed a year. ... The foregut includes the lungs and the stomach, the midgut is comprised of the small ... Bronchial: Bronchial carcinoids only