

学术搜索

找到约 19,700 条结果 (用时0.11秒)

文章

我的图书馆

时间不限

2016以来

2015以来

2012以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

包括专利

包含引用

创建快讯

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

Detection of circulating tumor DNA in early-and late-stage human malignancies

C Bettegowda, M Sausen, RJ Leary... - Science translational ... , 2014 - stm.sciencemag.org

... share, 0; 0; 0. Research ArticleCancer. Detection of Circulating Tumor DNA in Early- and Late-Stage Human Malignancies.

被引用次数: 411 相关文章 所有 12 个版本 引用 保存

nih.gov 中的 [HTML]

Analysis of circulating tumor DNA to monitor metastatic breast cancer

SJ Dawson, DWY Tsui, M Murtaza... - ... England Journal of ... , 2013 - Mass Medical Soc

... Circulating mutant DNA to assess tumor dynamics, ... Use of cancer-specific genomic rearrangements to quantify disease burden in plasma from patients with solid tumors. ... Detecting tumor-related alterations in plasma or serum DNA of patients diagnosed with breast cancer.

被引用次数: 488 相关文章 所有 13 个版本 引用 保存

pfizerpro.com.co 中的 [PDF]

Circulating tumor cells: liquid biopsy of cancer

C Alix-Panabières, K Pantel - Clinical chemistry, 2013 - Am Assoc Clin Chem

... colon, or prostate cancer), cells are shed from the primary tumor and then circulate through the ... do these findings point to the need for further molecular characterization of circulating epithelial cells ... In addition, there is still a great interest in studying cell-free tumor DNA in parallel ...

被引用次数: 273 相关文章 所有 8 个版本 引用 保存

clinchem.org 中的 [HTML]

Noninvasive identification and monitoring of cancer mutations by targeted deep sequencing of plasma DNA

T Forshew, M Murtaza, C Parkinson... - Science translational ... , 2012 - stm.sciencemag.org

... We demonstrated use of TAM-Seq to noninvasively identify the origin of metastatic relapse in a patient with multiple primary tumors. ... To characterize the quantitative accuracy of TAM-Seq as applied to circulating DNA, we simulated rare circulating tumor mutations by ...

被引用次数: 293 相关文章 所有 9 个版本 引用 保存

bmskorea.co.kr 中的 [PDF]

Liquid biopsy: monitoring cancer-genetics in the blood

E Crowley, F Di Nicolantonio, F Loupakis... - Nature reviews Clinical ... , 2013 - nature.com

... 80 As DNA is cleared from circulation within 30 min, 81 the presence ... DNA", "circulating free DNA", "circulating mutated DNA", "circulating plasma DNA", "circulating serum DNA ... Cancer genome scanning in plasma: detection of tumor-associated copy number aberrations, single ...

被引用次数: 192 相关文章 所有 7 个版本 引用 保存

nature.com 中的 [HTML]

Name of Journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 26758

Manuscript Type: Topic Highlight

2016 Pancreatic Cancer: Global view

Circulating tumor DNA as a liquid biopsy target for detection of pancreatic cancer

1
Erina Takai, Shinichi Yachida

Erina Takai, Shinichi Yachida, Division of Cancer Genomics, National Cancer Center Research Institute, Tokyo 104-0045, Japan

Author contributions: Takai E performed the majority of the writing and prepared the figure; Yachida S supervised the writing of the paper.

Conflict-of-interest statement: There is no conflict of interest associated with any of the authors contributed their efforts in this manuscript.

Match Overview

1 Internet 201 words
crawled on 16-Jul-2016
www.wjgnet.com

4%

[全部](#) [新闻](#) [图片](#) [视频](#) [更多](#) [搜索工具](#)

找到约 300,000 条结果 (用时 0.69 秒)

Google 学术: Circulating tumor DNA as a liquid biopsy target for detection of pancreatic cancer

Detection of circulating tumor DNA in early-and late- ... - [Bettegowda](#) - 被引用次数: 514

Circulating tumor cells: liquid biopsy of cancer - [Alix-Panabières](#) - 被引用次数: 307

Analysis of circulating tumor DNA to monitor metastatic ... - [Dawson](#) - 被引用次数: 561

Clinical utility of circulating tumor DNA for molecular assessment in ...

www.nature.com > [Scientific Reports](#) > [Articles](#) > [翻译此页](#)

作者: [E Takai](#) - 2015 - 被引用次数: 4 - [相关文章](#)

2015年12月16日 - **Pancreatic** ductal adenocarcinoma (PDAC) remains one of the most lethal malignancies. ... **Circulating** cell-free **DNA** (cfDNA) is a promising resource to **detect** and ... of **tumor** heterogeneity, based on the concept of "**liquid biopsy**". ... Mutations **detected** by **targeted** deep sequencing are presented in Fig.

Circulating Tumor DNA as a Liquid Biopsy for Cancer

www.clinchem.org/content/61/1/112.full > [翻译此页](#)

作者: [E Heitzer](#) - 2015 - 被引用次数: 77 - [相关文章](#)

2014年11月11日 - **BACKGROUND**: **Targeted** therapies have markedly changed the treatment of ... Because cell-free **circulating tumor DNA** (ctDNA) is a potential surrogate for ... **Liquid biopsy** to monitor tumor-specific aberrations to **detect** recurrence. ... **DNA** fragments were barely detectable in patients with **pancreatic** ductal ...

Circulating Tumor DNA as a Liquid Biopsy for Cancer Reviews

www.clinchem.org/content/61/1/112.full.pdf > [翻译此页](#)

作者: [E Heitzer](#) - 2015 - 被引用次数: 77 - [相关文章](#)

Circulating Tumor DNA as a Liquid Biopsy for Cancer. [Ellen Heitzer](#),1* [Peter](#) ... these mutations are responsive to specific **targeted** inhib- itors (1). ... **pancreatitis**(20). ... **Liquid biopsy** to monitor tumor-specific aberrations to **detect** recurrence.

Circulating tumor cells and DNA as liquid biopsies

www.ncbi.nlm.nih.gov > [NCBI](#) > [Literature](#) > [PubMed Central \(PMC\)](#) - [翻译此页](#)

作者: [E Heitzer](#) - 2015 - 被引用次数: 77 - [相关文章](#)



全部 新闻 图片 视频 更多 ▾ 搜索工具

找到约 303,000 条结果 (用时 0.52 秒)

Google 学术 : Circulating tumor DNA as a liquid biopsy target for detection of pancreatic cancer

Detection of circulating tumor DNA in early-and late- ... - Bettegowda - 被引用次数 : 516

Circulating tumor cells: liquid biopsy of cancer - Alix-Panabières - 被引用次数 : 307

Analysis of circulating tumor DNA to monitor metastatic ... - Dawson - 被引用次数 : 562

Clinical utility of circulating tumor DNA for molecular assessment in ...

www.nature.com > [Scientific Reports](#) > [Articles](#) ▾ [翻译此页](#)

作者 : E Takai - 2015 - 被引用次数 : 4 - [相关文章](#)

2015年12月16日 - **Pancreatic** ductal adenocarcinoma (PDAC) remains one of the most lethal malignancies. ... **Circulating** cell-free DNA (cfDNA) is a promising resource to **detect** and ... of **tumor** heterogeneity, based on the concept of "liquid biopsy". Mutations **detected** by **targeted** deep sequencing are presented in Fig.

Circulating Tumor DNA as a Liquid Biopsy for Cancer

www.clinchem.org/content/61/1/112.full ▾ [翻译此页](#)

作者 : E Heitzer - 2015 - 被引用次数 : 78 - [相关文章](#)

2014年11月11日 - BACKGROUND: **Targeted** therapies have markedly changed the treatment of ... Because cell-free **circulating tumor DNA** (ctDNA) is a potential surrogate for ... **Liquid biopsy** to monitor tumor-specific aberrations to **detect** recurrence. ... **DNA** fragments were barely detectable in patients with **pancreatic** ductal ...

Circulating Tumor DNA as a Liquid Biopsy for Cancer Reviews

www.clinchem.org/content/61/1/112.full.pdf ▾ [翻译此页](#)

作者 : E Heitzer - 2015 - 被引用次数 : 77 - [相关文章](#)

Circulating Tumor DNA as a Liquid Biopsy for Cancer. Ellen Heitzer,1* Peter ... these mutations are responsive to specific **targeted** inhib- itors (1). **pancreatitis**(20). ... **Liquid biopsy** to monitor tumor-