



全部

图片

视频

新闻

购物

更多 ▾

搜索工具



找到约 29,200 条结果 (用时 0.57 秒)

## Google 学术: Intercellular Adhesion Molecule 1 in cholestatic liver after portal vein ligation

... of neutrophil-induced liver injury in bile duct-ligated ... - Gujral - 被引用次数: 110

Diseases of the liver and biliary system - Sherlock - 被引用次数: 3675

Hepatic fibrosis and cirrhosis: the (myo) fibroblastic cell ... - Guyot - 被引用次数: 238

### Functional importance of ICAM-1 in the mechanism of neutrophil ...

[www.ncbi.nlm.nih.gov/pubmed/14563671](http://www.ncbi.nlm.nih.gov/pubmed/14563671) ▾ 翻译此页

作者: JS Gujral - 2004 - 被引用次数: 110 - 相关文章

2003年10月16日 - Cholestasis-induced liver injury during bile duct obstruction causes an acute ... After BDL for 3 days, increased ICAM-1 expression was observed along sinusoids, along portal veins, and on hepatocytes in livers of WT animals. ... Intercellular Adhesion Molecule-1/physiology\*; Ligation; Mice; Mice, Inbred ...

### Depletion of Apoptosis Signal-Regulating Kinase 1 Prevents Bile Duct ...

[www.sciencedirect.com/science/article/pii/S0002944013008390](http://www.sciencedirect.com/science/article/pii/S0002944013008390) ▾ 翻译此页

作者: H Noguchi - 2014 - 被引用次数: 10 - 相关文章

2014年1月9日 - To produce a ligation-induced cholestatic liver injury (BDL) model, the peritoneal ... After a defined period of BDL or sham operation at 3 or 14 days, animals ..... apparatus was inserted into the portal vein and was ligated in place ... of several adhesion molecules, such as intercellular adhesion

Name of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 27207

Manuscript Type: ORIGINAL ARTICLE

Case Control Study

Association between gastrointestinal symptoms and affectivity in patients with  
bipolar disorder

Pontus Karling, Martin Maripuu, Mikael Wikgren, Rolf Adolfsson, Karl-Fredrik  
Norrback

## Match Overview

- 1** **Crossref** 15 words  
"Posters", Bipolar Disorders, 2016. <1%
- 2** **Internet** 13 words  
crawled on 13-Jan-2013  
[umu.diva-portal.org](http://umu.diva-portal.org) <1%

Association between gastrointestinal symptoms and affectivity in patients with bip

全部 图片 视频 新闻 购物 地图 图书

找到约 1,470,000 条结果

时间不限

- 过去 1 小时内
- 过去 24 小时内
- 过去 1 周内
- 过去 1 个月内
- 过去 1 年内

所有结果

精确匹配

[Google 学术: Association between gastrointestinal symptoms and affectivity in patients with bipolar disorder](#)

[... for the treatment of patients with bipolar disorder \( ...](#) - <Psychiatric <b>Association</b> ...  
- 被引用次数: 1844

[... bipolar disorder and schizophrenia and its relationship ...](#) - Martinez-Aran - 被引用次数: 191  
[Prodromal and residual symptoms in bipolar I disorder](#) - Keitner - 被引用次数: 124

[The relationship between irritable bowel syndrome and psychiatric ...](#)

[www.ncbi.nlm.nih.gov/pmc/articles/PMC4223878/](http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4223878/) ▼

27 Jun 2014 ... Stress often worsens the symptoms of patients with IBS, ... Also, stress has been showed to affect both motility and visceral hypersensitivity. .... Gastrointestinal- specific anxiety seems to perpetuate IBS symptoms ... There are very few studies assessing the association between bipolar disorder and IBS.

[Bipolar Disorder - In-Depth Report - NY Times Health](#)

[www.nytimes.com/health/guides/disease/bipolar-disorder/print.html](http://www.nytimes.com/health/guides/disease/bipolar-disorder/print.html) ▼

Patients with bipolar disorder do not experience manic or mixed episodes, ... However, bipolar disorder can affect people of all ages, including children. ... Symptoms of bipolar disorder tend to fluctuate dramatically between two ... Doctors diagnose bipolar disorder based on criteria of the American Psychiatric Association's ...



全部 新闻 图片 视频 购物 更多 ▾ 搜索工具

找到约 1,470,000 条结果 (用时 0.76 秒)

## Google 学术 : Association between gastrointestinal symptoms and affectivity in patients with bipolar disorder

... for the treatment of patients with bipolar disorder ( ... - ... Psychiatric Association - 被引用次数 : 1843

... bipolar disorder and schizophrenia and its relationship ... - Martinez-Aran - 被引用次数 : 191

Prodromal and residual symptoms in bipolar I disorder - Keitner - 被引用次数 : 124

## The relationship between irritable bowel syndrome and psychiatric ...

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) > NCBI > Literature > PubMed Central (PMC) ▾ 翻译此页

作者 : M Fadgyas-Stanculete - 2014 - 被引用次数 : 22 - 相关文章

2014年6月27日 - Stress often worsens the symptoms of patients with IBS. ... Also, stress has been showed to affect both motility and visceral hypersensitivity. .... Gastrointestinal-specific anxiety seems to perpetuate IBS symptoms ... There are very few studies assessing the association between bipolar disorder and IBS.

## Bipolar Disorder - In-Depth Report - NY Times Health

[www.nytimes.com/health/guides/disease/bipolar-disorder/print.html](http://www.nytimes.com/health/guides/disease/bipolar-disorder/print.html) ▾ 翻译此页

Patients with bipolar disorder do not experience manic or mixed episodes, ... However, bipolar disorder can affect people of all ages, including children. ... Symptoms of bipolar disorder tend to fluctuate dramatically between two ... Doctors diagnose bipolar disorder based on criteria of the American Psychiatric Association's ...

## Bipolar disorder | University of Maryland Medical Center

[umm.edu/health/medical/reports/articles/bipolar-disorder](http://umm.edu/health/medical/reports/articles/bipolar-disorder) ▾ 翻译此页

It usually develops in a person's mid-teens or early adult years but can affect people of ... based on specific criteria defined by the American Psychiatric Association. .... Patients with bipolar disorder II do not experience manic or mixed episodes, and ... Symptoms of bipolar disorder tend to fluctuate