

[全部](#)[图片](#)[视频](#)[新闻](#)[购物](#)[更多 ▾](#)[搜索工具](#)

找到约 33 条结果 (用时 0.85 秒)

Adenoma and sessile serrated polyp detection rates: variation by ...

www.ncbi.nlm.nih.gov/pubmed/25101608 ▾ [翻译此页](#)

作者: MR Sanaka - 2014 - 被引用次数: 10 - 相关文章

Adenoma and sessile serrated polyp detection rates: variation by patient sex ... at 2% ($p = 0.84$) and 3-fold higher in the proximal than in the distal colon (1.4% vs ...

缺少字词: interendoscopist twice

Serrated polyps of the large intestine: current understanding of ... - NCBI

www.ncbi.nlm.nih.gov ▾ [NCBI](#) ▾ [Literature](#) ▾ [PubMed Central \(PMC\)](#) ▾ [翻译此页](#)

作者: C Rosty - 2013 - 被引用次数: 78 - 相关文章

2012年12月4日 - The terms sessile serrated adenoma and sessile serrated polyp are both synonyms and In fact, variation in the detection of serrated polyps between ... miss rates for serrated polyps are far higher than for conventional adenomas. However most SSAs are themselves in the proximal colon and it is not ...

缺少字词: interendoscopist twice

Sessile Serrated Polyps: Detection, Eradication, and Prevention of the ...

www.ncbi.nlm.nih.gov ▾ [NCBI](#) ▾ [Literature](#) ▾ [PubMed Central \(PMC\)](#) - [翻译此页](#)

The sessile serrated polyp (SSP), also known as sessile serrated adenoma, is the ... crypt and extension of the proliferating cells to higher levels of the crypt rather than ... than the 2.8 fold range in variability of conventional adenoma detection rates As SSPs tend to be flat, large, and located in

Name of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 28413

Manuscript Type: ORIGINAL ARTICLE

Interendoscopist variability in proximal colon polyp detection is twice higher for serrated polyps than adenomas

Bretagne Jean-François, Hamonic Stéphanie, Piette Christine, Viel Jean-François, Bouguen Guillaume

Abstract

Match Overview

- | Match Number | Source | Words | Similarity |
|--------------|---|----------|------------|
| 1 | Crossref | 41 words | 1% |
| | Kahi, C.J.. "High colonoscopic prevalence of proximal col ...
n serrated polyps in average-risk men and women", Gastro | | |
| 2 | Internet | 20 words | 1% |
| | crawled on 25-Jul-2014
faaed.org.ar | | |
| 3 | Crossref | 18 words | <1% |
| | Bretagne, J.F.. "Neoplasia detection rates after positive fec ...
al occult blood test results are not affected by endoscopy ... | | |
| 4 | Crossref | 15 words | <1% |
| | David G Hewett. "Improving Colonoscopy Quality Through ...
Health-Care Payment Reform", The American Journal of G | | |

Interendoscopist variability in proximal colon polyp detection is twice higher for se

全部

图片

视频

新闻

购物

地图

图书

找到约 28 条结果

时间不限

过去 1 小时内

过去 24 小时内

过去 1 周内

过去 1 个月内

过去 1 年内

所有结果

精确匹配

[Adenoma and sessile serrated polyp detection rates: variation by ...](#)

www.ncbi.nlm.nih.gov/pubmed/25101608

Adenoma and sessile serrated polyp detection rates: variation by patient sex ... at 2% (p = 0.84) and 3-fold higher in the proximal than in the distal colon (1.4% vs ...

[Sessile Serrated Polyps: Detection, Eradication, and Prevention of ...](#)

www.ncbi.nlm.nih.gov/pmc/articles/PMC4427517/

The sessile serrated polyp (SSP), also known as sessile serrated adenoma, is the ... crypt and extension of the proliferating cells to higher levels of the crypt rather than ... than the 2.8 fold range in variability of conventional adenoma detection rates As SSPs tend to be flat, large, and located in the proximal colon, concern ...

[Adenoma detection in patients undergoing a comprehensive ... - NCBI](#)

www.ncbi.nlm.nih.gov/pmc/articles/PMC3699850/

20 Apr 2013 ... To determine adenoma and serrated polyp detection rate under conditions ... or hyperplastic polyps proximal to the splenic flexure) detection was 23%. ... Keywords: Adenoma, colon, colonoscopy, detection, serrated adenoma rates and variability in detection for serrated lesions are greater than those ...

[DETECTION RATES OF PREMALIGNANT POLYPS DURING ... - NCBI](#)

www.ncbi.nlm.nih.gov/pmc/articles/PMC4340745/

10 Jan 2015 ... No such standards exist for sessile serrated adenomas ... Polyp size was

[全部](#)[图片](#)[视频](#)[新闻](#)[购物](#)[更多 ▾](#)[搜索工具](#)

找到约 28 条结果 (用时 0.70 秒)

Adenoma and sessile serrated polyp detection rates: variation by ...

www.ncbi.nlm.nih.gov/pubmed/25101608 ▾ [翻译此页](#)

作者: MR Sanaka - 2014 - 被引用次数: 10 - [相关文章](#)

Adenoma and sessile serrated polyp detection rates: variation by patient sex ... at 2% ($p = 0.84$) and 3-fold higher in the proximal than in the distal colon (1.4% vs ...

缺少字词: interendoscopist twice

Sessile Serrated Polyps: Detection, Eradication, and Prevention of the ...

www.ncbi.nlm.nih.gov > [NCBI](#) > [Literature](#) > [PubMed Central \(PMC\)](#) - [翻译此页](#)

作者: JC Qbuch - 2015 - 被引用次数: 1 - [相关文章](#)

The sessile serrated polyp (SSP), also known as sessile serrated adenoma, is the ... crypt and extension of the proliferating cells to higher levels of the crypt rather than ... than the 2.8 fold range in variability of conventional adenoma detection rates As SSPs tend to be flat, large, and located in the proximal colon, concern ...

缺少字词: interendoscopist twice

Adenoma detection in patients undergoing a comprehensive ... - NCBI

www.ncbi.nlm.nih.gov > [NCBI](#) > [Literature](#) > [PubMed Central \(PMC\)](#) ▾ [翻译此页](#)

作者: GS Raju - 2013 - 被引用次数: 11 - [相关文章](#)

2013年4月20日 - To determine adenoma and serrated polyp detection rate under conditions ... or hyperplastic polyps proximal to the splenic flexure) detection was 23%. ... Keywords: Adenoma, colon, colonoscopy, detection, serrated adenoma rates and variability in detection for serrated lesions are greater than those ...

缺少字词: interendoscopist twice

Polyp and Adenoma Detection Rates in the Colon - Medscape

www.medscape.com/viewarticle/806338_4 ▾ [翻译此页](#)

Polyp and Adenoma Detection Rates in the Proximal and Distal Colon ... If PDR is considered a