

全部 图片 新闻 视频 购物 更多 ▾ 搜索工具

找到约 1,190 条结果 (用时 0.70 秒)

Five year prospective study of the incidence, clinical features, and ...

www.ncbi.nlm.nih.gov/pubmed/1398223 - 翻译此页

作者: PJ Howard - 1992 - 被引用次数: 259 - 相关文章

Five year prospective study of the **incidence, clinical features**, and diagnosis of ... With the increasing availability of manometry, patients with **achalasia** are often ... The presenting **symptoms** were dysphagia: for solids (100%) and for liquids ...

缺少字词: para algeria experience 25

Clinical diagnosis of achalasia: How reliable is the barium x-ray? - NCBI

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ 翻译此页

作者: I El-Takli - 2006 - 被引用次数: 27 - 相关文章

At the time of **presentation**, patients usually **experience** slowly progressive Five year prospective study of the **incidence, clinical features**, and diagnosis of ...

缺少字词: para algeria 25

Diagnosis and treatment of achalasia patients: a ten-year review of the ...

www.ncbi.nlm.nih.gov/pubmed/25436351 - 翻译此页

作者: MI Yasawy - 2014 - 被引用次数: 4 - 相关文章

BACKGROUND/AIMS: To study the **clinical features**, the diagnosis and ... with pneumatic balloon dilatation in patients with **achalasia** in a teaching hospital in ... Their **presentation**, radiologic, monometric and endoscopic **findings** as well as ...

缺少字词: incidence para algeria experience 25

[PDF] Technical Review on Treatment of Patients with Dysphagia Caused...

<https://msu.edu/~ferrervi/AGA/AGAUGI/assets/Dysphagia.pdf> - 翻译此页

1998年9月27日 - Episodes may be separated by weeks, months, or **years**, and the ...

immunodeficiency syndrome develop **symptoms** of esopha- ... infectious esophagitis, but most patients **experience** ... teristic **features** such as joint abnormalities, calcinosis, of **achalasia** appears clear-cut based on typical **clinical** and.

[PDF] VOLUME 2 IMAI District Clinician Manual - World Health Organization

Name of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 26246

Manuscript Type: Original Article

Prospective Study

**Incidence, clinical features and Para clinical findings of achalasia in Algeria:
Experience of 25 years**

Tebaibia A *et al.* Incidence and profile of achalasia in Algeria

Amar Tebaibia, Mohammed A Boudjella, Djamel Boutarene, Farouk Benmediouni,
Hakim Brahim, Nadia Oumnia

Amar Tebaibia, Internal Medicine Department, Kouba Hospital, University of Algiers
1, Algiers 16050, Algeria

Mohammed A Boudjella, Internal Medicine Department, Kouba Hospital, University
of Algiers 1, Algiers 16050, Algeria

Match Overview

1	Internet 97 words crawled on 18-Jul-2016 www.wjnet.com	2%
2	CrossCheck 23 words Frank Zerbib. "Repeated Pneumatic Dilations as Long-Term Maintenance Therapy for Esophageal Achalasia. CME."	<1%

[全部](#)[图片](#)[新闻](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 1,450 条结果 (用时 0.73 秒)

[A prospective study of the clinical features, manometric findings ... - NCBI](#)

www.ncbi.nlm.nih.gov/pubmed/10482430 ▾ [翻译此页](#)

作者: KY Ho - 1999 - 被引用次数: 42 - [相关文章](#)

A prospective study of the **clinical features**, manometric **findings**, **incidence** and prevalence of **achalasia** in Singapore. ... Twenty-four men and 25 women fulfilled the manometric and **clinical** criteria for **achalasia**. **RESULTS**: Their median age of onset of **symptoms** was 37 **years** (range 15-71) and 37% first developed ...

缺少字词: para algeria experience

[Five year prospective study of the incidence, clinical features, and ...](#)

www.ncbi.nlm.nih.gov/pubmed/1398223 - [翻译此页](#)

作者: PJ Howard - 1992 - 被引用次数: 259 - [相关文章](#)

Five **year** prospective study of the **incidence**, **clinical features**, and diagnosis of ... With the increasing availability of manometry, patients with **achalasia** are often ... The presenting **symptoms** were dysphagia: for solids (100%) and for liquids ...

缺少字词: para algeria experience 25

[Childhood sarcoidosis in Denmark 1979-1994: incidence, clinical ...](#)

www.ncbi.nlm.nih.gov/pubmed/14989436 ▾ [翻译此页](#)

作者: AL Hoffmann - 2004 - 被引用次数: 116 - [相关文章](#)

AIM: To describe the **incidence**, **clinical presentation and paraclinical** ... In 1979-1994 the **incidence** was 0.29 per 100000 person-**years** < or = 15 y of age. ... had erythema nodosum, 12.5% sarcoid skin lesions, 25% uveitis/iridocyclitis and ...

缺少字词: achalasia algeria experience

[Abstracts JPGN FINAL](#)

journals.lww.com/.../ESPGHAN%202015%20-%20Abstracts%20JPGN%20FINAL.pdf ▾

2015年5月6日 - IODINE STATUS IN INFANTS AND CHILDREN UNDER 2 **YEARS** OF IgG anti-TG6 were found in 25/249 (10%) patients with CD, 17/132 **Results**: No adverse **clinical signs** and pathological **findings** along the **Conclusion**: **Incidence** of paediatric **achalasia** in the Netherlands is 0.10/100.000/year.

[\[PDF\] Technical Review on Treatment of Patients with Dysphagia Caused ...](#)

全部 图片 新闻 视频 更多 ▾ 搜索工具

找到约 1,500 条结果 (用时 0.69 秒)

A prospective study of the clinical features, manometric findings ... - NCBI

www.ncbi.nlm.nih.gov/pubmed/10482430 ▾ 翻译此页

作者: KY Ho - 1999 - 被引用次数: 42 - 相关文章

A prospective study of the **clinical features**, manometric **findings**, **incidence** and prevalence of **achalasia** in Singapore. ... Twenty-four men and 25 women fulfilled the manometric and **clinical** criteria for **achalasia**. **RESULTS**: Their median age of onset of **symptoms** was 37 **years** (range 15-71) and 37% first developed ...

缺少字词: para algeria experience

Five year prospective study of the incidence, clinical features, and ...

www.ncbi.nlm.nih.gov/pubmed/1398223 - 翻译此页

作者: PJ Howard - 1992 - 被引用次数: 259 - 相关文章

Five **year** prospective study of the **incidence**, **clinical features**, and diagnosis of ... With the increasing availability of manometry, patients with **achalasia** are often ... The presenting **symptoms** were dysphagia: for solids (100%) and for liquids ...

缺少字词: para algeria experience 25

Childhood sarcoidosis in Denmark 1979-1994: incidence, clinical ...

www.ncbi.nlm.nih.gov/pubmed/14989436 ▾ 翻译此页

作者: AL Hoffmann - 2004 - 被引用次数: 116 - 相关文章

AIM: To describe the **incidence**, **clinical presentation and paraclinical** ... In 1979-1994 the **incidence** was 0.29 per 100000 person-**years** < or = 15 y of age. ... had erythema nodosum, 12.5% sarcoid skin lesions, 25% uveitis/iridocyclitis and ...

缺少字词: achalasia algeria experience

Abstracts JPGN FINAL

journals.lww.com/.../ESPGHAN%202015%20-%20Abstracts%20JPGN%20FINAL.pd... ▾

2015年5月6日 - IODINE STATUS IN INFANTS AND CHILDREN UNDER 2 **YEARS** OF IgG anti-