

M-CSF expressed in non-cancer tissues provides predictive powers for recurrence

全部

图片

视频

新闻

购物

地图

图书

找到约 8,750 条结果

时间不限

过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果

精确匹配

[Google 学术: M-CSF expressed in non-cancer tissues provides predictive powers for recurrence in HCC](#)

[Contribution of oncoproteomics to cancer biomarker ...](#) - Cho - 被引用次数: 257

[Ovarian cancer proteomics: Many technologies one ...](#) - Narasimhan - 被引用次数: 11

[Methodology and applications of disease biomarker ...](#) - Sahab - 被引用次数: 49

[Biomarkers for hepatocellular carcinoma: progression in early ...](#)

www.ncbi.nlm.nih.gov/pmc/articles/PMC4177612/ ▼

5 Feb 2013 ... In this article, we provide an up-to-date review of the biomarkers that are ...
Keywords: Hepatocellular carcinoma, Early diagnosis, Prognosis, Biological markers ... Tumor
tissue-oriented markers are not highly practical because not all ... expression of M-CSF and
can serve as a superior predictor of HCC ...

[Full Text - Journal of Clinical Oncology - ASCOPubs.org](#)

jco.ascopubs.org/content/26/16/2707.full ▼

1 Jun 2008 ... Corresponding author: Hui-Chuan Sun, MD, PhD, Liver Cancer Institute ... The
combination of peritumoral M-CSF and MΦ had a better power to ... of peritumoral tissue in the
recurrence and metastasis of HCC. ... Although hepatectomy is the best method to provide
long-term survival for patients with HCC, ...

[PDF] [High Expression of Macrophage Colony-Stimulating Factor in ...](#)



22797-Review

BY HIROSHI KONO

Quotes Excluded
Bibliography Excluded1%
SIMILAR

Name of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 22797

Manuscript Type: ORIGINAL ARTICLE

Retrospective Study

Macrophage colony-stimulating factor expressed in non-cancer tissues provides predictive powers for recurrence in hepatocellular carcinoma

Hiroshi Kono, Hideki Fujii, Shinji Furuya, Michio Hara, Kazuyoshi Hirayama, Yoshihiro Akazawa, Yuuki Nakata, Masato Tsuchiya, Naohiro Hosomura, Chao Sun

Match Overview

1

Internet 28 words
crawled on 18-Mar-2009
www.annalsurgicaloncology.org

1%

Macrophage colony-stimulating factor expressed in non-cancer tissues provi

全部

图片

视频

新闻

购物

地图

图书

找到约 54,100 条结果

时间不限

过去 1 小时内

过去 24 小时内

过去 1 周内

过去 1 个月内

过去 1 年内

所有结果

精确匹配

[Google 学术: Macrophage colony-stimulating factor expressed in non-cancer tissues provides predictive powers for recurrence in hepatocellular carcinoma](#)

[Cytokines and their relationship to the symptoms and ...](#) - Seruga - 被引用次数: 338

[Plasma biomarkers distinguish non-small cell lung ...](#) - Izbicka - 被引用次数: 14

[... serum biomarker in hepatocellular carcinoma](#) - Zhu - 被引用次数: 20

[Biomarkers for hepatocellular carcinoma: progression in early ...](#)

www.ncbi.nlm.nih.gov/pmc/articles/PMC4177612/ ▼

5 Feb 2013 ... The lack of ideal biomarkers for HCC diagnosis, prognosis, and therapy ... Tumor tissue-oriented markers are not highly practical because not all tumor ... as a promising candidate for predicting tumor recurrence and metastasis [74]. ... macrophage colony-stimulating factor (M-CSF) [94], macrophages [95], ...

[Increased expression of colony stimulating factor-1 is a predictor of ...](#)

www.ncbi.nlm.nih.gov/pmc/articles/PMC4339479/

18 Feb 2015 ... BMC Cancer. ... High CSF-1 expression indicated poor survival and early recurrence of ccRCC ... Renal cell carcinoma (RCC) accounts for approximately 3% of all adult ... Colony stimulating factor-1 (CSF-1), also known as macrophage ... which ranges from 0.5 (no predictive power) to 1 (perfect prediction).

[全部](#)[新闻](#)[图片](#)[视频](#)[购物](#)[更多 ▾](#)[搜索工具](#)

找到约 38,000 条结果 (用时 0.60 秒)

Google 学术 : Macrophage colony-stimulating factor expressed in non-cancer tissues provides predictive powers for recurrence in hepatocellular carcinoma

Cytokines and their relationship to the symptoms and ... - Seruga - 被引用次数 : 341

Plasma biomarkers distinguish non-small cell lung ... - Izbicka - 被引用次数 : 14

... serum biomarker in hepatocellular carcinoma - Zhu - 被引用次数 : 20

Biomarkers for hepatocellular carcinoma: progression in ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ [翻译此页](#)

作者 : K Zhu - 2013 - 被引用次数 : 19 - 相关文章

2013年2月5日 - The lack of ideal biomarkers for HCC diagnosis, prognosis, and therapy ... Tumor tissue-oriented markers are not highly practical because not all tumor ... as a promising candidate for predicting tumor recurrence and metastasis [74]. ... macrophage colony-stimulating factor (M-CSF) [94], macrophages [95], ...

Increased expression of colony stimulating factor-1 is a ...

www.ncbi.nlm.nih.gov > ... > Literature > PubMed Central (PMC) - [翻译此页](#)

作者 : L Yang - 2015 - 被引用次数 : 4 - 相关文章

2015年2月18日 - BMC Cancer. ... High CSF-1 expression indicated poor survival and early recurrence of ccRCC ... Renal cell carcinoma (RCC) accounts for approximately 3% of all adult ... Colony stimulating factor-1 (CSF-1), also known as macrophage ... which ranges from 0.5 (no predictive power) to 1 (perfect prediction).

Prediction of Recurrence and Survival in Hepatocellular ...

cancerpreventionresearch.aacrjournals.org/content/6/6/594.full ▾ [翻译此页](#)

作者 : SZ Lin - 2013 - 被引用次数 : 13 - 相关文章

The proportion of FoxP3⁺ cells showed the most significant predictive power with ... in