

**全部**

图片

视频

新闻

购物

地图

图书

找到约 8,750 条结果

时间不限

过去 1 小时内

过去 24 小时内

过去 1 周内

过去 1 个月内

过去 1 年内

所有结果

精确匹配

[Melatonin ameliorates experimental hepatic fibrosis induced by ...](#)www.ncbi.nlm.nih.gov/pmc/articles/PMC2669124/ ▼28 Mar 2009 ... The protective **effect of melatonin** on hepatic fibrosis may be related to its ...In addition, the **antioxidant and anti-inflammatory properties of melatonin** were J.Ursodeoxycholic acid protects against **secondary biliary cirrhosis** in rats by ... againstoxidative stress after extra-hepatic **bile duct ligation** in rats.[The Role of Oxidative Stress and Antioxidants in Liver Diseases](#)www.ncbi.nlm.nih.gov/pmc/articles/PMC4661801/ ▼2 Nov 2015 ... The oxidative stress not only triggers hepatic damage by **inducing** ... stress inchain of liver diseases, various **anti-oxidative** therapy and **antioxidants** are Overall, clinicaldata and appropriate **experimental model**, which could **effects of melatonin** and vitamin Eon extra-hepatic **bile duct ligation** in rats ...[The Effect of Montelukast on Liver Damage in an Experimental ...](#)www.ncbi.nlm.nih.gov/pmc/articles/PMC4789965/9 Apr 2015 ... The **anti-inflammatory** and **antioxidant effects** of montelukast have been ... This**experimental model** of obstructive jaundice is the most liver injury, hepaticischemia/reperfusion (I/R) injury, liver **cirrhosis**, and liver allograft rejection [16]. ... [22] foundthat **bile duct** obstruction **induced** intense oxidative stress ...

Name of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 28215

Manuscript Type: ORIGINAL ARTICLE

Basic Study

Antioxidant and anti-inflammatory action of melatonin in an experimental model of secondary biliary cirrhosis induced by bile duct ligation

Josieli Raskopf Colares, Elizângela Gonçalves Schemitt, Renata Minuzzo Hartmann, Francielli Licks, Mariana do Couto Soares, Adriane Dal Bosco.

Match Overview

1	Crossref 47 words Duan, Zhi-Jun. "Role of the heme oxygenase/carbon monoxide pathway in the pathogenesis and prevention of ..."	1%
2	Crossref 27 words "Posters Thursday, 14 April 2016". <i>Journal of Hepatology</i> . 2016.	1%
3	Crossref 17 words Da Silva, Fernanda Rabaioli, Juliana Da Silva, Emilene Nunes, Danieli Benedetti, Vivian Kahl, Paula Rohr, Marin	<1%
4	Internet 16 words crawled on 28-Mar-2016 www.mdpi.com	<1%
5	Internet 15 words crawled on 26-Jul-2016 es.scribd.com	<1%
6	Internet 15 words crawled on 19-Jan-2015 www.auiamedica.es	<1%

Antioxidant and anti-inflammatory action of melatonin in an experimental model of

全部

图片

视频

新闻

购物

地图

图书

找到约 6,320 条结果

时间不限

过去 1 小时内

过去 24 小时内

过去 1 周内

过去 1 个月内

过去 1 年内

所有结果

精确匹配

[The Role of Oxidative Stress and Antioxidants in Liver Diseases](#)

www.ncbi.nlm.nih.gov/pmc/articles/PMC4661801/ ▼

2 Nov 2015 ... The oxidative stress not only triggers hepatic damage by inducing irretrievable ... depletion of antioxidants in the liver, such as anti-inflammation drugs, ... Overall, clinical data and appropriate experimental model, which could ... effects of melatonin and vitamin E on extra-hepatic bile duct ligation in rats ...

[Melatonin ameliorates experimental hepatic fibrosis induced by ...](#)

www.ncbi.nlm.nih.gov/pmc/articles/PMC2669124/ ▼

28 Mar 2009 ... The protective effect of melatonin on hepatic fibrosis may be related to its ... In addition, the antioxidant and anti-inflammatory properties of melatonin were ... J. Ursodeoxycholic acid protects against secondary biliary cirrhosis in rats by ... against oxidative stress after extra-hepatic bile duct ligation in rats.

[The Effect of Montelukast on Liver Damage in an Experimental ...](#)

www.ncbi.nlm.nih.gov/pmc/articles/PMC4789965/

9 Apr 2015 ... The anti-inflammatory and antioxidant effects of montelukast have been ... This experimental model of obstructive jaundice is the most ... liver injury, hepatic ischemia/reperfusion (I/R) injury, liver cirrhosis, and liver allograft rejection [16]. ... [22] found that bile duct obstruction induced intense oxidative stress ...

[Erdosteine treatment attenuates oxidative stress and fibrosis in ...](#)

全部 图片 新闻 视频 购物 更多 搜索工具

找到约 6,290 条结果 (用时 0.85 秒)

Melatonin ameliorates experimental hepatic fibrosis induced by ... - NCBI

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: RT Hong - 2009 - 被引用次数: 65 - 相关文章

2009年3月28日 - The protective **effect of melatonin** on hepatic fibrosis may be related to its ... In addition, the **antioxidant and anti-inflammatory properties of melatonin** were J. Ursodeoxycholic acid protects against **secondary biliary cirrhosis** in rats by ... against oxidative stress after extra-hepatic **bile duct ligation** in rats.

The Effect of Montelukast on Liver Damage in an Experimental ... - NCBI

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: S Kuru - 2015 - 被引用次数: 1 - 相关文章

2015年4月9日 - The **anti-inflammatory** and **antioxidant effects** of montelukast have been ... This **experimental model** of obstructive jaundice is the most liver injury, hepatic ischemia/reperfusion (I/R) injury, liver **cirrhosis**, and liver allograft rejection [16]. ... [22] found that **bile duct** obstruction **induced** intense oxidative stress ...

The Role of Oxidative Stress and Antioxidants in Liver Diseases - NCBI

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: S Li - 2015 - 被引用次数: 25 - 相关文章

2015年11月2日 - The oxidative stress not only triggers hepatic damage by **inducing** irretrievable depletion of **antioxidants** in the liver, such as **anti-inflammation** drugs, ... Overall, clinical data and appropriate **experimental model**, which could **effects of melatonin** and vitamin E on extra-hepatic **bile duct ligation** in rats ...

Erdosteine treatment attenuates oxidative stress and fibrosis in ...

link.springer.com/article/10.1007/s00383-006-1872-8 - 翻译此页

作者: G Şener - 2007 - 被引用次数: 9 - 相关文章

Liver fibrosis was **induced** in Wistar albino rats by **bile duct ligation** (BDL). ... Pro-inflammatory cytokines, TNF- α , IL-1 β and IL-6 and **antioxidant** capacity (AOC) were ... MPO **activity** and collagen content in BDL group increased dramatically compared to ... Chronic cholestatic liver diseases, including primary **biliary cirrhosis**, ...