

Two cases of adenocarcinoma occurring in sporadic fundic gland polyps obser

全部

图片

视频

新闻

购物

地图

图书

找到约 14,700 条结果

时间不限

过去 1 小时内

过去 24 小时内

过去 1 周内

过去 1 个月内

过去 1 年内

所有结果

精确匹配

[Gastric Polyps and Protruding Type Gastric Cancer](#)

www.ncbi.nlm.nih.gov/pmc/articles/PMC3678061/

31 May 2013 ... Topographically, fundic gland polyp (FGP) usually occurs in the body or ... However, 10% of hyperplastic polyps are more than 2 cm in size according to one series.4 ... The incidence of adenoma increases with age and adenocarcinoma ... magnifying endoscopy or narrow band imaging, and endoscopic ...

[Gastric adenocarcinoma of fundic gland type: Five cases treated ...](#)

www.ncbi.nlm.nih.gov/pmc/articles/PMC4499367/

14 Jul 2015 ... Gastric adenocarcinoma of fundic gland type: Five cases treated with endoscopic resection ... Narrow-band imaging with magnifying endoscopy showed an irregular microvascular pattern in 2 cases and a regular ... that is distinct from a real SMT or a fundic gland polyp and biopsy should be performed.

[Gastric adenocarcinoma of fundic gland type: Endoscopic and ...](#)

www.ncbi.nlm.nih.gov/pmc/articles/PMC4766258/

25 Feb 2016 ... Gastric adenocarcinoma of fundic gland type (GA-FG) with chief cell ... pattern was detected by magnifying endoscopy with narrow band imaging. ... invasion of the submucosal layer by tumor cells was observed in 2 cases. High-grade dysplasia in sporadic fundic gland polyps: clinically relevant or not?

[H. pylori infection and gastric cancer: State of the art \(Review\)](#)

Togo *et al.*, Page 1

Name of Journal: World Journal of Gastroenterology

ESPS Manuscript No: 28705

Manuscript Type: CASE REPORT

Two cases of adenocarcinoma occurring in sporadic fundic gland polyps observed
by magnifying endoscopy with narrow band imaging

Kazumi Togo, Tetsuya Ueo, Hirotoshi Yonemasu, Hideho Honda, Tetsuya Ishida,
Hiroschi Tanabe, Kenshi Yao, Akinori Iwashita, Kazunari Murakami

Abstract

Gastric fundic gland polyps (FGPs) are common non-adenomatous gastric polyps

Match Overview

- 1** **Crossref** 20 words
Togo, Kazumi, Tetsuya Ueo, and Hirotoshi Yonemasu. "A case of pyloric gland adenoma observed by magnifying en ..." 1%
- 2** **Crossref** 20 words
Michio Hongo. "Incidence and risk factor of fundic gland polyp and hyperplastic polyp in long-term proton pump inhib ..." 1%

Two cases of adenocarcinoma occurring in sporadic fundic gland polyps observe

全部

图片

视频

新闻

购物

地图

图书

找到约 17,200 条结果

时间不限

过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果

精确匹配

[Gastric Polyps and Protruding Type Gastric Cancer](#)

www.ncbi.nlm.nih.gov/pmc/articles/PMC3678061/ ▼

31 May 2013 ... Topographically, **fundic gland polyp** (FGP) usually **occurs** in the body or ...
However, 10% of hyperplastic polyps are **more than 2 cm** in size according to one series.⁴ ...
The **incidence** of adenoma increases with age and **adenocarcinoma** **magnifying endoscopy**
or **narrow band imaging**, and endoscopic ...

[A Report of Gastric Fundic Gland Polyps](#)

www.ncbi.nlm.nih.gov/pmc/articles/PMC2886442/ ▼

Fundic gland polyps (FGPs) are currently the **most common** type of gastric polyps found ...
Upper **endoscopy** revealed innumerable large polyps in the cardia, fundus, and ... removal of a
fourth 8-mm polyp completely intact at its base (Figure 2). ... display greater numbers of
polyps than typically **observed in sporadic cases**.

[Rare Neoplasia of the Stomach - NCBI - National Institutes of Health](#)

www.ncbi.nlm.nih.gov/pmc/articles/PMC4668797/

7 Aug 2015 ... Gastric **adenocarcinoma** accounts for **more than 90%** of **malignant** ... The
majority of gastric polyps are **fundic gland polyps** (77%), Type 3 gastric NETs are not
related to any chronic gastric pathology and **occur** as **sporadic** tumors. ... Advances in
endoscopic imaging with high-resolution **magnification** ...

[Gastric polyps - UpToDate](#)

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多 ▾](#)[搜索工具](#)

找到约 6,730 条结果 (用时 0.99 秒)

Gastric Polyps and Protruding Type Gastric Cancer

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ [翻译此页](#)

作者：JT Jung - 2013 - 被引用次数：11 - 相关文章

2013年5月31日 - Topographically, fundic gland polyp (FGP) usually occurs in the body or ... However, 10% of hyperplastic polyps are more than 2 cm in size according to one series.4 The incidence of adenoma increases with age and adenocarcinoma magnifying endoscopy or narrow band imaging, and endoscopic ...

Rare Neoplasia of the Stomach - NCBI - National Institutes of Health

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)

作者：C Schulz - 2015 - 被引用次数：2 - 相关文章

2015年8月7日 - Gastric adenocarcinoma accounts for more than 90% of malignant ... The majority of gastric polyps are fundic gland polyps (77%), Type 3 gastric NETs are not related to any chronic gastric pathology and occur as sporadic tumors. ... Advances in endoscopic imaging with high-resolution magnification ...

A Report of Gastric Fundic Gland Polyps

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ [翻译此页](#)

作者：A Spiegel - 2010 - 被引用次数：7 - 相关文章

Fundic gland polyps (FGPs) are currently the most common type of gastric polyps found ... Upper endoscopy revealed innumerable large polyps in the cardia, fundus, and ... removal of a fourth 8-mm polyp completely intact at its base (Figure 2). ... display greater numbers of polyps than typically observed in sporadic cases.

缺少字词：magnifying narrow band imaging

Gastric polyps - UpToDate

www.uptodate.com/contents/gastric-polyps ▾ [翻译此页](#)

作者：V Mahachai - 被引用次数：1 - 相关文章

2015年6月15日 - In patients with sessile polyps, endoscopic mucosal resection may be needed ... In