

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多 ▾](#)[搜索工具](#)

找到约 38,600 条结果 (用时 0.86 秒)

Google 学术: Dysregulation of innate immunity in ulcerative colitis patients who fail anti-TNF therapy

The fundamental basis of inflammatory bowel disease - Strober - 被引用次数: 927

Treatment of ulcerative colitis with a humanized ... - Feagan - 被引用次数: 579

Biologic therapy for inflammatory bowel disease - Ardizzone - 被引用次数: 240

Dysregulation of mucosal immune response in pathogenesis of ... - NCBI

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ [翻译此页](#)

作者: XR Xu - 2014 - 被引用次数: 43 - [相关文章](#)

2014年3月28日 - Dysregulation of immune response in the intestine plays a critical role in ... cytokine profiles in inflamed areas of ulcerative colitis (UC) patients seem to ... Under physiological conditions, a large number of innate and immune cells are In our further study, we have also evaluated the role of anti-TNF mAb ...

Intestinal Epithelium in Inflammatory Bowel Disease

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ [翻译此页](#)

作者: M Coşkun - 2014 - 被引用次数: 14 - [相关文章](#)

2014年8月25日 - Therefore, dysregulation within the epithelial layer can increase intestinal ... bowel disease, intestinal epithelium, tight junctions, ulcerative colitis NOD2 has, therefore, a central role in innate immune activation of epithelial cells ... and improvements in medical therapy, about one-third of IBD patients need ...

Infliximab in ulcerative colitis - NCBI - National Institutes of Health

Name of Journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 28653

Manuscript Type: ORIGINAL ARTICLE

Basic Study

Dysregulation of innate immunity in ulcerative colitis patients who fail anti-tumor necrosis factor therapy

Baird A *et al.* Innate immunity in ulcerative colitis

Angela C Baird, Dominic Mallon, Graham Radford-Smith, Julien Boyer, Thierry Piche, Susan L Prescott, Ian C Lawrance, Meri K Tulic

Abstract

AIM

To study the innate immune function in ulcerative colitis (UC) patients who fail to respond to anti-tumor necrosis factor (TNF) therapy.

Match Overview

1	Internet 29 words crawled on 29-Jun-2016 www.wjgnet.com	1%
2	Internet 18 words crawled on 10-Apr-2016 www.symbiosisonlinepublishing.com	<1%
3	Internet 17 words crawled on 10-Nov-2015 bib.irb.hr	<1%
4	Internet 11 words crawled on 10-Mar-2016 www.dovepress.com	<1%
5	Crossref 11 words Singh, Jasvinder A, George A Wells, Robin Christensen, Elizabeth Tanjong Ghogomu, Lara Maxwell, John K Mac	<1%
6	Crossref 11 words S. E. Hardison, "Interleukin-17 Is Not Required for Classical Macrophage Activation in a Pulmonary Mouse Mod ...	<1%
7	Crossref 11 words Tulic, M.K., "Differences in innate immune function betw	<1%

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多 ▾](#)[搜索工具](#)

找到约 61,900 条结果 (用时 1.07 秒)

Google 学术: Dysregulation of innate immunity in ulcerative colitis patients who fail anti-tumor necrosis factor therapy

Biologic therapy for inflammatory bowel disease - Ardizzone - 被引用次数: 243

... acid for treatment of steroid dependent ulcerative colitis - Ardizzone - 被引用次数: 414

Tumor necrosis factor antagonist mechanisms of action ... - Tracey - 被引用次数: 1110

Dysregulation of mucosal immune response in pathogenesis of ... - NCBI

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ [翻译此页](#)

作者: XR Xu - 2014 - 被引用次数: 46 - [相关文章](#)

2014年3月28日 - On the other hand, besides T helper (Th) 1 and Th2 cell immune ... cytokine profiles in inflamed areas of ulcerative colitis (UC) patients seem to exhibit ... Under physiological conditions, a large number of innate and immune cells are In our further study, we have also evaluated the role of anti-TNF mAb ...

Pediatric Ulcerative Colitis: The Therapeutic Road to Infliximab - NCBI

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ [翻译此页](#)

作者: PR Puthoqr - 2013 - 被引用次数: 2 - [相关文章](#)

2013年1月4日 - The complex dysregulated immune response along with severe ... Pediatric UC patients commonly present with hematochezia, diarrhea, and abdominal pain. ... Therapies used prior to the introduction of anti-TNF- α (discussed in detail ... moderately-to-severely active UC who failed corticosteroid therapy.

Use of the tumor necrosis factor-blockers for Crohn's disease - NCBI

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多 ▾](#)[搜索工具](#)

找到约 76,800 条结果 (用时 0.72 秒)

Google 学术 : Dysregulation of innate immunity in ulcerative colitis patients who fail anti-tumor necrosis factor therapy

Biologic therapy for inflammatory bowel disease - Ardizzone - 被引用次数 : 244

... acid for treatment of steroid dependent ulcerative colitis - Ardizzone - 被引用次数 : 414

Tumor necrosis factor antagonist mechanisms of action ... - Tracey - 被引用次数 : 1115

Dysregulation of mucosal immune response in pathogenesis of ... - NCBI

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ [翻译此页](#)

作者 : XR Xu - 2014 - 被引用次数 : 46 - [相关文章](#)

2014年3月28日 - On the other hand, besides T helper (Th) 1 and Th2 cell immune ... cytokine profiles in inflamed areas of ulcerative colitis (UC) patients seem to exhibit ... Under physiological conditions, a large number of innate and immune cells are In our further study, we have also evaluated the role of anti-TNF mAb ...

Anti-TNF therapy: past, present and future

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)

作者 : C Monaco - 2015 - 被引用次数 : 36 - [相关文章](#)

2014年11月19日 - But the effect of anti-TNF in late-stage RA patients treated with a single course Crohn's disease, ulcerative colitis, psoriatic arthritis, psoriasis, in the rationale for anti-TNF therapy in heart failure was non-convincing. Tumor necrosis factor (TNF) receptor shedding controls thresholds of innate immune ...

Infliximab in ulcerative colitis - NCBI - National Institutes of Health

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ [翻译此页](#)

作者 : A Levin - 2008 - 被引用次数 : 11 - [相关文章](#)

Its role in the treatment for ulcerative colitis (UC) remains controversial. ... Keywords: infliximab, ulcerative colitis, anti-TNF- α antibody, crohn's disease ... and cyclosporine fails to induce remission in