

Lymphovascular invasion in more than one-quarter of small rectal neuroendocrine

全部

图片

视频

新闻

购物

地图

图书

找到约 4,690 条结果

#### 时间不限

过去 1 小时内  
过去 24 小时内  
过去 1 周内  
过去 1 个月内  
过去 1 年内

#### 所有结果

精确匹配

### [Neuroendocrine Rectal Tumors: Main Features and Management](#)

[www.sciencedirect.com/science/article/pii/S2341454515000770](http://www.sciencedirect.com/science/article/pii/S2341454515000770)

The incidence of **neuroendocrine tumors** of the **rectum** has been increasing ... They are mostly well-differentiated **small** tumors with a rather good overall prognosis. ... 1907, to describe tumors that appeared to have a **more** benign behavior **than** ... propria **invasion**, proliferation index, **lymphovascular** and perineural **invasion** ...

### [Are Small Rectal Neuroendocrine Tumors Safe?](#)

[www.ncbi.nlm.nih.gov/pmc/articles/PMC4414750/](http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4414750/)

27 Apr 2015 ... **Neuroendocrine tumors** (NETs) are slow-growing tumors with different ... accounting for 60-89% of all gastrointestinal NETs. **1** These tumors are often ... well-differentiated **rectal** NETs <10 mm without muscle **invasion** or lymph ... EUS that can **more** accurately assess perirectal lymph nodes **than** conventional ...

### [Should Mesenteric Tumor Deposits Be Included in Staging of Well ...](#)

[www.ncbi.nlm.nih.gov/pmc/articles/PMC4110189/](http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4110189/)

24 Jan 2014 ... Well-differentiated **small** intestine **neuroendocrine tumors** can give rise ... tumor deposits, lymph node metastases, **lymphovascular invasion**, ... to the ovary, **one** had **multiple** lung metastases discovered at autopsy, ... post-surgical imaging, while the **fourth** demonstrated four remaining ... Dis Colon **Rectum** ...

### [Gastrointestinal Carcinoid Tumors \(PDQ®\)—Health Professional ...](#)

## Match Overview

1	Crossref 34 words Angel Amaout-Alkarain. "Significance of lymph vessel invasion identified by the endothelial lymphatic marker D2 ...	1%
2	Crossref 29 words C. Park. "Criteria for decision making after endoscopic resection of well-differentiated rectal carcinoids with re ...	1%
3	Crossref 21 words Park, Seun Ja. "Tips and Tricks for Better Endoscopic Treatment of Colorectal Tumors: Usefulness of Cap and ...	<1%
4	Crossref 20 words D G Vass. "The value of an elastic tissue stain in detecting venous invasion in colorectal cancer", Journal of Clinical ...	<1%
5	Crossref 15 words Hong, Su Min, You Sun Kim, Jung Seop Moon, Jin Nam Kim, Myoung Ki Oh, Sun Ok Kwon, Seong Yeon Jeong, S ...	<1%
6	Crossref 13 words Ping-Hong Zhou. "Advantages of endoscopic submucosal dissection with needle-knife over endoscopic mucosa ...	<1%
7	Crossref 13 words Masahiro Ito. "Significance of pathological evaluation for lymphatic vessel invasion in invasive breast cancer", Breast ...	<1%
8	Crossref 13 words Day. "Epithelial Tumours of the Small Intestine", Morson and Dawson's Gastrointestinal Pathology, 01/01/2003	<1%

Name of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 28819

Manuscript Type: ORIGINAL ARTICLE

### Retrospective Study

Lymphovascular invasion in more than one-quarter of small rectal neuroendocrine tumors

Mi Jung Kwon, Ho Suk Kang, Jae Seung Soh, Hyun Lim, Jong Hyeok Kim, Choong Kee Park, Hye-Rim Park, Eun Sook Nam

### Abstract

#### AIM

To identify the frequency, clinicopathological risk factors, and prognostic significance of lymphovascular invasion (LVI) in endoscopically resected small rectal



Lymphovascular invasion in more than one-quarter of small rectal neuroendocrine

全部 图片 视频 新闻 购物 地图 图书

找到约 4,930 条结果

时间不限

过去 1 小时内  
过去 24 小时内  
过去 1 周内  
过去 1 个月内  
过去 1 年内

所有结果

精确匹配

[Neuroendocrine Rectal Tumors: Main Features and Management](#)

[www.sciencedirect.com/science/article/pii/S2341454515000770](http://www.sciencedirect.com/science/article/pii/S2341454515000770)

The incidence of **neuroendocrine tumors** of the **rectum** has been increasing in the ... in 1907, to describe tumors that appeared to have a **more** benign behavior **than** ... propria **invasion**, proliferation index, **lymphovascular** and perineural **invasion**. ... **Rectal** NETs appear usually as **small**, sessile, submucosal tumors covered ...

[Are Small Rectal Neuroendocrine Tumors Safe?](#)

[www.ncbi.nlm.nih.gov/pmc/articles/PMC4414750/](http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4414750/)

27 Apr 2015 ... **Neuroendocrine tumors** (NETs) are slow-growing tumors with different ... accounting for 60-89% of all gastrointestinal NETs.<sup>1</sup> These tumors are often ... well-differentiated **rectal** NETs <10 mm without muscle **invasion** or lymph ... EUS that can **more** accurately assess perirectal lymph nodes **than** conventional ...

[Endoscopic Resection for Small Rectal Neuroendocrine Tumors ...](#)

[www.ncbi.nlm.nih.gov/pmc/articles/PMC4976186/](http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4976186/)

25 Jul 2016 ... Endoscopic Resection for **Small Rectal Neuroendocrine Tumors**: Comparison ... ESD is **more** effective **than** EMR regarding complete resection [13, 14]. ... **Lymphovascular invasion** was observed in **one** and two patients in the ...

[Gastrointestinal Carcinoid Tumors \(PDQ®\)—Health Professional ...](#)

<https://www.cancer.gov/types/...tumors/.../gi-carcinoid-treatment-pdq>

8 Jul 2015 ... Definitions of TNM; **Neuroendocrine Tumors**: Stomach ... GI carcinoid tumors, especially tumors of the **small** intestine, are often associated ... Carcinoid heart disease develops in **more than** one-third of patients with carcinoid syndrome. .... **one-fourth** of GI carcinoids and fewer than 1% of all **rectal** cancers.

[\[PDF\] Recent Updates on Neuroendocrine Tumors From the ...](#)

[www.archivesofpathology.org/doi/pdf/10.5858/arpa.2015-0314-RA](http://www.archivesofpathology.org/doi/pdf/10.5858/arpa.2015-0314-RA)

全部 图片 新闻 视频 购物 更多 ▾ 搜索工具

找到约 4,030 条结果 (用时 0.82 秒)

### Neuroendocrine Rectal Tumors: Main Features and Management

[www.sciencedirect.com/science/article/pii/S2341454515000770](http://www.sciencedirect.com/science/article/pii/S2341454515000770) ▾ 翻译此页

作者 : Â Rodrigues - 2015 - 相关文章

The incidence of **neuroendocrine tumors** of the **rectum** has been increasing in the ... They are mostly well-differentiated **small** tumors with a rather good overall ... reproducible marker for the grading of NETs and **more** superior **than** mitotic rate. ... propria **invasion**, proliferation index, **lymphovascular** and perineural **invasion**.

### Endoscopic Resection for Small Rectal Neuroendocrine Tumors - NCBI

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) ▸ NCBI ▸ Literature ▸ PubMed Central (PMC) - 翻译此页

作者 : BW Bang - 2016 - 相关文章

2016年7月25日 - Endoscopic Resection for **Small Rectal Neuroendocrine Tumors**: Comparison ... ESD is **more** effective **than** EMR regarding complete resection [13, 14]. .... **Lymphovascular invasion** was observed in **one** and two patients in the ...

### Should Mesenteric Tumor Deposits Be Included in Staging of Well ...

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) ▸ NCBI ▸ Literature ▸ PubMed Central (PMC) - 翻译此页

作者 : RS Gonzalez - 2014 - 被引用次数 : 3 - 相关文章

2014年1月24日 - Well-differentiated **small** intestine **neuroendocrine tumors** can give rise ... tumor deposits, lymph node metastases, **lymphovascular invasion**, .... to the ovary, **one** had **multiple** lung metastases discovered at autopsy, ... post-surgical imaging, while the **fourth** demonstrated four remaining .... Dis Colon **Rectum**.

### Are Small Rectal Neuroendocrine Tumors Safe?

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) ▸ NCBI ▸ Literature ▸ PubMed Central (PMC) - 翻译此页

作者 : JH Choi - 2015 - 相关文章

2015年4月27日 - **Neuroendocrine tumors** (NETs) are slow-growing tumors with different ... accounting for 60-89% of all gastrointestinal NETs.<sup>1</sup> These tumors are often ... well-differentiated **rectal** NETs <10 mm without muscle **invasion** or lymph ... EUS that can **more** accurately assess perirectal lymph nodes **than** conventional ...