

Name of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 27927

Manuscript Type: ORIGINAL ARTICLE

Retrospective Study

Full-thickness myotomy is associated with higher rate of postoperative gastroesophageal reflux disease

Wang XH *et al.* Circular and full-thickness myotomy in GERD

Xue-Hong Wang, Yu-Yong Tan, Hong-Yi Zhu, Chen-Jie Li, De-Liang Liu

Xue-Hong Wang, Yu-Yong Tan, Hong-Yi Zhu, Chen-Jie Li, De-Liang Liu,
 Department of Gastroenterology, the Second Xiangya Hospital of Central South
 University, Changsha 410011, Hunan Province, China

Author contributions: Wang XH and Liu DL designed the study; Tan YY, Zhu HY, Li CJ acquired the clinical data; Wang XH and Liu DL analyzed the data;

Match Overview

1	Crossref 263 words Tan, Yuyong, Hongyi Zhu, Xuehong Wang, Liang Lv, Xiaoyu Tang, Ting Guo, Jirong Huo, and Deliang Liu. "Tu2045 G	7%
2	Internet 252 words crawled on 08-Jul-2016 www.wjgnet.com	7%
3	Crossref 47 words Famillari, Pietro, Santi Greco, Giovanni Gigante, Anna Cali, Ivo Boškosi, Graziano Onder, Vincenzo Perri, and Guido C	1%
4	Internet 35 words crawled on 31-Jul-2016 en.wikipedia.org	1%
5	Crossref 20 words Jones, Edward L., Michael P. Meara, Jennifer S. Schwartz, Jeffrey W. Hazey, and Kyle A. Perry. "Gastroesophageal r ...	1%
6	Crossref 20 words Patel, K., N. Abbassi-Ghadi, S. Markar, S. Kumar, P. Jethwa, and G. Zaninotto. "Peroral endoscopic myotomy for the tre	1%

学术搜索

找到约 536 条结果 (用时0.08秒)

文章

我的图书馆

时间不限

2016以来

2015以来

2012以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

包括专利

包含引用

创建快讯

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

A comparative study on comprehensive, objective outcomes of laparoscopic Heller myotomy with per-oral endoscopic myotomy (POEM) for achalasia

NH Bhayani, AA Kurian, CM Dunst, AM Sharata... - Annals of ..., 2014 - journals.lww.com

... To compare the myotomies, we compared the absolute and percent changes in manometric parameters after HM and POEM. ... Full-thickness injury to the esophagus occurred in 4 POEMs. ... Eckardt scores improved substantially after myotomy. ...

被引用次数: 122 相关文章 所有 7 个版本 引用 保存

[PDF] case.edu

Long-term outcomes of an endoscopic myotomy for achalasia: the POEM procedure

LL Swanstrom, A Kurian, CM Dunst, A Sharata... - Annals of ..., 2012 - journals.lww.com

... The median myotomy length was 9 cm (range: 7-12 ... There was 1 full-thickness esophagotomy that occurred during the initial mucosotomy, that was repaired with an endoscopic suturing device. ... These intraoperative complications were not associated with postoperative sequelae ...

被引用次数: 201 相关文章 所有 5 个版本 引用 保存

Peroral endoscopic myotomy for the treatment of achalasia: a prospective single center study

D Von Renteln, H Inoue, H Minami... - The American journal of ..., 2012 - nature.com

... The rate of mediastinal full-thickness openings was unrelated to previous treatment with botox or EBD. ... Multiple preoperative endoscopic interventions are associated with worse outcomes after laparoscopic Heller myotomy for achalasia. ...

被引用次数: 275 相关文章 所有 7 个版本 引用 保存

[HTML] nature.com

Peroral endoscopic myotomy for the treatment of achalasia: a clinical comparative study of endoscopic full-thickness and circular muscle myotomy

QL Li, WF Chen, PH Zhou, LQ Yao, MD Xu... - Journal of the American ..., 2013 - Elsevier

... Other patients didn't undergo follow-up manometry, due to the actual condition of our hospital (too many patients, shortage of equipment and professionals), loss to follow-up, discomfort related to the manometry ... However, full-thickness myotomy was not associated with any ...

被引用次数: 75 相关文章 所有 5 个版本 引用 保存

[PDF] Controversies in the treatment of gastroesophageal reflux and achalasia

KE Roberts, AJ Duffy, DL Bell... World journal of gastroenterology, 2006... wjgnet.com

[PDF] wjgnet.com



全部 新闻 视频 购物 图片 更多 ▾ 搜索工具

找到约 23,800 条结果 (用时 0.64 秒)

Controversies in the treatment of gastroesophageal reflux and achalasia

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) - 翻译此页

2006年5月28日 - GERD has also been associated with respiratory symptoms, asthma and ... LARS and laparoscopic Heller myotomy are the agreed upon as the ... USA), and the Full-Thickness Plicator (NDO Surgical Inc., Mansfield, Massachusetts, USA). ... Consequently, a higher rate of persistent and recurrent dysphagia ...

Peroral endoscopic myotomy: Time to change our opinion regarding ...

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ 翻译此页

作者: M Tantau - 2015 - 被引用次数: 3 - 相关文章

2015年3月16日 - Considering the low rate of adverse events and the efficacy, as a team already ... CO2 insufflation avoids the risk of air-related complications. ... They concluded that full thickness myotomy improved the procedure time without a ... prevalence of GERD based on symptoms but later studies indicated a higher ...

Peroral endoscopic myotomy - NCBI - National Institutes of Health

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: V Kumbhari - 2015 - 被引用次数: 2 - 相关文章

2015年5月16日 - The major late adverse event is gastroesophageal reflux which appears to ... of esophageal motility disorders mandates high resolution esophageal ... Therefore, some experts are of the opinion that a full-thickness myotomy at this level ... POEM is a safe endoscopic technique associated with a low rate of ...

[PDF] A Comparative Study on Comprehensive, Objective Outcomes of ...

[case.edu/medicine/uhsurgery/...of.../Updated_November_2014\(2\).pdf](http://case.edu/medicine/uhsurgery/...of.../Updated_November_2014(2).pdf) ▾ 翻译此页

作者: NH Bhayani - 2014 - 被引用次数: 122 - 相关文章

postoperative gastro-esophageal reflux disease (GERD). Results: There were ... myotomy and POEM compares perioperative outcomes but does not ... term dysphagia relief, HM without fundoplication is associated with iatrogenic ... Full-thickness injury, n ... ance of a high reflux rate, acid exposure after POEM is similar to.