

Identification of IL11RA and MELK amplification in gastric cancer by comprehens

全部 图片 视频 新闻 地图 图书

获得 9 条结果

时间不限

过去 1 小时内

过去 24 小时内

过去 1 周内

过去 1 个月内

过去 1 年内

所有结果

精确匹配

[Patent WO2005003766A2 - Methods of regulating metabolism and ...](#)

www.google.com/patents/WO2005003766A2?cl=en

13 Jan 2005 ... The method of claim 35, wherein the subject is afflicted with cancer cachexia, ... co-activator PGC-1 a (a) Normalized expression profile of 52 mouse ... skeletal muscle cell line during a three-day time course in response to PGC-1 ... cell carcinoma, testicular cancer, gastrointestinal cancer, or stomach ...

[Identification of new genes associated with melanoma \(PDF ...](#)

https://www.researchgate.net/.../50408369_Identification_of_new_genes_associated_with_melanoma

To gain insights into genome-wide gene expression patterns in cancer, ... comprehensive GO analysis (Table 2), we primarily expected to find genes ... invasiveness of gastric cancer cells through up-regulation of the urokinase-type plasminogen ... knockdown in three different melanoma cell lines resulted in significantly ...

[\[XLS\] Table S5_neu red - Plos](#)

journals.plos.org/plosone/article/asset?unique&id=info:doi/10.1371/...

However, whether amplified and mutated genes form functional and physical interaction ... We used transcriptional and genomic profiling to define Burkitt's lymphoma more ... Here, we used microarray analysis to identify two tumor subclasses ... The gene expression patterns of 10 chemoresistant gastric cancer cell lines ...

[cancer cells gene: Topics by Science.gov](#)

www.science.gov/topicpages/c/cancer+cells+gene.html

Heat induces gene amplification in cancer cells ... Prediction of epigenetically regulated genes in breast cancer cell lines ... Genome-wide pooled shRNA screens enable global identification of the genes essential for cancer ... This comprehensive molecular profiling of human gastric cancer should be useful for elucidating ...

1

Name of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 28792

Manuscript Type: ORIGINAL ARTICLE

Basic Study

Identification of *IL11RA* and *MELK* amplification in gastric cancer by comprehensive genomic profiling of gastric cancer cell lines

Danielle Queiroz Calcagno, Sylvia Santomi Takeno, Carolina Oliveira Gigeck, Mariana Ferreira Leal, Fernanda Wisnieski, Elizabeth Suchi Chen, Taíssa Maíra Thomaz Araújo, Eleonidas Moura Lima, Maria Isabel de Souza Aranha Melaragno, Paulo Pimentel Assumpção, Rommel Rodriguez Burbano, Marília Cardoso Smith

Abstract

Match Overview

1	Internet 68 words crawled on 24-Oct-2010 www.ncbi.nlm.nih.gov	2%
2	Internet 45 words crawled on 01-Sep-2016 www.science.gov	1%
3	Crossref 34 words Shapiro, SG, DW Knapp, and Matthew Breen. "A cultured approach to canine urothelial carcinoma: molecular ch ...	1%
4	Internet 34 words crawled on 30-Jul-2016 clintransmed.springeropen.com	1%
5	Internet 34 words crawled on 08-Sep-2016 www.jourlib.org	1%
6	Crossref 23 words Towle, Rebecca, Ivy F. L. Tsui, Yuqi Zhu, Sara MacLellan, Catherine F. Poh, and Cathie Garnis. "Recurring DNA co	1%
7	Crossref 21 words Sarhadi, Virinder Kaur, Leo Lahti, Ilari Scheinin, Pekka El Ionen, Eeva Kettunen, Massimo Serra, Katia Scottlandi, P	1%
8	Internet 20 words crawled on 28-Dec-2015 clincancerres.aacrjournals.org	1%

Identification of IL11RA and MELK amplification in gastric cancer by comprehens

全部 图片 视频 新闻 地图 图书

获得 9 条结果

时间不限

过去 1 小时内

过去 24 小时内

过去 1 周内

过去 1 个月内

过去 1 年内

所有结果

精确匹配

[Patent WO2005003766A2 - Methods of regulating metabolism and ...](#)

www.google.com/patents/WO2005003766A2?cl=en

13 Jan 2005 ... The method of claim 35, wherein the subject is afflicted with cancer cachexia, ... co-activator PGC-1 a (a) Normalized expression profile of 52 mouse ... skeletal muscle cell line during a three-day time course in response to PGC-1 ... cell carcinoma, testicular cancer, gastrointestinal cancer, or stomach ...

[Identification of new genes associated with melanoma \(PDF ...](#)

https://www.researchgate.net/.../50408369_Identification_of_new_genes_associated_with_melanoma

To gain insights into genome-wide gene expression patterns in cancer, ... comprehensive GO analysis (Table 2), we primarily expected to find genes ... invasiveness of gastric cancer cells through up-regulation of the urokinase-type plasminogen ... knockdown in three different melanoma cell lines resulted in significantly ...

[\[XLS\] Table S5_neu red - Plos](#)

journals.plos.org/plosone/article/asset?unique&id=info:doi/10.1371/...

However, whether amplified and mutated genes form functional and physical interaction ... We used transcriptional and genomic profiling to define Burkitt's lymphoma more ... Here, we used microarray analysis to identify two tumor subclasses ... The gene expression patterns of 10 chemoresistant gastric cancer cell lines ...

[cancer cells gene: Topics by Science.gov](#)

www.science.gov/topicpages/c/cancer+cells+gene.html

Heat induces gene amplification in cancer cells ... Prediction of epigenetically regulated genes in breast cancer cell lines ... Genome-wide pooled shRNA screens enable global identification of the genes essential for cancer ... This comprehensive molecular profiling of human gastric cancer should be useful for elucidating ...

全部 图片 视频 购物 新闻 更多 ▾ 搜索工具

获得 8 条结果 (用时 0.85 秒)

Patent WO2005003766A2 - Methods of regulating metabolism and ...

www.google.com/patents/WO2005003766A2?cl=en ▼

2005年1月13日 - The method of claim 35, wherein the subject is afflicted with cancer cachexia, co-activator PGC-1 a (a) Normalized expression profile of 52 mouse ... skeletal muscle cell line during a three-day time course in response to PGC-1 cell carcinoma, testicular cancer, gastrointestinal cancer, or stomach ...

Identification of new genes associated with melanoma (PDF ...

https://www.researchgate.net/.../50408369_Identification_of_new_genes_associated_wit...
and 189 genes in MM compared to PM affecting common cancer pathways comprehensive GO analysis (Table 2), we primarily expected to find genes of gastric cancer cells through up-regulation of the urokinase-type plasminogen ... knockdown in three different melanoma cell lines resulted in significantly decreased.

[XLS] Table S5_neu red - Plos

journals.plos.org/plosone/article/asset?unique&id=info:doi/10.1371/journal.pone...

However, whether amplified and mutated genes form functional and physical interaction We used transcriptional and genomic profiling to define Burkitt's lymphoma more Here, we used microarray analysis to identify two tumor subclasses The gene expression patterns of 10 chemoresistant gastric cancer cell lines ...

cancer gene expression: Topics by Science.gov

www.science.gov/topicpages/c/cancer+gene+expression.html ▼ 翻译此页

We used Agilent's whole human genome oligonucleotide microarray platform ... By gene enrichment analysis, we identified several genes involved in cell higher in basal-like and Her2-amplified cell lines compared to luminal cell lines. This comprehensive molecular profiling of human gastric cancer should be useful ...

[PDF] SaritasYildirim_georgetown_0076D_12368.pdf - Georgetown Univer...

https://repository.library.georgetown.edu/.../SaritasYildirim_georgetown_0076D_12368...