

Name of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 25362

Manuscript Type: ORIGINAL ARTICLE

Basic Study

NBC1 is expressed on β and α cells during rat pancreatic development

Cao LH *et al.* NBC1 Is expressed on β cells

Li-Hua Cao, Cheng-Cai Xia, Zhao-Chun Shi, Ning Wang, Zheng-Hua Gu, Li-Zhi Yu, Qi Wan,
Wei De

Li-Hua Cao, Cheng-Cai Xia, Zheng-Hua Gu, Li-Zhi Yu, Department of Neurology, Nanjing
PuKou Central Hospital, Nanjing 210029, Jiangsu Province, China

Li-Hua Cao, Ning Wang, Wei De, Department of Biochemistry, Nanjing Medical University,
Nanjing 210029, Jiangsu Province, China

Match Overview

1	Internet 333 words crawled on 20-Jun-2016 www.wjgnet.com	8%
2	Crossref 160 words Lijie Liu. "Alpha-fetoprotein is dynamically expressed in r... pancreas during development : AFP in developing rat panc	4%
3	Crossref 99 words Liang-Qin Hou. "Expression and localization of mesotheli... n developing rat pancreas : Mesothelin in developing rat pa	2%
4	Crossref 53 words Roussa, E. "Differential expression of electrogenic NBC1 ... SLC4A4) variants in rat kidney and pancreas", Biochemical	1%
5	Internet 39 words crawled on 10-Aug-2012 www.ijo.cn	1%
6	Internet 22 words crawled on 05-Apr-2014 www.dkcoin.org	1%
7	Crossref 22 words Guo, Jing. "Expression and localization of paxillin in rat pr... creas during development", World Journal of Gastroenterol	1%
8	Internet 22 words crawled on 20-Jun-2016 repub.eur.nl	1%
9	Internet 20 words crawled on 12-Jan-2015 dev.biologists.org	1%

学术搜索

找到约 36 条结果 (用时0.08秒)

文章

我的图书馆

时间不限

2016以来

2015以来

2012以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利

☒ 包含引用

☐ 创建快讯

小提示：只搜索中文(简体)结果，可在 学术搜索设置 指定搜索语言

[HTML] Altered pHi regulation and Na⁺/HCO₃⁻ transporter activity in choroid plexus of cilia-defective Tg737orpk mutant mouse

B Banizs, P Komlosi, MO Bevensee... - ... of Physiology-Cell ..., 2007 - Am Physiological Soc
... To evaluate acid-base transporter activities, we determined the intrinsic buffering power in both wild-type and ... i /dt is the initial rate of change in pH i (over 30 s) and β CO₂ ... The activity and expression of many of the acid-base transporters are regulated by intracellular cAMP (14 ...

被引用次数：38 相关文章 所有 8 个版本 引用 保存

[HTML] physiology.org

Expression of the electrogenic Na⁺-HCO₃⁻-cotransporters NBCe1-A and NBCe1-B in rat pancreatic islet cells

MS Soyfoo, N Bulur, M Virreira, K Louchami, P Lybaert... - Endocrine, 2009 - Springer
... bicarbonate transporters have been cloned including five Na⁺ - HCO₃⁻ -cotransporters (NBC) either ... Furthermore, the postulated cotransport of Na⁺ and HCO₃⁻ may well participate in ... purified, antibody raised against sequence 990-1035 of rat Na⁺ - HCO₃⁻ -cotransporter. ...

被引用次数：13 相关文章 所有 12 个版本 引用 保存

[PDF] academia.edu

[HTML] Functional role of Na⁺-HCO₃⁻ cotransport in migration of transformed renal epithelial cells

..., M Klein, P Dieterich, B Gassner... - The Journal of ..., 2005 - Wiley Online Library
... Na⁺ - HCO₃⁻ -cotransporters (NBCs) share some of the functions of NHEs ... show that MDCK-F cells express at least two isoforms of the Na⁺ - HCO₃⁻ -cotransporter. ... determine which of them is likely to be responsible for increased Na⁺ - HCO₃⁻ -cotransport activity observed ...

被引用次数：52 相关文章 所有 9 个版本 引用 保存

[HTML] wiley.com

Na⁺: HCO₃⁻ cotransporters (NBC): cloning and characterization

M Soleimani, CE Burnham - The Journal of membrane biology, 2001 - Springer
... 1 OH⁻ and/or cotransport of Na⁺ with 1 HCO₃⁻ and 1 CO₃²⁻ are thermodynamically equivalent processes and ... Lagadic-Gossmann et al., 1992) as well as the electro- genic (Camilion et al., 1996) Na⁺:HCO₃⁻ -cotransporter, which has ... This cotransporter has a 7.7 kilobase tran ...

被引用次数：86 相关文章 所有 10 个版本 引用 保存

[PDF] researchgate.net

Expression and function of Na⁺ HCO₃⁻ cotransporters in the gastrointestinal

[全部](#)[新闻](#)[图片](#)[视频](#)[购物](#)[更多 ▾](#)[搜索工具](#)

找到约 1,940 条结果 (用时 0.67 秒)

您是不是要找: **NBC 1** is expressed on β and α cells during rat pancreatic development

MafA and MafB activity in pancreatic β cells

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)

作者: Y Hang - 2011 - 被引用次数: 76 - [相关文章](#)

2011年6月28日 - Pancreatic islet β cells are the only cell type in the body to secrete the insulin

Many maf-related genes have been cloned in human, mouse, rat, frog, stimulating MafB expression in developing α and β cells or silencing in ...

An Appraisal of Intermediate Filament Expression in Adult and ... - NCBI

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ [翻译此页](#)

作者: A Di Bella - 2009 - 被引用次数: 11 - [相关文章](#)

2009年1月27日 - ... Adult and Developing Pancreas: Vimentin Is Expressed in α Cells of Rat for α cells, working dilution 1:50 in PBS, or anti-insulin for β cells, ...

Remodelling sympathetic innervation in rat pancreatic islets ontogeny ...

bmcdevbiol.biomedcentral.com/articles/10.1186/1471-213X-9-34 ▾ [翻译此页](#)

作者: S Cabrera-Vásquez - 2009 - 被引用次数: 23 - [相关文章](#)

Pancreatic beta cells of a transgenic mouse that over-expressed NGF in ... development of glucose-induced insulin secretion in neonate rat β cells [14] and ... and isolated α and β cells were scattered through the exocrine pancreas (Fig.

大鼠胰腺, 中文例句, 英文例句-词都网

www.dictall.com > 句库

大鼠胰腺 β 细胞分泌调控机制的研究. 4. The Expression of WFS1 during Rat Pancreatic β -cells

Development; ... 大鼠胰腺不同发育阶段NBC1的表达研究. 6. ... Effects of Interferon- α on Pancreatic Fibrosis and Expression of α -Smooth Muscle Actin ...