



全部 图片 新闻 视频 购物 更多 ▾ 搜索工具

找到约 380 条结果 (用时 0.68 秒)

New technologies and techniques to improve adenoma detection in ...

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ [翻译此页](#)

作者: A Bond - 2015 - 被引用次数: 2 - 相关文章

2015年8月10日 - Adenoma detection rate (ADR) is a key component of colonoscopy There was then repeated examination in retroflexion from the caecum to the hepatic flexure. the routine use of high-definition chromo-colonoscopy for colorectal ... A meta-analysis of 7 studies in 2936 patients showed no statistically ...

Adenoma detection with Endocuff colonoscopy versus conventional ...

gutbeta.bmj.com/content/early/2015/12/25/gutjnl-2015-310097 - [翻译此页](#)

2015年12月25日 - Adenoma detection with Endocuff colonoscopy versus conventional colonoscopy: a ... detected with EAC, the routine use of Endocuff does not translate in a higher ... the Endocuff, was developed to improve adenoma detection by ... studies and meta-analyses have compared cap-assisted colonoscopy with ...

Endoscopic Improvement of the Adenoma Detection Rate during ...

www.karger.com/Article/PDF/442464 - [翻译此页](#)

作者: M Floer - 2016 - 相关文章

2016年3月18日 - the adenoma detection rate (ADR) during colonoscopy is the future key the potential of improving the ADR in inexperienced en- cently published Cochrane meta-analysis including 16 ... from the Netherlands, the use of EndoCuff was not asso- ... randomized to a second exam of the proximal colon in.

How Can We Improve Adenoma Detection Rate? | SpringerLink

link.springer.com/article/10.1007/s11888-016-0308-7 - [翻译此页](#)

作者: A Bond - 2016 - 相关文章

2016年1月20日 - Colonoscopy Adenoma Detection rate Colorectal cancer Screening ... A recent meta-analysis based upon the finding of eight RCTs conducted in A study examining the impact of Endocuff looked at 498 patients ... The use of AFI has been shown to improve ADR in both routine and high-risk colonoscopy.

Higher Adenoma Detection Rates with Endocuff-Assisted ...

journals.plos.org/plosone/article?id=10.1371/journal.pone.0114267 ▾ [翻译此页](#)

Name of Journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 28957

Manuscript Type: META-ANALYSIS

Use of the Endocuff during routine colonoscopy examination improves adenoma detection: A meta-analysis

Chin M *et al.* Endocuff adenoma detection: A meta-analysis

Matthew Chin, William Karnes, M Mazen Jamal, John G Lee, Robert Lee, Jason Samarasena, Matthew L Bechtold, Douglas L Nguyen

Matthew Chin, William Karnes, John G Lee, Robert Lee, Jason Samarasena, Douglas L Nguyen, H. H. Chao Comprehensive Digestive Disease Center, Division of Gastroenterology, University of California: Irvine, Orange, CA 92868, United States

M Mazen Jamal, Division of Gastroenterology, Long Beach Veterans Affairs Health System, Long Beach, CA 90822, United States

Match Overview

1 **Internet** 121 words
crawled on 20-May-2016
www.wjgnet.com 4%

小提示：只搜索中文(简体)结果，可在 学术搜索设置 指定搜索语言

Novel endocuff-assisted colonoscopy significantly increases the polyp detection rate: a randomized controlled trial

E Biecker, M Floer, A Heinecke, P Ströbel... - Journal of clinical ..., 2015 - journals.lww.com

... have been selected for an oral presentation at Digestive Disease Week 2014 in Chicago ... Goals and Background: Screening colonoscopy for colorectal cancer has proven to reduce mortality rates ... Recently the Endocuff (EC), an attachment to the distal tip of the colonoscope, was ...

被引用次数: 35 相关文章 所有 4 个版本 引用 保存

Adenoma detection with Endocuff colonoscopy versus conventional colonoscopy: a multicentre randomised controlled trial

SC van Doorn, M Van der Vlugt, A Depla, CA Wientjes... - Gut, 2015 - gut.bmj.com

... received a CE mark in July 2011, and was approved for human medical use by the ... We used generalised linear mixed models for all subanalyses for MAP, except for the evaluation of ... rate to increase by at least 20%, to 0.84 adenomas per patient following Endocuff (rate ratio ...

被引用次数: 5 相关文章 所有 3 个版本 引用 保存

Quality of colonoscopy and advances in detection of colorectal lesions: a current overview

LK Wanders, SC van Doorn, P Fockens... - Expert review of ..., 2015 - Taylor & Francis

... if the colonoscopy report includes all the key quality parameters used to measure ... Hyoscine N-butylbromide does not improve polyp detection during colonoscopy: a double-blind, randomized, placebo ... However, its use in the same set of technical quality interventions in the UK ...

被引用次数: 3 相关文章 所有 4 个版本 引用 保存

Can I improve my adenoma detection rate?

L Chaptini, L Laine - Journal of clinical gastroenterology, 2015 - journals.lww.com

Adenoma detection rate (ADR) has emerged as a key quality metric for colonoscopy. Despite limitation.

被引用次数: 4 相关文章 所有 4 个版本 引用 保存

[HTML] New technologies and techniques to improve adenoma detection in colonoscopy

A Bond, S Sarker

[HTML] tandfonline.com

[HTML] nih.gov

全部 新闻 图片 视频 购物 更多 ▾ 搜索工具

找到约 368 条结果 (用时 0.70 秒)

New technologies and techniques to improve adenoma detection in ...

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ 翻译此页

作者: A Bond - 2015 - 被引用次数: 4 - 相关文章

2015年8月10日 - Adenoma detection rate (ADR) is a key component of colonoscopy quality not support the routine use of high-definition chromo-colonoscopy for colorectal ... A meta-analysis of 7 studies in 2936 patients showed no statistically show such devices as the Endo-cuff to be cost effective in improving ADR.

Expert opinions and scientific evidence for colonoscopy ... - Gut - BMJ

gut.bmj.com/content/early/2016/10/08/gutjnl-2016-312043.full.pdf - 翻译此页

2016年10月8日 - ation and adenoma detection rates (ADR) and these the need for complete examination of the colon.33 Previous meta-analyses.203–205 Possible restrictions of CO2 use in patients ileal mucosa in routine colonoscopy is not an independent valid or Novel Endocuff-assisted colonoscopy.

[PDF] Endoscopic Improvement of the Adenoma Detection Rate ... - Endocuff

www.endocuff.com/.../Endoscopic%20Improvement%20of%20ADR%20du... ▾ 翻译此页

作者: MFT Meister - 2016 - 被引用次数: 1 - 相关文章

2016年3月18日 - ... improving the adenoma detection rate (ADR) during colonoscopy is NSAR usage and a decrease in adenoma incidence [21] the potential of improving the ADR in inexperienced en- cently published Cochrane meta-analysis including 16 randomized to a second exam of the proximal colon in.

How Can We Improve Adenoma Detection Rate? | SpringerLink

link.springer.com/article/10.1007/s11888-016-0308-7 - 翻译此页

作者: A Bond - 2016 - 相关文章

2016年1月20日 - ColonoscopyAdenomaDetection rateColorectal cancerScreening ... A recent meta-analysis based upon the finding of eight RCTs conducted in A study examining the impact of Endocuff looked at 498 patients ... The use of AFI has been shown to improve ADR in both routine and high-risk colonoscopy.