

[全部](#)[图片](#)[新闻](#)[视频](#)[地图](#)[更多 ▾](#)[搜索工具](#)

找到约 456 条结果 (用时 1.05 秒)

Controversial role of toll-like receptors in acute pancreatitis - NCBI

www.ncbi.nlm.nih.gov > [NCBI](#) > [Literature](#) > [PubMed Central \(PMC\)](#) ▾ [翻译此页](#)

作者: J Vaz - 2013 - 被引用次数: 21 - 相关文章

2013年2月7日 - About 10%-15% of patients will develop severe acute pancreatitis (SAP) and of
Table 4. A selection of genes regulated by nuclear factor κ B ... TLR2mRNA overexpression in the lungs
in a sodium taurocholate-based AP rat Figure 3. Toll-like receptor 4 signalling pathways. TLR4 was
initially mainly ...

Astragaloside IV ameliorates acute pancreatitis in rats by inhibiting the ...

www.ncbi.nlm.nih.gov > [NCBI](#) > [Literature](#) > [PubMed Central \(PMC\)](#) - [翻译此页](#)

作者: LEI QIU - 2015 - 被引用次数: 4 - 相关文章

2015年1月16日 - 2015 Mar; 35(3): 625-636. ... This study aimed to investigate the effects of
astragaloside IV (AS-IV; ... NaTc-induced experimental AP was induced in rats by injecting 4% ... and
the protein expression of nuclear factor- κ B (NF- κ B) in vivo. attenuates Toll-like receptor 4
expression via NF-kappaB pathway ...

Review of experimental animal models of biliary acute pancreatitis ...

www.ncbi.nlm.nih.gov > [NCBI](#) > [Literature](#) > [PubMed Central \(PMC\)](#) ▾ [翻译此页](#)

作者: MH Wan - 2012 - 被引用次数: 27 - 相关文章

Keywords: biliary acute pancreatitis, bile acids, pancreatic acinar cells, pancreatic ... in dietary fat
absorption and cholesterol metabolism through nuclear receptors; also ... of infected severe AP

Name of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 28477

Manuscript Type: ORIGINAL ARTICLE

Basic Study

Effects of ω -3 fatty acids on toll-like receptor 4 and nuclear factor- κ B p56 in the lungs of rats with severe acute pancreatitis

Bin Wang, Xiao-Wei Wu, Mei-Xia Guo, Min-Li Li, Xiao-Bing Xu, Xin-Xin Jin,
Xiao-Hua Zhang

Abstract

AIM

To determine the effects of ω -3 fatty acids (ω -3FA) on the toll-like receptor 4

Match Overview

1	Internet 114 words crawled on 11-Mar-2016 cdn.intechopen.com	4%
2	Internet 78 words crawled on 13-Apr-2016 www.ijcem.com	3%
3	Internet 14 words crawled on 09-Jul-2016 www.wjgnet.com	<1%
4	Internet 14 words crawled on 31-Jul-2016 www.omicsonline.com	<1%
5	Internet 13 words crawled on 26-Sep-2010 ajrcmb.atsjournals.org	<1%

Effects of ω -3 fatty acids on toll-like receptor 4 and nuclear factor- κ B p56 in the lu

全部 图片 视频 新闻 购物 地图 图书

找到约 802 条结果

时间不限

过去 1 小时内

过去 24 小时内

过去 1 周内

过去 1 个月内

过去 1 年内

所有结果

精确匹配

[Tlr4 toll-like receptor 4 \[\(Norway rat\)\] - NCBI](#)

www.ncbi.nlm.nih.gov/gene/29260

11 Sep 2016 ... Tobacco smoke induces Toll like receptor 4 expression in alveolar macrophages. ... intermittent hypoxia. brain Toll-like receptor 4/nuclear factor kappa B ... with omega-3 polyunsaturated fatty acids) can modulate TLR4 activity in liver 16 hours after induction of severe acute pancreatitis in the Wistar rat.

[Controversial role of toll-like receptors in acute pancreatitis - NCBI](#)

www.ncbi.nlm.nih.gov/pmc/articles/PMC3574587/

7 Feb 2013 ... About 10%-15% of patients will develop severe acute pancreatitis (SAP) and of those, ... A selection of genes regulated by nuclear factor κ B ... Zhang et al[49] obtained similar results in a taurocholate-based rat model. Figure 3. Toll-like receptor 4 signalling pathways. TLR4 was initially mainly studied ...

[Effect of Toll-Like Receptor 4 on Synovial Injury of ...](#)

<https://www.hindawi.com/journals/mi/2016/7694921/>

25 May 2016 ... Effect of Toll-Like Receptor 4 on Synovial Injury of Temporomandibular ...
Ningbo Medical Treatment Center Lihuli Hospital, Ningbo, Zhejiang 315000, China ... as well as psychosocial impact factors and occlusal interferences [2–4]. ... The sagittal sections of the central portion of the rat TMJ were selected ...

[\[PDF\] Delta Tocotrienol Attenuates NLRP3 Inflammasome Activation via ...](#)

digitalcommons.unl.edu/cgi/viewcontent.cgi?article=1273&context...

21 Jun 2016 ... A. Fatty Acids as Regulators of the NLRP3 Inflammasome effects of chronic inflammation during obesity are wide-spread. Obesity TLRs activate nuclear factor κ B (NF- κ B) signaling. (3) through TNF- α and TLR ligands to increase NLRP3 In rats, supplementing tocotrienols (as the tocotrienol rich.

[References – S » NF- \$\kappa\$ B Transcription Factors | Boston University](#)

全部 新闻 图片 视频 购物 更多 ▾ 搜索工具

找到约 682 条结果 (用时 0.60 秒)

Tlr4 toll-like receptor 4 [(Norway rat)] - NCBI

www.ncbi.nlm.nih.gov/gene/29260 ▾ 翻译此页

2016年9月11日 - Tobacco smoke induces Toll like receptor 4 expression in alveolar macrophages. ... intermittent hypoxia. brain Toll-like receptor 4/nuclear factor kappa B ... with omega-3 polyunsaturated fatty acids) can modulate TLR4 activity in liver 16 hours after induction of severe acute pancreatitis in the Wistar rat.

Controversial role of toll-like receptors in acute pancreatitis - NCBI

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ 翻译此页

作者: J Vaz - 2013 - 被引用次数: 21 - 相关文章

2013年2月7日 - About 10%-15% of patients will develop severe acute pancreatitis (SAP) and of those, A selection of genes regulated by nuclear factor κ B ... Zhang et al[49] obtained similar results in a taurocholate-based rat model. ... Figure 3. Toll-like receptor 4 signalling pathways. TLR4 was initially mainly studied ...

Effect of Toll-Like Receptor 4 on Synovial Injury of ...

<https://www.hindawi.com/journals/mi/2016/7694921/> ▾ 翻译此页

作者: J Kong - 2016 - 相关文章

2016年5月25日 - Effect of Toll-Like Receptor 4 on Synovial Injury of Temporomandibular ...³Ningbo Medical Treatment Center Lihuili Hospital, Ningbo, Zhejiang 315000, China ... as well as psychosocial impact factors and occlusal interferences [2-4]. ... The sagittal sections of the central portion of the rat TMJ were selected ...

[PDF] Delta Tocotrienol Attenuates NLRP3 Inflammasome Activation via ...

digitalcommons.unl.edu/cgi/viewcontent.cgi?article=1273&context... - 翻译此页

作者: T Buckner - 2016

2016年6月21日 - A. Fatty Acids as Regulators of the NLRP3 Inflammasome effects of chronic inflammation during obesity are wide-spread. Obesity TLRs activate nuclear factor κ B (NF- κ B) signaling. (3) through TNF- α and TLR ligands to increase NLRP3 In rats, supplementing tocotrienols (as the tocotrienol rich.