

Name of Journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 28627

Manuscript Type: ORIGINAL ARTICLE

Observational Study

Influence of capsaicin infusion on secondary peristalsis in patients with gastroesophageal reflux disease

Yi CH *et al.* Capsaicin and gastroesophageal reflux disease

Chih-Hsun Yi, Wei-Yi Lei, Jui-Sheng Hung, Tso-Tsai Liu, Chien-Lin Chen, Pace Fabio

Abstract

AIM

To determine whether capsaicin infusion could influence heartburn perception and secondary peristalsis in patients with gastroesophageal reflux

Match Overview

1	Crossref 158 words Liu, T. T., C. H. Yi, W. Y. Lei, X. S. Hung, H. C. Yu, and C. L. Chen. "Influence of repeated infusion of capsaicin-containe ...	4%
2	Crossref 80 words Chen, Chien-Lin, Chih-Hsun Yi, and Tso-Tsai Liu. "Relevance of ineffective esophageal motility to secondary peristal ...	2%
3	Crossref 24 words Chen, Chien-Lin, Chih-Hsun Yi, and Tso-Tsai Liu. "Heterogeneity in oesophageal dysfunction among patients with d ...	1%
4	Crossref 17 words C. L. Chen. "Effects of capsaicin-containing red pepper sauce suspension on esophageal secondary peristalsis in f ...	<1%
5	Crossref 14 words Niu, Xiao-Ping. "Risk factors for proton pump inhibitor refractoriness in Chinese patients with non-erosive reflux disea ...	<1%
6	Crossref 12 words Yi, Chih-Hsun, Wei-Yi Lei, Jui-Sheng Hung, Tso-Tsai Liu, William C. Orr, Pace Fabio, and Chien-Lin Chen. "Differenc ...	<1%

[全部](#)[新闻](#)[图片](#)[视频](#)[购物](#)[更多 ▾](#)[搜索工具](#)

找到约 97,300 条结果 (用时 0.78 秒)

Google 学术: Influence of capsaicin infusion on secondary peristalsis in patients with gastroesophageal reflux disease

... esophageal emptying and saliva on clearance of acid ... - Helm - 被引用次数: 403

Increased capsaicin receptor TRPV1 nerve fibres in the ... - Matthews - 被引用次数: 223

... gastroesophageal reflux and gastroesophageal reflux ... - Vandenplas - 被引用次数: 147

Effects of mosapride on esophageal secondary peristalsis in humans

onlinelibrary.wiley.com/doi/10.1111/j.1365-2982.2011.01714.x/pdf - 翻译此页

作者: CL Chen - 2011 - 被引用次数: 8 - 相关文章

tention, or water infusion.4 Secondary peristaltic reflex in the striated ... improve esophageal motor function in patients with gastro-esophageal reflux disease (GERD).15 In addition, it has been shown to Effects of capsaicin-containing red.

Influence of repeated infusion of capsaicin - contained red pepper ...

[onlinelibrary.wiley.com > ... > Vol 26 Issue 10 > Abstract](https://onlinelibrary.wiley.com/doi/10.1111/j.1365-2982.2011.01714.x/pdf) - 翻译此页

作者: TT Liu - 2014 - 被引用次数: 4 - 相关文章

2014年8月14日 - capsaicin;; esophageal motility;; secondary peristalsis ... has been demonstrated in esophageal mucosa of patients with reflux diseases.[19, 20] ...

Influence of repeated infusion of capsaicin-contained red pepper ...

https://www.researchgate.net/publication/264791935_influence_of_repeated_infusion_of_capsaicin-contained_red_pepper_sauce_on_secondary_peristalsis_in_patients_with_gastroesophageal_reflux_disease - 翻译此页

2016年3月18日 - Influence of repeated infusion of capsaicin-contained red pepper sauce on ... Methods Secondary peristalsis was performed with mid-esophageal injections of ... Peristalsis in Patients With

[全部](#)[新闻](#)[图片](#)[视频](#)[购物](#)[更多 ▾](#)[搜索工具](#)

找到约 248,000 条结果 (用时 0.87 秒)

Google 学术: Influence of capsaicin infusion on secondary peristalsis in patients with gastroesophageal reflux disease

Effect of esophageal emptying and saliva on clearance ... - Helm - 被引用次数: 409

Increased capsaicin receptor TRPV1 nerve fibres in the ... - Matthews - 被引用次数: 225

... suspension on esophageal secondary peristalsis in ... - Chen - 被引用次数: 15

Effects of mosapride on esophageal secondary peristalsis in humans

onlinelibrary.wiley.com/doi/10.1111/j.1365-2982.2011.01714.x/pdf - 翻译此页

作者: CL Chen - 2011 - 被引用次数: 9 - 相关文章

tention, or water infusion.4 Secondary peristaltic reflex in the striated ... improve esophageal motor function in patients with gastro-esophageal reflux disease (GERD).15 In addition, it has been shown to Effects of capsaicin-containing red.

[PDF] Differences in the Control of Secondary Peristalsis in the Human ... - ...

journals.plos.org/plosone/article/asset?id=10.1371/journal.pone...PDF ▾ 翻译此页

作者: CH Yi - 2016

2016年7月20日 - Influence of the 5-HT4 Receptor versus the TRPV1 ... Esophageal infusion with capsaicin-containing red pepper sauce suspension ... ter (LES) pressure [17], and improve esophageal peristaltic function in patients with GERD.

Differences in the Control of Secondary Peristalsis in the ... - NCBI

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) - 翻译此页

ntaining red pepper sauce suspension does ...

Influence of capsaicin infusion on secondary peristalsis in patients with gastroesc

全部 图片 视频 新闻 地图 图书

找到约 335,000 条结果

时间不限

过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果

精确匹配

[Google 学术: Influence of capsaicin infusion on secondary peristalsis in patients with gastroesophageal reflux disease](#)

[Effect of esophageal emptying and saliva on clearance ...](#) - Helm - 被引用次数: 409

[Increased capsaicin receptor TRPV1 nerve fibres in the ...](#) - Matthews - 被引用次数: 225

[... suspension on esophageal secondary peristalsis in ...](#) - Chen - 被引用次数: 16

[\[PDF\] Effects of mosapride on esophageal secondary peristalsis in humans](#)

[onlinelibrary.wiley.com/doi/10.1111/j.1365-2982.2011.01714.x/pdf](#)

tention, or water infusion.4 Secondary peristaltic reflex in the striated ... improve esophageal motor function in patients with gastro-esophageal reflux disease (GERD).15 In addition, it has been shown to Effects of capsaicin-containing red.

[PLOS ONE: Differences in the Control of Secondary Peristalsis in ...](#)

[journals.plos.org/plosone/article?id=10.1371%2Fjournal.pone...](#) ▼

20 Jul 2016 ... Conclusions Esophageal infusion with capsaicin-containing red ... We compared the effects on secondary peristalsis subsequent to capsaicin-containing ... improve esophageal peristaltic function in patients with GERD [18].

[Differences in the Control of Secondary Peristalsis in the ... - NCBI](#)

[www.ncbi.nlm.nih.gov/pmc/articles/PMC4954651/](#)

20 Jul 2016 ... Esophageal infusion with capsaicin-containing red pepper sauce suspension does ... and improve esophageal peristaltic function in patients with GERD [18]. In contrast, the effect of mosapride on secondary peristalsis only ...

[Influence of Intraluminal Acidification on Esophageal Secondary ...](#)

[link.springer.com/article/10.1007/s10620-013-2584-2](#)

After infusion of HCl, the threshold volume to generate secondary peristalsis was infusion of normal subjects and patients with GERD heightens the sensitivity to ... capsaicin infusion