

Name of Journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 28925

Manuscript Type: MINIREVIEWS

**MANAGEMENT OF NEUROENDOCRINE CARCINOMAS OF THE PANCREAS
(WHO G3): A TAILORED APPROACH BETWEEN PROLIFERATION AND
MORPHOLOGY**

RUNNING HEAD: Pancreatic neuroendocrine carcinomas

Stefano Crippa, Stefano Partelli, Giulio Belfiori, Marco Palucci, Francesca Muffatti, Olga Adamenko, Luca Cardinali, Claudio Doglioni, Giuseppe Zamboni, and Massimo Falconi

Stefano Crippa, Stefano Partelli, Marco Palucci, Francesca Muffatti, Olga Adamenko, Massimo Falconi: Division of Pancreatic Surgery, Pancreas Translational & Clinical Research Center San Raffaele Scientific Institute, Vita e Salute University, 20132 Milan, Italy

Giulio Belfiori, Luca Cardinali: Department of Surgery, Università Politecnica delle Marche, Ospedali Riuniti, 60121 Ancona, Italy

Match Overview

1	Internet 205 words crawled on 01-Aug-2016 www.wjgnet.com	5%
2	Crossref 167 words Crippa, Stefano, Stefano Partelli, Claudio Bassi, Rossana Berardi, Paola Capelli, Aldo Scarpa, Giuseppe Zamboni, and	4%
3	Crossref 20 words Sorbye, Halfdan, Jonathan Strosberg, Eric Baudin, David S. Klimstra, and James C. Yao. "Gastroenteropancreatic high-grade neuroendocrine tumors: a review of the literature." <i>Journal of Clinical Oncology</i> 33.15 (2015): 1671-1680.	1%
4	Internet 20 words crawled on 19-Dec-2015 office.wjgnet.com	1%

Management of neuroendocrine carcinomas of the pancreas (WHO G3): A tailore

全部 图片 视频 新闻 地图 图书

找到约 10,300 条结果

时间不限

过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果

精确匹配

[Google 学术: Management of neuroendocrine carcinomas of the pancreas \(WHO G3\): A tailored approach between proliferation and morphology](#)

[Pathology reporting of neuroendocrine tumors: ...](#) - Klimstra - 被引用次数: 49

[... for advanced pancreatic neuroendocrine tumors](#) - Yao - 被引用次数: 1573

[... 2010 WHO classification of digestive neuroendocrine ...](#) - Rindi - 被引用次数: 36

[The high-grade \(WHO G3\) pancreatic neuroendocrine tumor - NCBJ](#)

<https://www.ncbi.nlm.nih.gov/pubmed/25723112>

Grade 3 (G3) **pancreatic neuroendocrine carcinoma** (NEC) is defined as having ... However, some PanNETs show discordance **between** the mitotic rate and Ki67 ... stage with the discordant group as well as 43 **morphologically** poorly differentiated ... PanNET with an elevated **proliferation** rate and poorly differentiated NEC.

[poorly differentiated neuroendocrine carcinomas of the pancreas](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3977000/>

Poorly differentiated **neuroendocrine carcinoma of the pancreas** is a highly ... to inconsistent pathologic classification that has impacted clinical **management** [20]. ... 1) a more highly **proliferative** group of well differentiated **neuroendocrine tumors** ... have small cell carcinoma **morphology** were excluded for further analysis.

[Pancreatic Neuroendocrine Neoplasms: Practical Approach to ... - Google 图书](#)
[结果](#)

<https://books.google.co.uk/books?isbn=3319172352>

Stefano La Rosa, Fausto Sessa - 2015 - Medical

Practical **Approach** to Diagnosis, Classification, and Therapy Stefano La Rosa, Fausto ... Such complex diagnostic voyage needs to be **tailored** for each patient after ... as suggested and practiced for rare cancer **management** [23, 24]. fine- needle ... The well-known limits of **morphology** for **neuroendocrine neoplasm** definition ...

[全部](#)[图片](#)[新闻](#)[购物](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 14,400 条结果（用时 0.84 秒）

Google 学术: MANAGEMENT OF NEUROENDOCRINE CARCINOMAS OF THE PANCREAS (WHO G3): A TAILORED APPROACH BETWEEN PROLIFERATION AND MORPHOLOGY

Pathology reporting of neuroendocrine tumors: ... - Klimstra - 被引用次数: 48

... for advanced pancreatic neuroendocrine tumors - Yao - 被引用次数: 1499

... 2010 WHO classification of digestive neuroendocrine ... - Rindi - 被引用次数: 31

The high-grade (WHO G3) pancreatic neuroendocrine tumor category ...

www.ncbi.nlm.nih.gov/pubmed/25723112 ▾ 翻译此页

作者: O Basturk - 2015 - 被引用次数: 35 - 相关文章

Grade 3 (G3) pancreatic neuroendocrine carcinoma (NEC) is defined as having ... However, some PanNETs show discordance between the mitotic rate and Ki67 ... stage with the discordant group as well as 43 morphologically poorly differentiated ... PanNET with an elevated proliferation rate and poorly differentiated NEC.

缺少字词: management tailored approach

poorly differentiated neuroendocrine carcinomas of the pancreas - NCBI

www.ncbi.nlm.nih.gov ▸ NCBI ▸ Literature ▸ PubMed Central (PMC) ▾ 翻译此页

作者: O Basturk - 2014 - 被引用次数: 42 - 相关文章

Poorly differentiated neuroendocrine carcinoma of the pancreas is a highly ... to inconsistent pathologic classification that has impacted clinical management [20]. ... 1) a more highly proliferative group of well differentiated neuroendocrine tumors ... have small cell carcinoma morphology were excluded for further analysis.

缺少字词: tailored approach

Pathology, classification, and grading of neuroendocrine tumors ...

www.uptodate.com/.../pathology-classification-and-grading-of-neuroendocr... ▾ 翻译此页

2015年10月16日 - However, features such as the proliferative rate of the tumor and the extent of local ... Although carcinoid tumors and pancreatic NETs may have similar The high-grade (WHO G3) pancreatic neuroendocrine tumor category is morphologically and ... Correlation between grade and prognosis in metastatic ...

学术搜索 找到约 146 条结果 (用时0.06秒)

文章 小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

我的图书馆

时间不限 2016以来 2015以来 2012以来 自定义范围...

按相关性排序 按日期排序

搜索所有网页 中文网页 简体中文网页

包括专利 包含引用

创建快讯

Pathology reporting of neuroendocrine tumors: essential elements for accurate diagnosis, classification, and staging
DS Klimstra - Seminars in oncology, 2013 - Elsevier
... systems also have been developed recently, and advances in the treatment of some ... neoplasm in one of these categories fails to provide essential information for management. ... based on the architecture, nuclear features, and intensity of staining for neuroendocrine markers may ...
被引用次数: 48 相关文章 所有 4 个版本 引用 保存

[HTML] Everolimus for advanced pancreatic neuroendocrine tumors
JC Yao, MH Shah, T Ito, CL Bohas... - ... England Journal of ..., 2011 - Mass Medical Soc
... 2016) Will clinical heterogeneity of neuroendocrine tumors impact their management in the ... 2016) Prediction of response to everolimus in neuroendocrine tumors: evaluation of ... of mTOR inhibitor everolimus in association with cisplatin and radiotherapy for the treatment of locally ...
被引用次数: 1559 相关文章 所有 20 个版本 引用 保存

[HTML] nejm.org

The 2010 WHO classification of digestive neuroendocrine neoplasms: a critical appraisal four years after its introduction
G Rindi, G Petrone, F Inzani - Endocrine pathology, 2014 - Springer
... B, Rindi G, Ruzsniowski P ENETS 2011 Consensus Guidelines for the Management of Patients ... Oberg K, Knigge U, Kwekkeboom D, Perren A Neuroendocrine gastro-entero-pancreatic tumors: ESMO Clinical Practice Guidelines for diagnosis, treatment and follow-up ...
被引用次数: 35 相关文章 所有 9 个版本 引用 保存

[PDF] academia.edu

Treatment of liver metastases from neuroendocrine tumours in relation to the extent of hepatic disease
A Frilling, J Li, E Malamutmann... - British Journal of ..., 2009 - Wiley Online Library
... Guidelines for the management of gastroenteropancreatic neuroendocrine (including carcinoid) tumours. ... Guidelines for the diagnosis and treatment of neuroendocrine gastrointestinal tumours. ... statement on behalf of the European Neuroendocrine Tumour Society (ENETS). ...
被引用次数: 112 相关文章 所有 7 个版本 引用 保存

Gastric and duodenal neuroendocrine tumours
D O'Toole, G Delle Fave, RT Jensen - Best Practice & Research Clinical ..., 2012 - Elsevier
... Characteristics of gastric neuroendocrine tumours. ... Management, - ... Treatment dictated often by associated gastrinomas or non functioning pancreatic tumours; if treatment of gastric tumour required consider endoscopic resection/surgery, Oncological surgical resection (partial of ...
被引用次数: 33 相关文章 所有 6 个版本 引用 保存