

Name of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 29250

Manuscript Type: ORIGINAL ARTICLE

Retrospective study

High-flow nasal oxygen availability for sedation decreases the use of general anesthesia during endoscopic retrograde cholangiopancreatography and endoscopic ultrasound

Schumann R *et al.* High-flow nasal oxygen for ERCP and EUS

Roman Schumann, Nikola S Natov, Klifford A Rocuts-Martinez, Matthew D Finkelman, Tom V Phan, Sanjay R Hegde, Robert M Knapp

Roman Schumann, Robert M Knapp, Department of Anesthesiology and Perioperative Medicine, Tufts Medical Center, Boston, MA 02111, United States

Match Overview

1	Internet 111 words crawled on 15-Mar-2016 www.wjgnet.com	2%
2	Crossref 30 words Storm, Andrew C, and Christopher C Thompson. "Safety c... direct endoscopic necrosectomy in patients with gastric vari	1%
3	Crossref 20 words MacKenzie, Georgina, Kate K. O'Toole, and Jamie Magui"Compromised GABAergic inhibition contributes to tumor-	<1%

学术搜索

找到约 68 条结果 (用时0.24秒)

文章

我的图书馆

时间不限

- 2016以来
- 2015以来
- 2012以来
- 自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

包括专利

包含引用

创建快讯

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

Nurse-administered propofol sedation for gastrointestinal endoscopic procedures: first Nordic results from implementation of a structured training program

C Slagelse, P Vilmann, P Hornslet... - Scandinavian journal ..., 2011 - Taylor & Francis
... age (maximum 60 mg) over 5 s followed by infusion of saline with a high flow; 40–50 ... Prevention of hypoxaemia during upper-gastrointestinal endoscopy by means of oxygen via nasal cannulae. ... I since all the included studies (Table III) defines hypoxia at an oxygen saturation of ...
被引用次数: 27 相关文章 所有 7 个版本 引用 保存

[引用] **Clinical policy: procedural sedation and analgesia in the emergency department**

SA Godwin, JH Burton, CJ Gerardo, BW Hatten... - Ann Emerg Med, 2014
被引用次数: 70 相关文章 所有 21 个版本 引用 保存

Airway appliances in endoscopy

JE Mandel - Techniques in Gastrointestinal Endoscopy, 2009 - Elsevier
... mask provided fewer episodes of desaturation compared with spontaneous ventilation with nasal insufflation. ... Endoscopic ultrasound performed with nasopharyngeal high flow oxygen. ... is remarkably effective in reducing the frequency of episodes of oxygen desaturation during ...
被引用次数: 2 相关文章 所有 5 个版本 引用 保存

High Flow Nasal Cannula Availability is Associated With Anesthesia Practice and Outcomes Change During Endoscopy Procedures

R Schumann, A Rocuts-Martinez, T Phan, M Finkelman... - asaabstracts.com
... Introduction High Flow Nasal Cannula (HFNC) is a humidified oxygen delivery system for non-intubated patients that decreases ... 99 [3], 98 [4] and 96 [4]). Conclusion Our results suggest that the availability to anesthesia teams of HFNC as an oxygen delivery method ...
引用 保存

Perspectives on anesthetic management for endoscopic retrograde cholangiopancreatography and interventional gastrointestinal endoscopy procedures: The case ...

[PDF] emupdates.com

[PDF] researchgate.net

[HTML] techgiendoscopy.com

[全部](#)[图片](#)[视频](#)[新闻](#)[购物](#)[更多 ▾](#)[搜索工具](#)

找到约 3,460 条结果 (用时 0.91 秒)

Sedation-related complications in gastrointestinal endoscopy - NCBI

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)

作者 : S Amornyotin - 2013 - 被引用次数 : 25 - [相关文章](#)

2013年11月16日 - **Sedation** practices for gastrointestinal **endoscopic** (GIE) procedures vary for **sedation during endoscopic retrograde cholangiopancreatography**, Supplementary **nasal oxygen** at 3 L/min **in sedated** patients with a **high** risk of aspiration and requiring endotracheal tube with **general** Available from: ...

Outpatient endoscopic retrograde cholangiopancreatography: Safety ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)

作者 : BG Goudra - 2013 - 被引用次数 : 32 - [相关文章](#)

Keywords: Airway **in endoscopic retrograde cholangiopancreatography**, **endoscopic** ... the use of endotracheal intubation with **general anesthesia in** high risk (higher ... The administration of **high-flow oxygen** not only helped to increase **oxygen** ... A total of 653 patients underwent **ERCP** under **sedation** during the selected ...

Recent Advances in Endoscopy Sedation: The Anesthesiologist's ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)

作者 : RC Roy - 2014 - [相关文章](#)

G&H How has the **endoscopy sedation** landscape changed over the past few years? ... affected the **availability** of generic drugs commonly **used** to provide **sedation** ... Pharyngeal volume is **decreased** by edema **in** patients with congestive heart ... a 6-L **oxygen flow** or to the circle system on the **anesthesia** machine with **high** ...

Previous Abstract - ASA Abstracts - Abstract

www.asaabstracts.com/strands/asaabstracts/abstract.htm%20%20?year... - [翻译此页](#)

作者 : R Schumann

2015年10月27日 - **High Flow Nasal Cannula Availability** is Associated With **Anesthesia** Practice and ... humidified **oxygen** delivery system for non-intubated patients that **decreases** ... the use of **general** endotracheal **anesthesia** (GETA) **in** favor of **sedation** ... (EUS) or **endoscopic retrograde**