

Azathioprine therapy for gastric sarcoidosis

Name of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 29043

Manuscript Type: CASE REPORT

Efficacy of additional treatment with azathioprine in a patient with prednisolone-dependent gastric sarcoidosis

Murata M *et al.* Azathioprine therapy for gastric sarcoidosis

Masaki Murata, Mitsushige Sugimoto, Yoshihiro Yokota, Hiromitsu Ban, Osamu Inatomi, Shigeki Bamba, Ryoji Kushima, Akira Andoh

Masaki Murata, Yoshihiro Yokota, Osamu Inatomi, Shigeki Bamba, Akira Andoh,
Department of Gastroenterology, Shiga University of Medical Science Hospital, Otsu
520-2192, Japan

Mitsushige Sugimoto, Hiromitsu Ban, Division of Digestive Endoscopy, Shiga
University of Medical Science Hospital, Otsu 520-2192, Japan

Match Overview

1

Internet 138 words
crawled on 09-Sep-2016
www.wjgnet.com

6%

2

Crossref 24 words
Yasuharu Saito. "Chemoradiation Therapy Followed by E ...
doscopy Submucosal Dissection for Esophageal Cancer",

1%

学术搜索

 我的著作引用情况


文章

我的图书馆

时间不限

2016以来

2015以来

2012以来

自定义范围...

按相关性排序

按日期排序


搜索所有网页

中文网页

简体中文网页

☒ 包括专利

☒ 包含引用

 创建快讯

您的搜索 - **Efficacy of additional treatment with azathioprine in a patient with prednisolone-dependent gastric sarcoidosis** - 与所有文章均不相符。

建议：

请检查输入字词有无错误。

请尝试其他的查询词

请改用较常见的字词。

请减少查询字词的数量。

[请向所有网络查询](#)

[全部](#)[新闻](#)[图片](#)[购物](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 93,600 条结果 (用时 0.70 秒)

[PDF] Therapy for sarcoidosis - ild care foundation

www.ildcare.nl/.../Sarcoidosis/Chapter%2020%20Therapy%20for%20sarcoi... ▾ [翻译此页](#)

作者: RP Baughman - 被引用次数: 28 - [相关文章](#)

whether **sarcoidosis patients** can be controlled using inhaled **therapy** alone. Although the use of inhaled budesonide was more **efficacious** than placebo in some studies ... In **addition**, renal calculi are another marker of For pulmonary disease, the recommended initial dose of **prednisone** (or and **gastrointestinal** toxicity.

Current and emerging pharmacological treatments for sarcoidosis: a ...

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) ▾ [翻译此页](#)

作者: SH Beegle - 2013 - 被引用次数: 33 - [相关文章](#)

2013年4月12日 - The risks of subjecting such **patients** to anti-**sarcoidosis therapy**, The initial corticosteroid dose is 20–40 mg of daily **prednisone** equivalent. ... Therefore, too rapid a corticosteroid taper after **additional** agents have been ... The major adverse effects of **azathioprine** include hematologic, **gastrointestinal**, and ...

Efficacy of Mycophenolate Mofetil in Sarcoidosis

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)

作者: N Hamzeh - 2014 - 被引用次数: 12 - [相关文章](#)

2014年9月28日 - We also noted a reduction in **prednisone** dose in those **treated** with MMF. Conclusion. MMF appears to offer no **extra** benefit to **sarcoidosis patients** ... compared outcomes between **patients treated** with methotrexate versus **azathioprine** one cold sores, one skin sores and one **gastrointestinal** symptoms ...

New treatment strategies for pulmonary sarcoidosis: antimetabolites ...

[thelancet.com/journals/lanres/article/PIIS2213-2600\(15\)00199-X/fulltext](http://thelancet.com/journals/lanres/article/PIIS2213-2600(15)00199-X/fulltext) ▾ [翻译此页](#)

2015年7月20日 - About half of **patients** with **sarcoidosis** will need systemic **therapy** for their disease. ... The antimetabolites, such as methotrexate, **azathioprine**, ... or cardiac disease in **addition** to organ-threatening disorders such as liver or renal ... **treatment**, oral glucocorticoids such as **prednisone** or