

Name of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 30726

Manuscript Type: ORIGINAL ARTICLE

Retrospective Study

Clinical significance of mesenteric panniculitis-like abnormalities on abdominal computerized tomography in patients with malignant neoplasms

Ehrenpreis ED *et al.*

Eli D Ehrenpreis, Grigory Roginsky, Richard M Gore

Eli D Ehrenpreis, Grigory Roginsky, Center for the Study of Complex Diseases,
NorthShore University HealthSystem, Highland Park Hospital, Highland Park, IL
60035, United States

Richard M Gore, Department of Radiology, NorthShore University HealthSystem,
Evanston, IL 60201, United States

Match Overview

1	Internet 197 words crawled on 12-Aug-2016 www.wjgnet.com	7%
2	Crossref 37 words "Small Intestine/Unclassified", The American Journal of Gastroenterology, 2014.	1%
3	Crossref 22 words "Clinical Vignettes", The American Journal of Gastroenterology, 10/2010	1%

学术搜索

找到约 76 条结果（用时0.07秒）

文章

我的图书馆

时间不限

2016以来

2015以来

2012以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利

☒ 包含引用

 创建快讯

小提示：只搜索中文(简体)结果，可在 学术搜索设置 指定搜索语言

[HTML] The usefulness of 18F – fluorodeoxyglucose positron emission tomography (18F – FDG – PET) and a comparison of 18F – FDG – pet with 67gallium scintigraphy in ...

[HTML] wiley.com

N Tsukamoto, M Kojima, M Hasegawa, N Oriuchi... - Cancer, 2007 - Wiley Online Library
... for the selection of appropriate clinical management, and verify the clinical relevance of lymphoma ... patients with SMZL and SLL may correlate well with their indolent clinical courses and ... subtypes with high sensitivity, because these 2 subtypes are aggressive clinically and are ...
被引用次数: 158 相关文章 所有 6 个版本 引用 保存

Characterization of T-cell lymphomas by FDG PET/CT

J Feeney, S Horwitz, M Gönen... - American Journal of ..., 2010 - Am Roentgen Ray Soc
... Low-grade FDG uptake in lymph nodes is of uncertain clinical significance in Sézary syndrome ... Although sites of cutaneous disease will be apparent clinically, FDG PET/CT offers the ... Peripheral T-cell lymphoma: spectrum of imaging findings with clinical and pathologic features. ...
被引用次数: 56 相关文章 所有 4 个版本 引用 保存

Peripheral T-Cell Lymphoma: Spectrum of Imaging Findings with Clinical and Pathologic Features 1

[HTML] rsna.org

HJ Lee, JG Im, JM Goo, KW Kim, BI Choi, KH Chang... - Radiographics, 2003 - pubs.rsna.org
... has been a source of frustration for many years for both clinicians and pathologists. ... entities of PTCL have a particular primary location and particular clinical and pathologic ... demonstration of disease progression beyond the primary site is also clinically important because ...
被引用次数: 96 相关文章 所有 4 个版本 引用 保存

Malignant skin and subcutaneous neoplasms in adults: multimodality imaging with CT, MRI, and 18F-FDG PET/CT

YH Juan, SS Saboo, SH Tirumani... - American Journal of ..., 2014 - Am Roentgen Ray Soc
... clinical and imaging features of skin lesions can be challenging to clinicians and radiologists ... per the Response Evaluation Criteria in Solid Tumors [48]; however, the clinical implications of ... Primary DFSP usually presents clinically as a solitary round or oval nontender cutaneous ...
被引用次数: 5 相关文章 所有 3 个版本 引用 保存

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多 ▼](#)[搜索工具](#)

找到约 5,830 条结果 (用时 0.83 秒)

Google 学术 : Clinical significance of mesenteric panniculitis-like abnormalities on abdominal computerized tomography in patients with malignant neoplasms

... -fluorodeoxyglucose positron emission tomography (... - Tsukamoto - 被引用次数 : 159

Characterization of T-cell lymphomas by FDG PET/CT - Feeney - 被引用次数 : 57

... Imaging Findings with Clinical and Pathologic Features ... - Lee - 被引用次数 : 96

Mesenteric Panniculitis - National Organization for Rare Disorders

<https://rarediseases.org> > For Patients and Families > Rare Disease Information ▼ [翻译此页](#)

Clinical symptoms of mesenteric panniculitis are highly variable. ... A computerized tomogram (CT) or other imaging of the abdomen shows ... severe in some patients and can result in significant effects on quality of life. ... The most common cancers with mesenteric panniculitis like abnormalities on CT scan are lymphomas.

Mesenteric Lymph Nodes Seen at Imaging: Causes and Significance ...

pubs.rsna.org/doi/full/10.1148/rg.252045108 ▼ [翻译此页](#)

作者 : BC Lucey - 2005 - 被引用次数 : 79 - [相关文章](#)

Lymphoma is a soft tumor, and extensive mesenteric lymphadenopathy due to ... As a result, when one is evaluating the CT scans of patients with previously treated ... lower quadrant lymph nodes in the presence of an abnormal appendix help ... mesenteric panniculitis from malignant causes with similar CT findings (14).

Mesenteric Panniculitis: A Case Report and Review of the Literature

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)

作者 : Y GUNDUZ - 2012 - 被引用次数 : 10 - [相关文章](#)

We reported a case of the mesenteric panniculitis diagnosed with CT and operated ... conditions like vasculitis, granulomatous disease, malignancies and pancreatitis (2). ... The most common clinical presentations include abdominal pain, vomiting, ... The objective of this case report is to present the patient with mesenteric ...