

[Web](#)[Images](#)[Shopping](#)[More ▾](#)[Tools](#)[SafeSearch ▾](#)

About 23,100 results

Web Results

[\[PDF\] High resolution microendoscopy for classification ...](#)https://kortum.rice.edu/.../Kortum/.../pub2013_Chang_Endoscopy.pdf

Jun 18, 2013 ... since it can be both **diagnostic** and therapeutic. More than 14 ... **High resolution microendoscopy for classification of colorectal polyps...** Endoscopy 2013 ... The kappa values were interpreted as follows: **value** of: 1.00, perfect ...

[In vivo diagnostic accuracy of high-resolution microendoscopy ...](#)www.ncbi.nlm.nih.gov/pubmed/24296752 - Similar

Dec 3, 2013 ... In vivo **diagnostic** accuracy of **high-resolution microendoscopy** in differentiating neoplastic from non-neoplastic **colorectal polyps**: a ... **value** (PPV, 87%) for the determination of neoplastic colorectal ... A combination of standard white-light colonoscopy for polyp detection and HRME for polyp **classification** ...

[High resolution microendoscopy for classification of ...](#)www.ncbi.nlm.nih.gov/pubmed/23780842 - Similar

Endoscopy. 2013 Jul;45(7):553-9. doi: 10.1055/s-0032-1326502. Epub 2013 Jun 18. **High resolution microendoscopy for classification of colorectal polyps.**

[\[More results from www.ncbi.nlm.nih.gov \]](#)[Neoplastic vs Non-Neoplastic Colorectal Polyps - Medscape](#)www.medscape.com/viewarticle/819782_2

In Vivo **Diagnostic** Accuracy of **High-resolution Microendoscopy** in Differentiating ... Training in the HRME Colon Classification System ... that with n=171 and a postulated **value** for sensitivity or specificity of at least 80%, this sample size was ...

[Neoplastic vs Non-Neoplastic Colorectal Polyps - Medscape](#)

Name of journal: World Journal of Gastroenterology

ESPS Manuscript NO: 22123

Manuscript Type: ORIGINAL ARTICLE

Clinical Trials Study

Diagnostic value of high-resolution micro-endoscopy for classification of colon polyps

Tao Tan, Ya-Wei Qu, Juan Shu, Min-Li Liu, Ling Zhang, Hai-Feng Liu

Abstract

Match Overview

- | Match Number | Source | Words | Similarity |
|--------------|--|----------|------------|
| 1 | CrossCheck | 37 words | 1% |
| | Chang, S., R. Shukla, A. Polydorides, P. Vila, M. Lee, H. Han, P. Kedia, J. Lewis, S. Gonzalez, M. Kim, N. Harpaz, J. Go | | |
| 2 | Internet | 24 words | 1% |
| | crawled on 14-Jun-2010
jco.oxfordjournals.org | | |



Diagnostic value of high-resolution micro-endoscopy for classification of colon



学术搜索

获得 8 条结果 (用时0.09秒)

我的著作引用情况



文章

您是不是要找: Diagnostic value of high-resolution *microendoscopy* for classification of colon polyps

我的图书馆

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利☐ 包含引用

Simultaneous confocal laser endomicroscopy and chromoendoscopy with topical cresyl violet

giejournal.org 中的 [HTML]

M Goetz, T Toerner, M Vieth, K Dunbar... - Gastrointestinal ..., 2009 - Elsevier

... 10 A first evaluation of **diagnostic** accuracy was performed during the endoscopic procedure by ... Regenerative changes were most commonly misclassified, with the correct **diagnosis** in 63 ... study showed good characterization of pit pattern, although the **value** of chromoendoscopy ...

被引用次数: 66 相关文章 所有 9 个版本 引用 保存

[PDF] EUS-Guided Needle-Based Confocal Laser Endomicroscopy: A Novel Technique With Emerging Applications

gastroenterologyandhepatology.net 中的 [PDF]

MS Bhutani, P Koduru, V Joshi... - ..., 2015 - gastroenterologyandhepatology.net

... ratio of 0.17.15 Also, cystic lesions are more difficult than solid lesions to **diagnose** by EUS ... Cystic neoplasms of the pancreas: a **diagnostic** challenge. ... Mo1428 needle-based confocal LASER endomicroscopy (nCLE) for the **diagnosis** of lymph nodes: preliminary criteria (Contact ...

相关文章 引用 保存 更多

Image mosaicing systems and methods

KE Loewke, DB Camarillo, JK Salisbury Jr... - US Patent App. 12/ ..., 2007 - Google Patents

... but also architectural information of a volumetric structure that may useful for **diagnosis** and/or ... As an example, the imaging device may be a miniature **diagnostic** and treatment capsule or "pill ... Here, $\delta x_{i \rightarrow j,k}$ is a constant **value** that represents the nominal spacing between the ...

被引用次数: 7 相关文章 所有 2 个版本 引用 保存

[网页](#)[图片](#)[新闻](#)[购物](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 16,400 条结果 (用时 0.59 秒)

[PDF] High resolution microendoscopy for classification of ...

https://kortum.rice.edu/.../pub2013_Chang_Endoscopy.pdf ▾ [翻译此页](#)

作者：SS Chang - 2013 - 被引用次数：7 - [相关文章](#)

2013年6月18日 - Adenomatous polyps are precursors of colorectal cancer. ... High resolution microendoscopy for classification of colorectal polyps... Endoscopy 2013; 45: 553- ... representative HRME images for each diagnostic category. In re-viewing ... The kappa values were interpreted as follows: value of, 1.00, perfect ...

In Vivo Diagnostic Accuracy of High-Resolution ... - Nature

www.nature.com > ... > [Archive](#) > [Original Contributions](#) ▾ [翻译此页](#)

作者：ND Parikh - 2014 - 被引用次数：8 - [相关文章](#)

2013年12月3日 - High-resolution microendoscopy (HRME) is a low-cost, "optical biopsy" technology that ... value (PPV, 87%) for the determination of neoplastic colorectal polyps ... Hassan et al. showed reducing the number of polyps requiring formal ... Chang et al. developed a classification system for HRME to differentiate ...

Neoplastic vs Non-Neoplastic Colorectal Polyps - Medscape

www.medscape.com/viewarticle/819782_2 ▾ [翻译此页](#)

In Vivo Diagnostic Accuracy of High-resolution Microendoscopy in Differentiating ... Training in the HRME Colon Classification System ... that with n=171 and a postulated value for sensitivity or specificity of at least 80%, this sample size was ...

Neoplastic vs Non-Neoplastic Colorectal Polyps - Medscape

www.medscape.com/viewarticle/819782 ▾ [翻译此页](#)

In Vivo Diagnostic Accuracy of High-resolution Microendoscopy in Differentiating ... value (PPV, 87%) for the determination of neoplastic colorectal polyps compared ... colonoscopy for polyp detection and HRME for polyp classification has the ...