

Association between serum α -L-fucosidase and non-alcoholic fatty liver dise[网页](#)[新闻](#)[图片](#)[视频](#)[更多](#)[搜索工具](#)

找到约 1,360 条结果 (用时 0.61 秒)

Google 学术: Association between serum α -L-fucosidase and non-alcoholic fatty liver disease: Cross-sectional study

Hepatocellular carcinoma: current trends in worldwide ... - Shariff - 被引用次数: 236

... in patients with chronic hepatitis and cirrhosis - Hsieh - 被引用次数: 19

Most Cited Arab Journal of Gastroenterology Articles

www.journals.elsevier.com/arab-journal-of.../most-cited-articles... [翻译此页](#)

After atorvastatin therapy, there was a significant increase in serum PNO1 activity and ...

Relationship between non-alcoholic fatty liver disease and kidney function: A

communication Patients and methods: In this cross-sectional study (2008-2010), ...

Alpha-L-fucosidase as a tumour marker of hepatocellular carcinoma.

Current Trends in Hepatocellular Carcinoma - Medscape

www.medscape.com/viewarticle/708924_5 [翻译此页](#)

In addition, recent studies have highlighted gender disparity of HCC. Associations

between hepatitis B virus genotype and mutants and the risk of hepatocellular ...

Hepatocellular carcinoma in patients with nonalcoholic steatohepatitis. with liver

cirrhosis by the serial determinations of serum α -L-fucosidase activity.

2

Name of Journal: World Journal of Gastroenterology

ESPS Manuscript NO: 21432

Manuscript Type: ORIGINAL ARTICLE

Observational Study

Association between serum α -L-fucosidase and non-alcoholic fatty liver
disease: Cross-sectional study

Zhen-Ya Lu, Chao Cen, Zhou Shao, Xin-Hua Chen, Cheng-Fu Xu, You-Ming Li

AbstractAIM: To explore the association between serum α -L-fucosidase (AFU) and

Match Overview

1	CrossCheck 86 words LI, Y., "Association of serum uric acid level with non-alcoholic fatty liver disease: A cross-sectional study", Journal	2%
2	Internet 50 words crawled on 10-May-2015 www.wjgnet.com	1%
3	CrossCheck 34 words Xu, Ping, "Association between serum alpha-fetoprotein levels and fatty liver disease: A cross-sectional study", W	1%
4	Internet 30 words crawled on 30-Sep-2010 dSPACE.uniroma2.it	1%
5	CrossCheck 29 words Yu, C., "Serum proteomic analysis revealed diagnostic value of hemoglobin for nonalcoholic fatty liver disease",	1%
6	Internet 26 words crawled on 08-Jun-2015 www.biomedcentral.com	1%

Association between serum α -L-fucosidase and non-alcoholic fatty liver disease ▾

学术搜索

获得 3 条结果 (用时0.05秒)

我的著作引用情况



文章

小提示：只搜索中文(简体)结果，可在 学术搜索设置 指定搜索语言

我的图书馆

Hepatocellular carcinoma: current trends in worldwide epidemiology, risk factors, diagnosis and therapeutics

MIF Shariff, IJ Cox, AI Gomaa, SA Khan, W Gedroyc... - 2009 - informahealthcare.com

... cohort and observational studies from Taiwan have observed a linear relationship between HBV viral ... Epidemiological studies have shown a strong correlation between the dietary intake of AFB1 ... been developed and most recently presented in the American Association for the ...

被引用次数: 236 相关文章 所有 4 个版本 引用 保存

Secreted ERBB3 isoforms are serum markers for early hepatoma in patients with chronic hepatitis and cirrhosis

SY Hsieh, JR He, MC Yu, WC Lee... - Journal of proteome ..., 2011 - ACS Publications

... We further used ROC analysis to compare the performance between serum sERBB3 and AFP in detection of early HCC (Figure 5). Discriminating early HCC from chronic ... Figure 4. Correlation of serum sERBB3 levels with the progression of liver disease ... A) Serum sERBB3 levels ...

被引用次数: 19 相关文章 所有 3 个版本 引用 保存

Role of biomarkers in health care

KK Jain - The Handbook of Biomarkers, 2010 - Springer

... The American Diabetes Association recommends that the blood test – which measures the average level ... There is no linear relation between changes in BMD and reduction in fracture risk ... in sensitivity and specificity in different patients groups and lack of correlation with severity ...

被引用次数: 1 相关文章 所有 2 个版本 引用 保存

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利☐ 包含引用

创建快讯



[网页](#) [新闻](#) [图片](#) [购物](#) [视频](#) [更多](#) [搜索工具](#)

找到约 1,240 条结果 (用时 0.68 秒)

Google 学术 : Association between serum α -L-fucosidase and non-alcoholic fatty liver disease: Cross-sectional study

Hepatocellular carcinoma: current trends in worldwide ... - [Shariff](#) - 被引用次数 : 237

... in patients with chronic hepatitis and [cirrhosis](#) - [Hsieh](#) - 被引用次数 : 19

Nonalcoholic Fatty Liver Disease, Obesity & Diabetes Mellitus

www.medscape.com/viewarticle/708924_12 [▼ 翻译此页](#)

[Nonalcoholic fatty liver disease](#) (NAFLD) and nonalcoholic steatohepatitis (NASH)

[Associations between](#) hepatitis B virus genotype and mutants and the risk of and the penetrance of HFE C282Y mutations: a [cross sectional study](#). with liver cirrhosis by the serial determinations of [serum \$\alpha\$ -L-fucosidase](#) activity. Intern.

Most Cited Arab Journal of Gastroenterology Articles

www.journals.elsevier.com/arab-journal-of-.../most-cited-articles... [▼ 翻译此页](#)

After atorvastatin therapy, there was a significant increase in [serum](#) PNO1 activity and ... [Relationship between non-alcoholic fatty liver disease](#) and kidney function; A communication Patients and methods: In this [cross-sectional study](#) (2008-2010), ... [Alpha-l-fucosidase](#) as a tumour marker of hepatocellular carcinoma.

Carcinogenic effects of aflatoxin B1 among wheat handlers ...

europepmc.org/articles/PMC4090880 - [翻译此页](#)

作者 : A Saad-Hussein - 2013 - 被引用次数 : 2 - [相关文章](#)

There was a significant [correlation between](#) AFU and AFB1/Alb in bakers and between AFP and ... carcinoma, Aflatoxin B1, Alpha-fetoprotein, [Alpha-l-fucosidase](#), Arginase ... hepatitis B or C infection, [cirrhosis](#), [non-alcoholic fatty liver](#), [alcohol induced liver disease](#), and ... The [study](#) was a [cross-sectional comparative study](#).