



[网页](#) [新闻](#) [图片](#) [购物](#) [视频](#) [更多 ▾](#) [搜索工具](#)

找到约 34,600 条结果 (用时 0.62 秒)

## Google 学术: Auxiliary partial liver transplantation for acute liver failure using "high risk" grafts: Case report

Orthotopic liver transplantation in fulminant and ... - Bismuth - 被引用次数: 292

... liver transplantation using extended right lobe grafts. - Lo - 被引用次数: 561

Auxiliary partial liver transplantation for end-stage ... - Terpstra - 被引用次数: 117

## Retrospective observation of therapeutic effects of adult ...

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) > ... > Literature > PubMed Central (PMC) - [翻译此页](#)

作者: CY Li - 2015 - [相关文章](#)

2015年3月7日 - Core tip: Auxiliary partial orthotopic living donor liver transplantation (APOLDLT) was ... for rescuing patients with high-risk acute liver failure following HBV ... no report of adult APOLDLT for rescuing patients with postpartum acute liver .... The graft-to-recipient weight ratio (GRWR) in this case was 0.8, lower ...

## Living related heterotopic auxiliary partial liver ...

[www.ncbi.nlm.nih.gov/pubmed/14571703](http://www.ncbi.nlm.nih.gov/pubmed/14571703) - [翻译此页](#)

作者: Y Sato - 2003 - 被引用次数: 6 - [相关文章](#)

Living related heterotopic auxiliary partial liver transplantation for extremely small-for-size graft in fulminant liver failure. ... A small-for-size graft is a major obstacle for high-risk patients. ... We would recommend heterotopic auxiliary partial liver transplantation as an optional procedure for patients with severe ... [Case Reports](#) ...

## Simplified technique for auxiliary orthotopic liver ...

[www.researchgate.net/](http://www.researchgate.net/) /280111285 Simplified technique for ... - [翻译此页](#)

Name of Journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 21420

Manuscript Type: CASE REPORT

Auxiliary partial liver transplantation for acute liver failure using "high risk" grafts: Case report

Duan WD *et al.* Auxiliary liver transplantation using fatty graft

Wei-Dong Duan, Xi-Tao Wang, Hong-Guang Wang, Wen-Bin Ji, Hao Li, Jia-Hong Dong

#### Abstract

Acute liver failure (ALF) is a reversible disorder that is associated with an abrupt loss of hepatic mass, rapidly progressive encephalopathy and devastating complications. Despite its high mortality, an emergency liver transplantation nowadays forms an integral part in ALF management and has substantially improved the outcomes of ALF. Here, we report the case of a 32-year-old female patient who was admitted with grade IV hepatic encephalopathy (coma) following drug-induced ALF. We performed an emergency auxiliary partial

#### Match Overview

1	<b>CrossCheck</b> 43 words Walid Faraj. "Auxiliary Liver Transplantation for Acute Liver Failure in Children :", <i>Annals of Surgery</i> , 02/2010	1%
2	<b>CrossCheck</b> 39 words Anand, A.C.. "Early indicators of prognosis in fulminant hepatic failure: an assessment of the King's criteria", <i>Jour</i>	1%
3	<b>CrossCheck</b> 37 words Yamashiki, Noriyo, Yasuhiko Sugawara, Sumihito Tamura, Nobuaki Nakayama, Makoto Oketani, Koji Umeshita,	1%
4	<b>CrossCheck</b> 23 words Gabriel Chan. "Long-term outcomes of emergency liver transplantation for acute liver failure", <i>Liver Transplantati</i>	1%
5	<b>CrossCheck</b> 21 words Jaeck, D.. "Which types of graft to use in patients with acute liver failure?", <i>Journal of Hepatology</i> , 200704	<1%
6	<b>Internet</b> 20 words crawled on 21-Apr-2013 <a href="http://hepatop.biopredictive.com">hepatop.biopredictive.com</a>	<1%
7	<b>CrossCheck</b> 15 words Broering, D.C.. "Current Status of Hepatic Transplantatio	<1%

学术搜索

找到约 1,590 条结果 (用时0.10秒)

文章

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

我的图书馆

[Orthotopic liver transplantation in fulminant and subfulminant hepatitis. The Paul Brousse experience.](#)nih.gov 中的 [\[PDF\]](#)H Bismuth, D Samuel, D Castaing, R Adam... - *Annals of ...*, 1995 - ncbi.nlm.nih.gov

... Livers with moderate ... Size reduction was performed according to our standard technique in seven cases. 20 Four patients received a partial graft that was ... CLINICAL CONDITION AND BIOCHEMICAL TESTS OF THE PATIENTS AT THE TIME OF LIVER TRANSPLANTATION No. ...

被引用次数: 292 相关文章 所有 7 个版本 引用 保存

时间不限

2015以来

2014以来

2011以来

自定义范围...

[Adult-to-adult living donor liver transplantation using extended right lobe grafts.](#)nih.gov 中的 [\[PDF\]](#)CM Lo, ST Fan, CL Liu, WL Wei, RJ Lo, CL Lai... - *Annals of ...*, 1997 - ncbi.nlm.nih.gov

... Eight whole organ cadaveric grafts and 10 partial living donor grafts were used. ... of the need for an early cadaveric liver transplantation. ... The stumps of the right and middle hepatic veins were preserved by trimming the surrounding residual liver tissue, and the left hepatic ...

被引用次数: 561 相关文章 所有 7 个版本 引用 保存

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

[Auxiliary partial liver transplantation for end-stage chronic liver disease](#)OT Terpstra, SW Schalm, W Weimar... - *England Journal of ...*, 1988 - Mass Medical Soc

... (1991) Auxiliary partial orthotopic liver transplantation (APOLT) for fulminant hepatic failure: First successful case report. ... (1991) Sequential changes in relative liver function assessed by 99mTc-HIDA scintigraphy after auxiliary heterotopic liver transplantation in dogs. ...

被引用次数: 117 相关文章 所有 5 个版本 引用 保存

 包括专利 包含引用[Auxiliary liver transplantation: regeneration of the native liver and outcome in 30 patients with fulminant hepatic failure—a multicenter European study](#)wiley.com 中的 [\[PDF\]](#)M Chenard - Neu, K Boudjema, J Bernuau... - *...*, 1996 - Wiley Online Library

... Five patients (Table 2). were still on immunosuppression 5, 6, 9, 10, and 18 Histological Lesions at Day 0. Liver cell necrosis at months after auxiliary LT (26%) (Table 3). the time of transplantation ranged from 50 to 95% The other 11 patients died between 6 days and 8 ...

被引用次数: 173 相关文章 所有 8 个版本 引用 保存

 创建快讯



[网页](#) [新闻](#) [图片](#) [购物](#) [视频](#) [更多](#) [搜索工具](#)

找到约 33,500 条结果 (用时 0.52 秒)

### Google 学术 : Auxiliary partial liver transplantation for acute liver failure using "high risk" grafts: Case report

[Orthotopic liver transplantation in fulminant and ...](#) - Bismuth - 被引用次数 : 293

[... liver transplantation using extended right lobe grafts.](#) - Lo - 被引用次数 : 561

[Auxiliary partial liver transplantation for end-stage ...](#) - Terpstra - 被引用次数 : 118

### Retrospective observation of therapeutic effects of adult ...

[www.ncbi.nlm.nih.gov > ... > Literature > PubMed Central \(PMC\)](#) - 翻译此页

作者 : CY Li - 2015 - 相关文章

2015年3月7日 - Core tip: [Auxiliary partial orthotopic living donor liver transplantation \(APOLDLT\)](#) was ... for rescuing patients [with high-risk acute liver failure](#) following HBV ... no [report](#) of adult APOLDLT for rescuing patients [with](#) postpartum acute liver .... The [graft-to-recipient weight ratio \(GRWR\)](#) in this [case](#) was 0.8, lower ...

### Living related heterotopic auxiliary partial liver ...

[www.ncbi.nlm.nih.gov/pubmed/14571703](#) - 翻译此页

作者 : Y Sato - 2003 - 被引用次数 : 6 - 相关文章

Living related heterotopic [auxiliary partial liver transplantation](#) for extremely small-for-size [graft](#) in fulminant [liver failure](#). ... A small-for-size [graft](#) is a major obstacle for [high-risk](#) patients. ... We would recommend heterotopic [auxiliary partial liver transplantation](#) as an optional procedure for patients [with severe](#) ... [Case Reports](#) ...

### Simplified technique for auxiliary orthotopic liver ...

[www.researchgate.net/.../280111285\\_Simplified\\_technique\\_for...](#) - 翻译此页

2015年7月18日 - ABSTRACT [Acute liver failure](#) is associated [with](#) a high mortality rate ... for a [partial auxiliary liver transplantation using](#) a whole liver [graft](#) from a ... As