



Anti-rods/rings autoantibody generation in hepatitis C patients during interfe



学术搜索

获得 1 条结果 (用时0.06秒)

文章

我的图书馆

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

英语网页

☒ 包括专利

☒ 包含引用

创建快讯

[PDF] Anti-rods/rings: a human model of drug-induced autoantibody generation

SJ Calise, GD Keppeke, LE Andrade... - Name: Frontiers in ..., 2015 - journal.frontiersin.org

... Differential reactivity to IMPDH2 by anti-rods/rings autoantibodies and unresponsiveness to
pegylated interferon-alpha/ribavirin therapy in US ... Temporal evolution of human autoantibody
response to cytoplasmic rods and rings structure during anti ... (A) Autoantibodies in prototype ...

相关文章 所有 2 个版本 引用 保存 更多

创建快讯

frontiersin.org 中的 [PDF]

关于 Google 学术搜索

隐私权

条款

提供反馈

Match Overview

1	CrossCheck 312 words Keppeke, Gerson Dierley, Minoru Satoh, Maria Lucia Gomes Ferraz, Edward K. L. Chan, and Luís Eduardo C. Andrade	5%
2	CrossCheck 73 words Jay H. Hoofnagle, "Mechanism of action of interferon and ribavirin in treatment of hepatitis C", Nature, 08/18/2005	1%
3	CrossCheck 14 words Calise, S. John, Gerson D. Keppeke, Luis E. C. Andrade, and Edward K. L. Chan, "Anti-Rods/Rings: A Human Mode ...	<1%

Name of Journal: World Journal of Gastroenterology

ESPS Manuscript NO: 19573

Manuscript Type: TOPIC HIGHLIGHTS

Anti-rods/rings autoantibody generation in hepatitis C patients during interferon- α /ribavirin therapy

Gerson Dierley Keppeke, S John Calise, Edward K L Chan, Luis Eduardo C Andrade

Abstract

Chronic inflammation associated with hepatitis C virus (HCV) infection can lead to

Anti-rods/rings autoantibody generation in hepatitis C patients during interferon- α

网页 图片 视频 新闻 购物 地图 图书

找到约 3,630 条结果

时间不限

过去 1 小时内

过去 24 小时内

过去 1 周内

过去 1 个月内

过去 1 年内

所有结果

精确匹配

[Anti-Rods/Rings: A Human Model of Drug-Induced Autoantibody ...](#)

www.ncbi.nlm.nih.gov/pmc/articles/PMC4318423/ ▼

5 Feb 2015 ... Keywords: **autoantibody**, IMPDH2, **hepatitis C**, ribavirin, interferon, rods and rings ... pegylated **interferon- α /ribavirin** combination **therapy** (IFN/RBV). ... The **production** of **anti-rods/rings** (anti-RR) **antibodies** appears to be distinct from current knowledge of typical **autoantibody** generation in HCV patients.

[Differential reactivity to IMPDH2 by anti-rods/rings autoantibodies ...](#)

www.pubfacts.com/.../Differential-reactivity-to-IMPDH2-by-anti-rodsrings-autoantibodies-and-unresponsiveness-to-pegylated ▼

Differential reactivity to IMPDH2 by **anti-rods/rings** **autoantibodies** and ... to pegylated **interferon-alpha/ribavirin** **therapy** in US and Italian HCV **patients**. ... between the **production** of these **autoantibodies** and response to IFN/R **therapy**. ... Cytoplasmic rods and rings **autoantibodies** developed **during** pegylated interferon and ...

[Differential Reactivity to IMPDH2 by Anti-rods/rings Autoantibodies ...](#)

www.researchgate.net/.../232705695_Differential_Reactivity_to_IMPDH2_by_Anti-rodsrings_Autoantibodies_and_Unresponsiveness_to_Pegylated_...

... to Pegylated **Interferon-alpha/Ribavirin** **Therapy** in US and Italian HCV **Patients** Differential Reactivity to IMPDH2 by **Anti-rods/rings** **Autoantibodies** and ... between the **production** of these **autoantibodies** and response to IFN/R **therapy**. ... but appeared **during** IFN/ribavirin **therapy** and were more often detected in ...

[\[PDF\] Original article Cytoplasmic rods and rings autoantibodies ...](#)

www.intmedpress.com/serveFile.cfm?sUID=ab015da1-3aef-4d77-9269... ▼

1 Dec 2011 ... plasmic **rods** and **rings** (RR) in chronic HCV **patients** was characterized. ... **during** pegylated **interferon** and **ribavirin** **therapy** in **patients** with ...

[Longitudinal Study of a Human Drug-Induced Model of Autoantibody ...](#)

[网页](#) [图片](#) [新闻](#) [购物](#) [视频](#) [更多 ▾](#) [搜索工具](#)

找到约 3,440 条结果 (用时 0.74 秒)

Anti-Rods/Rings: A Human Model of Drug-Induced ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ [翻译此页](#)

作者: SJ Calise - 2015 - 被引用次数: 1 - 相关文章

2015年2月5日 - Keywords: **autoantibody**, IMPDH2, **hepatitis C**, ribavirin, interferon, rods and rings ... pegylated **interferon- α /ribavirin** combination **therapy** (IFN/RBV). ...The **production** of **anti-rods/rings** (anti-RR) **antibodies** appears to be distinct from current knowledge of typical **autoantibody** generation in HCV patients.

Differential Reactivity to IMPDH2 by Anti-rods/rings ...

www.researchgate.net/.../232705695_Differential_Reactivity_to... - [翻译此页](#)... Differential Reactivity to IMPDH2 by **Anti-rods/rings** **Autoantibodies** and Unresponsiveness to Pegylated **Interferon-alpha/Ribavirin** **Therapy** in US and Italian **HCV Patients**. ... the **production** of these **autoantibodies** and response to IFN/R **therapy**. ... but appeared **during** IFN/ribavirin **therapy** and were more often detected in ...

Differential reactivity to IMPDH2 by anti-rods/rings ...

www.pubfacts.com/.../Differential-reactivity-to-IMPDH2-by-an... ▾ [翻译此页](#)Differential reactivity to IMPDH2 by **anti-rods/rings** **autoantibodies** and ... to pegylated **interferon-alpha/ribavirin** **therapy** in US and Italian **HCV patients**. ... between the **production** of these **autoantibodies** and response to IFN/R **therapy**. ... Cytoplasmic rods and rings **autoantibodies** developed **during** pegylated interferon and ...

PLOS ONE: Longitudinal Study of a Human Drug-Induced ...

journals.plos.org/plosone/article?id=10.1371/journal.pone... ▾ [翻译此页](#)2012年9月24日 - **Anti-RR** was detected in 14.1% of 342 **HCV patients**, 9.1% of 55 ... a unique model for drug-induced **autoantibody** generation in humans as demonstrated by the fact that a significant fraction of **patients** who have **anti-RR** **during** **therapy** ...