 The following term was not found in PubMed: China10.

 No items found.

Search details






Minimum[All Fields] AND ("tacrolimus"
[MeSH Terms] OR "tacrolimus"[All
Fields]) AND decreases[All Fields]
AND ("risk"[MeSH Terms] OR "risk"[All
Fields] OR "risk of"[All Fields]) AND

Search

[See more...](#)

Recent Activity

[Turn Off](#) [Clear](#)

-  Minimum tacrolimus decreases the risk of long-term new-onset Diab... (0) PubMed
-  ((CT imaging signs, pathology, and prognosis of gastric stromal t... (0) PubMed
-  CT imaging signs, pathology, and prognosis of gastric stromal tum... (12) PubMed
-  Prognostic performance of clinical indexes and model scorings for... (0) PubMed
-  Small lesions of hepatic alveolar echinococcosis at conventional ... (0 PubMed

[See more...](#)



22575-Review

BY JIU-LIN SONG

Quotes Included
Bibliography Included0%
SIMILAR

Name of Journal: World Journal of Gastroenterology

ESPS Manuscript NO: 22575

Manuscript Type: ORIGINAL ARTICLE

Retrospective Study

**Minimizing tacrolimus decreases the risk of new-onset diabetes mellitus
after liver transplantation**

Jiu-Lin Song, Wei Gao, Yan Zhong, Lu-Nan Yan, Jia-Yin Yang, Tian-Fu Wen,
Bo Li, Wen-Tao Wang, Hong Wu, Ming-Qing Xu, Zhe-Yu Chen, Yong-Gang
Wei, Li Jiang, Jian Yang

Match Overview

There are no matching sources for this report.



Minimizing tacrolimus decreases the risk of new-onset diabetes mellitus after l



学术搜索

我的著作引用情况



文章

我的图书馆

时间不限

2015以来

2014以来

2011以来

自定义范围...

[HTML] [New onset diabetes mellitus after liver transplantation: the critical role of hepatitis C infection](#)

[wiley.com](#) 中的 [HTML]

M Khalili, JW Lim, N Bass, NL Ascher... - ... [transplantation](#), 2004 - Wiley Online Library

Abstract Epidemiological studies suggest diabetes mellitus (DM) may be an extrahepatic manifestation of chronic hepatitis C virus (HCV) infection. Since diabetes and HCV are common in liver transplant recipients, we sought to examine the unique contribution of ...

被引用次数: 115 相关文章 所有 4 个版本 引用 保存

以上显示的是最相近的搜索结果。 [查看全部搜索结果](#)

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利☐ 包含引用[关于 Google 学术搜索](#)[隐私权](#)[条款](#)[提供反馈](#)



nus decreases the risk of new-onset diabetes mellitus after liver transplantation



网页

新闻

图片

视频

购物

更多 ▾

搜索工具

找到约 30,800 条结果 (用时 0.78 秒)

New-Onset Diabetes After Renal Transplantation

care.diabetesjournals.org/content/35/1/181.full ▾ 翻译此页

作者 : L Ghisda - 2012 - 被引用次数 : 30 - 相关文章

New-onset diabetes after transplantation (NODAT) is a serious and frequent ...
evaluate prospectively appropriate prevention strategies to minimize the risk of
NODAT. independent predictor of NODAT in both renal and liver transplant (26,33).
.... In tacrolimus-treated patients whose diabetes is difficult to control (A1C >7%

new onset diabetes education |transient diabetes mellitus ...

www.omicsonline.org/.../new-onset-diabetes-after-transplantati... ▾ 翻译此页

New Onset Diabetes after Transplantation [NODAT] Risks Factors Outcome and
Possible In liver transplant recipients with NODAT showed increased
cardiovascular CNI minimization in patients receiving potent induction therapy are
enduring [50]. ... Compared to CsA, tacrolimus reduces the risk of acute rejection
and ...

Approach to the Patient with New-Onset Diabetes after ...

press.endocrine.org/doi/full/10.1210/jc.2011-0657 - 翻译此页

作者 : JT Lane - 2011 - 被引用次数 : 24 - 相关文章

New-onset diabetes after transplantation (NODAT) refers to the occurrence of
NODAT has been observed after transplantation of kidney, liver, lung, heart, and ...
late-onset (>1 yr after transplantation), or transient diabetes mellitus (NODAT
corticosteroids in the posttransplant patient minimizes the risk of dysglycemia.

Diabetes Mellitus in the Transplanted Kidney

[www.ncbi.nlm.nih.gov/.../Literature/PubMed Central \(PMC\)](http://www.ncbi.nlm.nih.gov/.../Literature/PubMed%20Central%20(PMC)) - 翻译此页

作者 : V Peev - 2014 - 被引用次数 : 4 - 相关文章

2014年8月27日 - New onset diabetes mellitus after transplant (NODAT) has been