

网页

图片

新闻

购物

视频

更多 ▾

搜索工具

找到约 24,200,000 条结果 (用时 0.24 秒)

Google 学术: The Role of Tim-3 in HBV Infection: An Overview

... of T cell exhaustion in chronic hepatitis B virus infection - Nebbia - 被引用次数: 51

... CD8 T cells in persistent hepatitis B virus infection - Schurich - 被引用次数: 93

... T - cell response in patients with chronic hepatitis B - Wu - 被引用次数: 39

TIM3 gene polymorphisms in patients with chronic hepatitis ...www.ncbi.nlm.nih.gov/pubmed/22587604 ▾ 翻译此页

作者: Z Li - 2012 - 被引用次数: 10 - 相关文章

2012年5月15日 - Hepatitis B virus (HBV) infection is associated with the development of

... with HBV infection, potentially supporting the role of Tim-3 in T-cell ...

Upregulation of the Tim-3/Galectin-9 Pathway of T Cell ...journals.plos.org/plosone/article?id=10.1371/journal.pone... ▾ 翻译此页

作者: G Nebbia - 2012 - 被引用次数: 51 - 相关文章

2012年10月24日 - We further hypothesised that galectin-9/Tim-3 interactions might be of particular relevance in HBV infection because it targets the liver.

TIM-3, a Possible Target for Immunotherapy in Cancer and ...www.austinpublishinggroup.com/Virology/.../avrv-v1-id1006.p... ▾ 翻译此页

作者: R Tieu - 相关文章

Role of TIM-3 in cancer/tumor models and in chronic viral infections ... used to observe

altered patterns of effector function of TIM-3 expressing T cells in HBV [51]. ... Figure 2

Name of Journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 21750

Manuscript Type: REVIEW

Role of Tim-3 in hepatitis B virus infection: An overview

Liu Y *et al.* Role of Tim-3 in HBV infection

Yuan Liu, Li-Fen Gao, Xiao-Hong Liang, Chun-Hong Ma

Abstract

Hepatitis B virus (HBV) infection has received increasing public attention. HBV is the prototypical member of hepadnaviruses, which naturally infect only humans and great apes and induce the acute and persistent chronic infection of hepatocytes. A large body of evidence has demonstrated that dysfunction of the host anti-viral immune response is responsible for

Match Overview

1	Internet 55 words crawled on 09-Nov-2015 www.science.gov	1%
2	Internet 31 words crawled on 17-Mar-2015 www.ncbi.nlm.nih.gov	<1%
3	Internet 29 words crawled on 19-May-2015 youtube.com	<1%
4	CrossCheck 28 words Han, Gencheng, Guojiang Chen, Beifen Shen, and Yan ... Li. "Tim-3: An Activation Marker and Activation Limiter of I	<1%
5	CrossCheck 27 words Yuan, Li-ping, Lu Ling, and Gui Ming. "Tim-3 pathway in ... hepatitis B virus infection : targets for therapeutic interve	<1%
6	Internet 25 words crawled on 17-Aug-2015 www.wjgnet.com	<1%
7	CrossCheck 22 words Yan, Jing, Yi Zhang, Jing-Ping Zhang, Jing Liang, Lian ... Li and Limin Zheng. "Tim-3 Expression Defines Regulate	<1%

文章

我的图书馆

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利☒ 包含引用☒ 创建快讯

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

[HTML] Upregulation of the Tim-3/galectin-9 pathway of T cell exhaustion in chronic hepatitis B virus infection

G Nebbia, D Peppas, A Schurich, P Khanna, HD Singh... - 2012 - dx.plos.org

... 3 or PD- L1/2 single blockade were largely not overlapping, suggesting non-redundant roles for Tim ... A partial recovery of T cell function was also observed for CD4 T cells, with 11 out ... We investigated the role of Tim-3-mediated T cell co-inhibition in CHB patients starting antiviral ...

被引用次数: 64 相关文章 所有 14 个版本 引用 保存 更多

plos.org 中的 [HTML]

[HTML] Role of the coinhibitory receptor cytotoxic T lymphocyte antigen - 4 on apoptosis - Prone CD8 T cells in persistent hepatitis B virus infection

A Schurich, P Khanna, AR Lopes, KJ Han... - ..., 2011 - Wiley Online Library

... limited to CD8 responses directed against core epitopes, underscore the potential importance of coinhibition by ... T-cell compartment in addition to its contribution to regulatory T-cell function.15, 16 ... The role of virus-specific CD8 (+) cells in liver damage and viral control during ...

被引用次数: 98 相关文章 所有 5 个版本 引用 保存

wiley.com 中的 [HTML]

[HTML] The immunoregulatory role of CD244 in chronic hepatitis B infection and its inhibitory potential on virus - specific CD8+ T - cell function

B Raziorrouh, W Schraut, T Gerlach, D Nowack... - ..., 2010 - Wiley Online Library

... This comparison of different inhibitory molecules was done to classify the role of CD244 in concert of ... mark a promising approach to achieve a better recovery of T-cell function than CD244 ... CA, Balakrishnan V, Mariuzza RA, Kumar V. Molecular basis of the dual functions of 2B4 ...

被引用次数: 80 相关文章 所有 4 个版本 引用 保存

wiley.com 中的 [HTML]

Hepatitis B virus infection

JL Dienstag - New England Journal of Medicine, 2008 - Mass Medical Soc

... adefovir and tenofovir may cause nephrotoxic effects, periodic monitoring of renal function during nucleotide ... of chronic HBV infection, and there is increasing evidence of the importance of profound ... Biochemical and genetic evidence for the hepatitis B virus replication strategy.

被引用次数: 817 相关文章 所有 17 个版本 引用 保存

psu.edu 中的 [PDF]

全部

图片

新闻

视频

购物

更多 ▾

搜索工具

找到约 13,300,000 条结果 (用时 0.44 秒)

TIM3 gene polymorphisms in patients with chronic hepatitis ...

www.ncbi.nlm.nih.gov/pubmed/22587604 ▾ 翻译此页

作者：Z Li - 2012 - 被引用次数：11 - 相关文章

2012年5月15日 - TIM3 gene polymorphisms in patients with chronic hepatitis B virus infection: ... Hepatitis B virus (HBV) infection is associated with the development of acute ... with HBV infection, potentially supporting the role of Tim-3 in T-cell ...

T-cell exhaustion in chronic hepatitis B infection - Nature

www.nature.com ▸ Journal home ▸ Archive ▸ March 19 2015 - 翻译此页

作者：B Ye - 2015 - 被引用次数：7 - 相关文章

2015年3月19日 - The anti-viral functions of HBV-specific CD8⁺ T cells were verified in role in chronic HBV-infected patients similar to PD-1; thus, Tim-3 and ...

Therapeutic strategies for a functional cure of chronic ...

www.sciencedirect.com/science/article/.../S2211383514000513 ▾ 翻译此页

作者：J Chang - 2014 - 被引用次数：3 - 相关文章

Treatment of chronic hepatitis B virus (HBV) infection with the viral DNA ... It is, therefore, a pressing need for the introduction of therapeutic regimens that are safer TIM-3 and LAG-3, play important roles in T-cell exhaustion during persistent ...

Upregulation of the Tim-3/Galectin-9 Pathway of T Cell ...

journals.plos.org/plosone/article?id=10.1371/journal.pone... ▾ 翻译此页

作者：G Nebbia - 2012 - 被引用次数：63 - 相关文章

2012年10月24日 - Tim-3 blockade resulted in enhanced expansion of HBV-specific ... In summary, both Tim-3 and galectin-9 are increased in CHB and ... Upregulation of the Tim-3/Galectin-9 Pathway of T Cell Exhaustion in Chronic Hepatitis B Virus Infection In order to assess the potential role of Tim-3 in CHB, we first ...