

学术搜索

找到约 1,650 条结果 (用时0.09秒)

文章

我的图书馆

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利

☒ 包含引用

☒ 创建快讯

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

Biliary complications following liver transplantation

WS Ayoub, CO Esquivel, P Martin - Digestive diseases and sciences, 2010 - Springer

... detection of biliary strictures and is increasingly used to avoid the risks of ERCP ... biliary strictures after liver transplantation, part 2: management, outcome, and risk factors for disease ... Biliary casts after orthotopic liver transplantation: clinical factors, treatment, biochemical analysis ...

被引用次数: 59 相关文章 所有 13 个版本 引用 保存

researchgate.net 中的 [PDF]

[HTML] Biliary strictures in 130 consecutive right lobe living donor liver transplant recipients: results of a Western center

SA Shah, DR Grant, ID McGilvray... - ... of transplantation, 2007 - Wiley Online Library

... Risk factor, p Value, HR (95% CI ... multivariate analysis, only donor age greater than 50 years and previous bile leak were significant independent risk factors for future ... Olthoff and colleagues from the A2ALL consortium reported an increased risk of graft loss with donor age but this ...

被引用次数: 134 相关文章 所有 6 个版本 引用 保存

wiley.com 中的 [HTML]

Incidence and management of biliary complications after 291 liver transplants following the introduction of transcystic stenting

RG Sawyer, JD Punch - Transplantation, 1998 - journals.lww.com

... An increased risk of intrahepatic biliary strictures (also ... only 1/41 patients with a choledochojejunostomy who did not receive a transplant for PSC developed intrahepatic strictures, the presence of a Roux limb and chronic subclinical cholangitis is an unlikely etiologic factor, ...

被引用次数: 125 相关文章 所有 4 个版本 引用 保存

Safety of donors in live donor liver transplantation using right lobe grafts

ST Fan, CM Lo, CL Liu, BH Yong... - Archives of ..., 2000 - archsurg.jamanetwork.com

Research from JAMA Surgery — Safety of Donors in Live Donor Liver Transplantation Using Right Lobe Grafts.

被引用次数: 421 相关文章 所有 11 个版本 引用 保存

jamanetwork.com 中的 [HTML]

A survey of liver transplantation from living adult donors in the United States

RS Brown Jr, MW Russo, M Lai... - ... England Journal of ..., 2003 - Mass Medical Soc

The risk of death quoted by the transplantation team to potential donors varied by more than a

firma-web.ch 中的 [PDF]

Name of Journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 22974

Manuscript Type: Retrospective study

Risk factors of biliary intervention by imaging after living donor liver transplantation

Lee SK *et al.* MRCP findings for intervention after LDLT

Soon Kyu Lee, Jong Young Choi, Dong Myung Yeo, Young Joon Lee, Seung Kew Yoon, Si Hyun Bae, Jeong Won Jang, Hee Yeon Kim, Dong Goo Kim, Young Kyoung You

Soon Kyu Lee, Jong Young Choi, Seung Kew Yoon, Si Hyun Bae, Jeong Won Jang, Hee Yeon Kim, Division of Hepatology, Department of Internal Medicine, College of Medicine, The Catholic University of Korea, Seoul 06591, South Korea

Dong Myung Yeo, Young Joon Lee, Department of Radiology, College of Medicine,

Match Overview

1	Internet 103 words crawled on 24-Sep-2015 www.wjgnet.com	2%
2	CrossCheck 40 words Chang, Jae Hyuck. "Comparative study of rendezvous techniques in post-liver transplant biliary stricture", <i>World Journal of Gastroenterology</i> , 2011.	1%
3	Internet 22 words crawled on 03-Aug-2015 www.karger.com	<1%
4	CrossCheck 22 words Park, Jong Y. "MicroRNAs in pancreatic ductal adenocarcinoma", <i>World Journal of Gastroenterology</i> , 2011.	<1%

学术搜索

找到约 8,940 条结果 (用时0.04秒)

文章

我的图书馆

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利

☒ 包含引用

📧 创建快讯

小提示：只搜索中文(简体)结果，可在 学术搜索设置 指定搜索语言

Long - term incidence, risk factors, and management of biliary complications after adult living donor liver transplantation

S Hwang, SG Lee, KB Sung, KM Park... - ... transplantation, 2006 - Wiley Online Library
... The present study sought to identify risk factors for BC unique to DD. ... Furthermore, a right liver graft duct less than 4 mm in diameter was found to be a risk factor for anastomotic stenosis following DD ... Biliary anastomotic complications in 400 living related liver transplantations, ...

被引用次数：143 相关文章 所有 4 个版本 引用 保存

wiley.com 中的 [HTML]

[HTML] Risk factors for biliary complications after liver transplantation

YB Qian, CL Liu, CM Lo, ST Fan - Archives of Surgery, 2004 - archsurg.jamanetwork.com
Research from JAMA Surgery — Risk Factors for Biliary Complications After Liver Transplantation.

被引用次数：166 相关文章 所有 10 个版本 引用 保存

jamanetwork.com 中的 [HTML]

[HTML] Biliary reconstruction in right lobe living-donor liver transplantation: comparison of different techniques in 321 recipients

M Kasahara, H Egawa, Y Takada, F Oike... - Annals of ..., 2006 - ncbi.nlm.nih.gov
... Preservation of periductal microcirculation on the recipient side is a key factor for successful anastomosis. ... Qian YB, Liu CL, Lo CM, et al. Risk factors for biliary reconstructions after liver transplantation. ... Biliary anastomotic complications in 400 living related liver transplantation. ...

被引用次数：162 相关文章 所有 10 个版本 引用 保存

nih.gov 中的 [HTML]

[HTML] Biliary strictures in 130 consecutive right lobe living donor liver transplant recipients: results of a Western center

SA Shah, DR Grant, ID McGilvray... - ... of transplantation, 2007 - Wiley Online Library
... Risk factor, p Value, HR (95% CI ... multivariate analysis, only donor age greater than 50 years and previous bile leak were significant independent risk factors for future ... Olthoff and colleagues from the A2ALL consortium reported an increased risk of graft loss with donor age but this ...

被引用次数：138 相关文章 所有 6 个版本 引用 保存

wiley.com 中的 [HTML]

Donor morbidity after living donation for liver transplantation

RM Ghobrial, CE Freise, JF Trotter, L Tong, AO Ojo... - Gastroenterology, 2008 - Elsevier
... Common complications included biliary leaks beyond postoperative day 7 (n = 36, 9%), bacterial ... Quantification of complication risk may improve the informed consent process, preoperative

nih.gov 中的 [HTML]

[全部](#) [图片](#) [新闻](#) [视频](#) [购物](#) [更多 ▾](#) [搜索工具](#)

找到约 172,000 条结果 (用时 0.57 秒)

Google 学术 : Risk factors of biliary intervention by imaging after living donor liver transplantation

... after adult living donor liver transplantation - Hwang - 被引用次数 : 144

... for biliary complications after liver transplantation - Qian - 被引用次数 : 167

... in right lobe living-donor liver transplantation: ... - Kasahara - 被引用次数 : 164

Management of Biliary Complications in the Liver Transplant ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ [翻译此页](#)

作者 : JW Ostroff - 2010 - 被引用次数 : 16 - [相关文章](#)

Biliary complications after liver transplantation remain common. ... A particularly serious complication is that of leaks occurring in a living donor. ... The surgical construction of the biliary tree determines the intervention Factors such as biliary infection, bile duct damage, ischemia, and possibly J Magn Reson Imaging.

[PDF] Imaging of Biliary Complications after Right-Lobe Living ...

pdf.posterng.netkey.at/download/index.php?module... ▾ [翻译此页](#)

living donor liver transplantation, with special attention to the relative risk ... bile duct is thought to be the most important factor contributing to biliary ... 2) shorter operation time, and 3) the opportunity of endoscopy-guided intervention in case.

Complications and mortality after adult to adult living donor ...

www.sciencedirect.com/science/article/pii/S2049080115000412 - [翻译此页](#)

作者 : EH Gad - 2015 - [相关文章](#)

Living donor liver transplantation (LDLT) is widely performed for patients to ... These complications include biliary, vascular, neurological, SFSS, early treatment or surgical, endoscopic, and radiological interventions. Risk factors and criteria