

**Name of journal:** *World Journal of Gastroenterology*

**ESPS Manuscript NO:** 19890

**Manuscript Type:** ORIGINAL ARTICLE

*Clinical Trials Study*

**Effects of endoplasmic reticulum stress on the expression of inflammatory cytokines in patients with ulcerative colitis**

Li N <sup>2</sup> *et al.* Expression of inflammatory cytokines in patients with UC

Nan Li, Xue-Ming Wang, Li-Jun Jiang, Meng Zhang, Na Li, Zhen-Zhen Wei,  
Nan Zheng, Ya-Jiao Zhao

Nan Li, Xue-Ming Wang, Li-Jun Jiang, Meng Zhang, Na Li, Zhen-Zhen Wei,  
Nan Zheng, Ya-Jiao Zhao, Department of Gasterology, PLA 309 Hospital,  
Beijing 100091, China

**Author contributions:** Li N designed research; Wang XM, Jiang LJ, and

Match Overview

1	Internet 89 words crawled on 16-Apr-2015 <a href="http://www.ncbi.nlm.nih.gov">www.ncbi.nlm.nih.gov</a>	1%
2	CrossCheck 68 words Li, Nan. "Influence of endoplasmic reticulum stress on T c ... function and expression of inflammatory cytokines in ulcera	1%
3	Internet 20 words crawled on 01-Nov-2015 <a href="http://www.wjgnet.com">www.wjgnet.com</a>	<1%

# 学术搜索

找到约 4,760 条结果 (用时0.04秒)

## 文章

## 我的图书馆

## 时间不限

2015以来

2014以来

2011以来

自定义范围...

## 按相关性排序

## 按日期排序

## 搜索所有网页

中文网页

简体中文网页

☒ 包括专利

☒ 包含引用

☒ 创建快讯

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

[HTML] Aberrant mucin assembly in mice causes endoplasmic reticulum stress and spontaneous inflammation resembling ulcerative colitis

CK Heazlewood, MC Cook, R Eri, GR Price, SB Tauro... - PLoS Med, 2008 - dx.plos.org

... an incompletely assembled version of the molecule, called Muc2 precursor, accumulates in the endoplasmic reticulum (ER; the ... (D) Results of complementation ... in response to DSS, indicating that these mutations are not simple recessive mutations under environmental stress. ...

被引用次数: 338 相关文章 所有 12 个版本 引用 保存 更多

plos.org 中的 [HTML]

Interleukin-10 blocked endoplasmic reticulum stress in intestinal epithelial cells: impact on chronic inflammation

A Shkoda, PA Ruiz, H Daniel, SC Kim, G Rogler... - Gastroenterology, 2007 - Elsevier

... Interleukin-10 Blocked Endoplasmic Reticulum Stress in Intestinal Epithelial Cells: Impact on Chronic Inflammation. ... 9 and 10 Interestingly, the adoptive transfer of protective CD45RB low T cells from IL-10-/- failed to inhibit the colitogenic effects of CD45RB high T cells ... Results. ...

被引用次数: 184 相关文章 所有 6 个版本 引用 保存

gastrojournal.org 中的 [HTML]

Altered endoplasmic reticulum stress affects translation in inactive colon tissue from patients with ulcerative colitis

X Tréton, E Pédruzzi, D Cazals-Hatem, A Grodet... - Gastroenterology, 2011 - Elsevier

... enhances the ability of the cell to cope with the load of unfolded proteins, and (3) protein kinase RNA-like endoplasmic reticulum kinase (PERK ... Results. ... Decreased expression and/or phosphorylation of PERK might contribute to the effect on eIF2α phosphorylation in UC mucosa. ...

被引用次数: 40 相关文章 所有 7 个版本 引用 保存

mdlinx.com 中的 [HTML]

[HTML] XBP1 links ER stress to intestinal inflammation and confers genetic risk for human inflammatory bowel disease

A Kaser, AH Lee, A Franke, JN Glickman, S Zeissig... - Cell, 2008 - Elsevier

... In eukaryotes, signals emanating from the endoplasmic reticulum (ER) induce a transcriptional program that enables cells to ... XBP1 Deficiency Results in Increased Inflammatory Tone of the Epithelium. ... ER stress ( Figure 4A). We therefore examined the in vivo effects of DSS, a ...

被引用次数: 659 相关文章 所有 13 个版本 引用 保存

sciencedirect.com 中的 [HTML]

role of CCAAT/enhancer binding protein homologous protein, a transcription factor involved in the development of colitis

nih.gov 中的 [HTML]



[网页](#) [新闻](#) [图片](#) [视频](#) [购物](#) [更多 ▾](#) [搜索工具](#)

找到约 113,000 条结果 (用时 0.64 秒)

## Google 学术 : Effects of endoplasmic reticulum stress on the expression of inflammatory cytokines in patients with ulcerative colitis

... spontaneous inflammation resembling ulcerative colitis - Heazlewood - 被引用次数 : 339

Interleukin-10 blocked endoplasmic reticulum stress in ... - Shkoda - 被引用次数 : 184

... endoplasmic reticulum stress affects translation in ... - Tréton - 被引用次数 : 40

### Endoplasmic Reticulum Stress in Intestinal Epithelial Cell ...

[www.hindawi.com/journals/grp/2015/328791/](http://www.hindawi.com/journals/grp/2015/328791/) ▾ 翻译此页

作者 : K Luo - 2015 - 被引用次数 : 4 - 相关文章

2015年1月22日 - Endoplasmic Reticulum Stress and the Unfolded Protein

Response ... XBP1s orchestrates UPR signaling by inducing the expression of genes .... IL10, an anti-inflammatory cytokine essential for intestinal homeostasis, was found to ..... colon tissue from patients with ulcerative colitis," Gastroenterology, vol.

### [PDF] ENDOPLASMIC RETICULUM STRESS IN INTESTINAL ...

[deepblue.lib.umich.edu/bitstream/handle/2027.../sycao\\_1.pdf?...](http://deepblue.lib.umich.edu/bitstream/handle/2027.../sycao_1.pdf?...) ▾ 翻译此页

作者 : S Cao - 2013 - 相关文章

to explore the intriguing area of endoplasmic reticulum stress in inflammatory ..... indicate that ER stress and the UPR have a significant impact on the pathogenesis of ... expression is primarily restricted to the intestinal epithelium. .... of patients with ulcerative colitis showed reduced eIF2 $\alpha$  phosphorylation, suggesting an.

### The interplay between endoplasmic reticulum stress and ...

[www.nature.com](http://www.nature.com) > [Journal home](#) > [Archive](#) > [Reviews](#) - 翻译此页