

Glucagon-like peptide-1 analogue prevents also non-obese nonalcoholic steatoh



网页 图片 视频 新闻 购物 地图 图书

找到约 17,100 条结果

时间不限

- 过去 1 小时内
- 过去 24 小时内
- 过去 1 周内
- 过去 1 个月内
- 过去 1 年内

所有结果

精确匹配

[Google 学术: Glucagon-like peptide-1 analogue prevents also non-obese nonalcoholic steatohepatitis in mice](#)

- [Non - alcoholic steatohepatitis: Pathogenesis and novel ...](#) - Schuppan - 被引用次数: 72
- [... cardiovascular risk in non-alcoholic fatty liver disease \(...](#) - Musso - 被引用次数: 182
- [... -induced glucagon-like Peptide 1 secretion is deficient ...](#) - Bernsmeier - 被引用次数: 18

[Potential roles of glucagon-like peptide-1-based therapies in ...](#)

www.ncbi.nlm.nih.gov/pmc/articles/PMC4115340/

21 Jul 2014 ... Non-alcoholic fatty liver disease (NAFLD) encompasses a spectrum of diseases ... also improves hepatic histology in most obese patients with NAFLD or NASH, ... GLP-1 levels and DPP-4 expression in NAFLD: Bernsmeier et al[10] Li L, Yang G. GLP-1 analogue prevents NAFLD in ApoE KO mice with ...

[Glucose-Induced Glucagon-Like Peptide 1 Secretion Is Deficient in ...](#)

www.ncbi.nlm.nih.gov/pmc/articles/PMC3906180/

29 Jan 2014 ... Studies in mice suggest improvement of hepatic steatosis by GLP-1 agonism. ... Non-alcoholic steatohepatitis (NASH) is regarded as a subgroup of NAFLD Also fasting glucagon levels were significantly elevated in patients ... a diet rich in trans-fat and fructose, GLP-1 analogues previously reversed lipid ...

[Glucose-Induced Glucagon-Like Peptide 1 Secretion Is Deficient in ...](#)

journals.plos.org/plosone/article?id=10.1371/journal.pone...

29 Jan 2014 ... Studies in mice suggest improvement of hepatic steatosis by GLP-1 agonism. ... Methods N = 52 patients (n = 16 NAFLD and n = 36 Non-alcoholic steatohepatitis ... Also there was no significant difference in GLP-1 secretion when rich in trans-fat and fructose, GLP-1 analogues previously reversed lipid ...

[Glucagon-Like Peptide 1 Decreases Lipotoxicity in Non-Alcoholic ...](#)

www.sciencedirect.com/science/article/pii/S0168827815006248

Glucagon-like peptide-1 analogue prevents nonalcoholic steatohepatitis in non-ob



全部 图片 视频 新闻 购物 地图 图书

找到约 13,600 条结果

时间不限

- 过去 1 小时内
- 过去 24 小时内
- 过去 1 周内
- 过去 1 个月内
- 过去 1 年内

所有结果

精确匹配

[Google 学术: Glucagon-like peptide-1 analogue prevents nonalcoholic steatohepatitis in non-obese mice](#)

- [Non - alcoholic steatohepatitis: Pathogenesis and novel ...](#) - Schuppan - 被引用次数: 77
- [... cardiovascular risk in non-alcoholic fatty liver disease \(...](#) - Musso - 被引用次数: 189
- [... -induced glucagon-like Peptide 1 secretion is deficient ...](#) - Bernsmeier - 被引用次数: 20

[Potential roles of glucagon-like peptide-1-based therapies in ...](#)

www.ncbi.nlm.nih.gov/pmc/articles/PMC4115340/

21 Jul 2014 ... Non-alcoholic fatty liver disease (NAFLD) encompasses a spectrum of diseases ... also improves hepatic histology in most obese patients with NAFLD or NASH, ... GLP-1 levels and DPP-4 expression in NAFLD: Bernsmeier et al[10] Li L, Yang G. GLP-1 analogue prevents NAFLD in ApoE KO mice with ...

[Effects of glucagon-like peptide-1 receptor agonists on non ...](#)

www.ncbi.nlm.nih.gov/pmc/articles/PMC4209545/

28 Oct 2014 ... This review shows the NAFLD-associated effects of GLP-1RAs in animal ... Treatment for 6 mo with GLP-1RAs in obese patients with T2DM was also ... Effects of glucagon-like peptide-1 receptor agonist on non-alcoholic fatty liver Yang G. GLP-1 analogue prevents NAFLD in ApoE KO mice with diet and ...

[Glucose-Induced Glucagon-Like Peptide 1 Secretion Is Deficient in ...](#)

www.ncbi.nlm.nih.gov/pmc/articles/PMC3906180/

29 Jan 2014 ... Studies in mice suggest improvement of hepatic steatosis by GLP-1 agonism. ... Non-alcoholic fatty liver disease (NAFLD) has become the most frequent ... NAFLD and NASH are associated with obesity, insulin resistance (IR) and (2013) GLP-1 analogue prevents NAFLD in ApoE KO mice with diet and ...

[Glucose-Induced Glucagon-Like Peptide 1 Secretion Is Deficient in ...](#)

journals.plos.org/plosone/article?id=10.1371/journal.pone



[全部](#) [新闻](#) [图片](#) [购物](#) [视频](#) [更多](#) [搜索工具](#)

找到约 13,200 条结果 (用时 0.71 秒)

Google 学术 : Glucagon-like peptide-1 analogue prevents nonalcoholic steatohepatitis in non-obese mice

Non-alcoholic steatohepatitis: Pathogenesis and novel ... - Schuppan - 被引用次数 : 77

... cardiovascular risk in non-alcoholic fatty liver disease (... - Musso - 被引用次数 : 192

... -induced glucagon-like Peptide 1 secretion is deficient ... - Bernsmeier - 被引用次数 : 20

Potential roles of glucagon-like peptide-1-based therapies ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) [翻译此页](#)

作者 : Y Liu - 2014 - 被引用次数 : 4 - 相关文章

2014年7月21日 - Non-alcoholic fatty liver disease (NAFLD) encompasses a spectrum of diseases ... also improves hepatic histology in most obese patients with NAFLD or NASH, ... GLP-1 levels and DPP-4 expression in NAFLD: Bernsmeier et al[10] Li L, Yang G. GLP-1 analogue prevents NAFLD in ApoE KO mice with ...

Effects of glucagon-like peptide-1 receptor agonists on non ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) [翻译此页](#)

作者 : XC Wang - 2014 - 被引用次数 : 8 - 相关文章

2014年10月28日 - This review shows the NAFLD-associated effects of GLP-1RAs in animal ... Treatment for 6 mo with GLP-1RAs in obese patients with T2DM was also ... Effects of glucagon-like peptide-1 receptor agonist on non-alcoholic fatty liver Yang G. GLP-1 analogue prevents NAFLD in ApoE KO mice with diet and ...

Glucagon-like peptide 1 decreases lipotoxicity in non ...