

US National Library of
Medicine National
Institutes of Health

Article types

Clinical Trial

Review

Customize ...

Text availability

Abstract

Free full text

Full text

PubMed Commons

Reader comments

Trending articles

Publication dates

5 years

10 years

Custom range...

Species

Humans

Other Animals

[Clear all](#)

[Show additional filters](#)

 No items found.

[Create alert](#) [Advanced](#)

Search details


Grain-sized[All Fields] AND
("moxibustion"[MeSH Terms] OR
"moxibustion"[All Fields]) AND
different[All Fields] AND
("acupuncture points"[MeSH Terms] OR


Search

[See more...](#)


Recent Activity


[Turn Off](#) [Clear](#)

 Grain-sized moxibustion at different
acupoints regulates inflamma... (0) PubMed

 Laser lithotripsy of difficult bile duct stones
under direct visual control. PubMed

 8472993[uid] (1)
PubMed

 Clinical usefulness of transpapillary removal
of common bile duct stones by freq... PubMed

 18473411[uid] (1)
PubMed

[See more...](#)

You are here: NCBI > Literature > PubMed

[Write to the Help Desk](#)

GETTING STARTED

[NCBI Education](#)

[NCBI Help Manual](#)

RESOURCES

[Chemicals & Bioassays](#)

[Data & Software](#)

POPULAR

[PubMed](#)

[Bookshelf](#)

FEATURED

[Genetic Testing Registry](#)

[PubMed Health](#)

NCBI INFORMATION

[About NCBI](#)

[Research at NCBI](#)

Name of Journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 22535

Manuscript Type: BASIC STUDY

Moxibustion regulates inflammatory mediators and mucosal barrier of colon in ulcerative colitis rats

Ma TM *et al.* Grain-sized moxibustion for rat UC

Tie-Ming Ma, Na Xu, Xian-De Ma, Zeng-Hua Bai, Xing Tao, Hong-Chi Yan

Tie-Ming Ma, Na Xu, Xian-De Ma, Zeng-Hua Bai, Xing Tao, Hong-Chi Yan,
Liaoning University of Traditional Chinese Medicine, Shenyang 110847,
Liaoning Province, China

Author contributions: Ma TM, Xu N and Bai ZH designed the research; Xu N, Ma XD, Tao X and Yan HC performed the experiments; Ma TM and Xu N wrote the manuscript; Ma TM and Bai ZH revised the manuscript; Ma TM

Match Overview

1	CrossCheck 196 words Han, Ke-Qi. "Inflammatory microenvironment and expression of chemokines in hepatocellular carcinoma", <i>World Journal of Gastroenterology</i>	3%
2	CrossCheck 44 words Si-Wen Chen. "The Restorative Effect of Taurine on Experimental Nonalcoholic Steatohepatitis", <i>Digestive Diseases and Sciences</i>	1%
3	Internet 28 words crawled on 20-Nov-2013 www.ncbi.nlm.nih.gov	<1%
4	CrossCheck 24 words Han, Yang. "Role of moxibustion in inflammatory response during treatment of rat ulcerative colitis", <i>World Journal of Gastroenterology</i>	<1%

学术搜索

找到约 46 条结果 (用时0.07秒)

文章

我的图书馆

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利

☒ 包含引用

☒ 创建快讯

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

Down-regulation of protein and mRNA expression of IL-8 and ICAM-1 in colon tissue of ulcerative colitis patients by partition-herb moxibustion

EH Zhou, HR Liu, HG Wu, Z Shi, W Zhang... - Digestive diseases and ..., 2009 - Springer

... blood plasma [5], strengthen lymphocytic translation in the spleen, increase the IL-2 level in serum [6], and down-regulate expression of ... For the mild subjects, one moxa cone was used for every point; while for the severe ones, two moxa cones were ... Chin Acupunct Moxibustion. ...

被引用次数: 27 相关文章 所有 11 个版本 引用 保存

[PDF] Mechanisms of acupuncture and moxibustion in regulation of epithelial cell apoptosis in rat ulcerative colitis researchgate.net 中的 [PDF]

HG Wu, X Gong, LQ Yao, W Zhang, Y Shi... - World Journal of ..., 2004 - researchgate.net

... Two moxa cones were used for each treatment once a day and 14 times as a ... It is suggested that acupuncture and moxibustion can regulate Fas and FasL expression in colonic ... Gene expression of cytokines in acupuncture and moxibustion treatment for ulcerative colitis in rats. ...

被引用次数: 36 相关文章 所有 5 个版本 引用 保存 更多

[HTML] Moxibustion inhibits interleukin-12 and tumor necrosis factor alpha and modulates intestinal flora in rat with ulcerative colitis nih.gov 中的 [HTML]

XM Wang, Y Lu, LY Wu, SG Yu, BX Zhao... - World journal of ..., 2012 - ncbi.nlm.nih.gov

... hand Yangming, the mu point of the large intestine meridian, and it regulates the function ... meridian, and it strengthens original qi and improves immune function); the moxa cones were ... Figure 1 Figure 1. Herb-partition moxibustion inhibits tissue damage in colonic tissues of rats ...

被引用次数: 21 相关文章 所有 9 个版本 引用 保存

Role of the innate immune system in the pathogenesis of inflammatory bowel disease

PPE van Lierop, JN Samsom, JC Escher... - Journal of pediatric ..., 2009 - journals.lww.com

Close Window. Close Window. Enter your Email address: Wolters Kluwer Health may email you for journal alerts and information, but is committed to maintaining your privacy and will not share your personal information without your express consent. ...

被引用次数: 31 相关文章 所有 7 个版本 引用 保存

[HTML] Role of moxibustion in inflammatory responses during treatment of rat ulcerative colitis nih.gov 中的 [HTML]

Y Han, TM Ma, ML Lu, L Ren, XD Ma... - World journal of ..., 2014 - ncbi.nlm.nih.gov

... Three, six and nine moxa cones were used for each treatment session in the 3M, 6M and 9M groups. ... Peer review. This was an interesting study about the roles of moxibustion in regulating IL-8, IL-10, TLR9 and NF-κB p65 in UC. The paper is well written. Footnotes. ...

被引用次数: 4 相关文章 所有 9 个版本 引用 保存

Small GTPases of the Ras superfamily regulate intestinal epithelial homeostasis and barrier tandfonline.com 中的 [HTML]

[网页](#) [图片](#) [新闻](#) [购物](#) [视频](#) [更多 ▾](#) [搜索工具](#)

找到约 1,480 条结果 (用时 0.62 秒)

Google 学术 : Moxibustion regulates inflammatory mediators and mucosal barrier of colon in ulcerative colitis rats

... ulcerative colitis patients by partition-herb moxibustion - Zhou - 被引用次数 : 27

... of epithelial cell apoptosis in rat ulcerative colitis - Wu - 被引用次数 : 36

... modulates intestinal flora in rat with ulcerative colitis - Wang - 被引用次数 : 21

Role of moxibustion in inflammatory responses during ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ [翻译此页](#)

作者 : Y Han - 2014 - 被引用次数 : 4 - [相关文章](#)

2014年8月28日 - Rats in the moxibustion treatment group were treated in 14 sessions over 28 d. ... Ulcerative colitis (UC) is a nonspecific inflammatory bowel disease that afflicts ... by environmental factors that transiently break the mucosal barrier with abnormal ... For instance, two inflammatory mediators, interleukin (IL)-8 ...

Herb-Partitioned Moxibustion Regulates the TLR2/NF-κB ...

www.ncbi.nlm.nih.gov > ... > Literature > PubMed Central (PMC) - [翻译此页](#)

作者 : X Wang - 2015

2015年8月3日 - Ulcerative colitis (UC), also known as nonspecific ulcerative colitis, Morphological and Histopathological Examination of Rat Colon Mucosa modulating the key mediators of this pathway, such as TLR2, IRAK1, cells regulates mucosal immune tolerance and anti-inflammatory macrophage function.

Moxibustion inhibits interleukin-12 and tumor necrosis factor ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ [翻译此页](#)

作者 : XM Wang - 2012 - 被引用次数 : 21 - [相关文章](#)

2012年12月14日 - CONCLUSION: HPM treatment can regulate intestinal flora and ...