

网页 新闻 图片 购物 视频 更多 ▾ 搜索工具

找到约 1,560 条结果 (用时 0.98 秒)

显示的是以下查询字词的结果：

[ombitasvir/paritaprevir/ritonavir, dasabuvir and ribavirin in HCV-cirrhosis after complete HCC destruction: cases report](#)

仍然搜索： [mbitasvir/paritaprevir/ritonavir, dasabuvir and ribavirin in HCV-cirrhosis after complete HCC destruction: cases report](#)

[2014 HCV Fibrosis/Cirrhosis/Liver Cancer/Transplants ...](#)

[hepatitis](#)newdrugresearch.com/2014-hcv-fibrosis**cirrhosis**liver-... ▾ 翻译此页

Long term changes in liver histology following treatment of chronic **hepatitis C** virus ...

Cirrhosis regressed in 24 of the 43 patients with SVR, but 15 new **cases** with ...

Hepatocellular Carcinoma (HCC) incidence in Chronic Hepatitis C patients of several agents -- ABT-450/**ritonavir**, **ombitasvir**, **dasabuvir** and **ribavirin**.

[PDF] [EASL Recommendations on Treatment of Hepatitis C 2015](#)

[www.easl.eu/medias/cpg/HEPC-2015/Full-report.pdf](#) ▾ 翻译此页

HCV RNA 12 weeks (SVR12) or 24 weeks (SVR24) **after** treatment ... o and **ribavirin** for 24 or 48 weeks was the approved treatment In these **cases**, acute **hepatitis C** can be suspected if ... decompensation of **cirrhosis**, **HCC**, severe extra-hepatic mani- combination of **ritonavir**-boosted **paritaprevir**, **ombitasvir**, and.

[PDF] [Ombitasvir, Paritaprevir/Ritonavir and Dasabuvir - Pharm...](#)

Name of Journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 22351

Manuscript Type: CASE REPORT

Ombitasvir/paritaprevir/ritonavir, dasabuvir and ribavirin in cirrhosis after complete destruction of hepatocellular carcinoma

Krastev Z et al. Three-drug regimen in HCV-cirrhosis and HCC

Zahariy Krastev, Deian Jelev, Krasimir Antonov, Tanya Petkova, Evelina Atanasova, Nadezhda Zheleva, Bojidar Tomov, Yana Boyanova, Lyudmila Mateva

Abstract

We observed a sustained viral response (SVR) of ombitasvir/paritaprevir/ritonavir, dasabuvir and ribavirin therapy, for 12 wk, in two cases with compensated liver cirrhosis and fully destroyed early hepatocellular carcinoma (HCC). Patients were

Match Overview

1	CrossCheck	46 words	1%
	Deeks, Emma D.. "Ombitasvir/Paritaprevir/Ritonavir Plus Dasabuvir: A Review in Chronic HCV Genotype 1 Infection".		
2	Internet	44 words	1%
	crawled on 10-Oct-2015		
	www.ncbi.nlm.nih.gov		
3	Internet	21 words	1%
	crawled on 12-Oct-2015		
	ilca2015.org		
4	Internet	12 words	<1%
	crawled on 13-Feb-2015		
	imnews.org		
5	Internet	11 words	<1%
	crawled on 18-Nov-2009		
	www.hivandhepatitis.com		
6	Internet	11 words	<1%
	crawled on 03-Aug-2012		
	www.pmsfiftung.eu		
7	CrossCheck	11 words	<1%
	Huang, Fenglei, Viktoria Moschetti, Benjamin Lang, Atef		

学术搜索

获得 7 条结果 (用时 0.05 秒)

我的著作引用情况

文章

我的图书馆

时间不限

2015 以来

2014 以来

2011 以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

 包括专利 包含引用 创建快讯

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

[HTML] Hepatitis C—the implications and the need for change in the health care system in Poland
[PDJ Kobierski - jhpor.com](#)

[jhpor.com 中的 \[HTML\]](#)

... Pegylated versus standard interferon plus **ribavirin** in chronic hepatitis C genotype 4: A systematic review and ... European Commission Grants Marketing Authorizations for AbbVie's VIEKIRAX® (**ombitasvir/paritaprevir/ritonavir** tablets) + EXVIERA® (**dasabuvir** tablets) for ...
[引用](#) [保存](#) [更多](#)

[HTML] New imaging assisted methods for liver fibrosis quantification: is it really favorable to classical transient elastography?

[journal-of-hepatology.eu 中的 \[HTML\]](#)

N Lanthier, P Stärkel, Y Horsmans - *Journal of hepatology*, 2015 - [journal-of-hepatology.eu](#)
 ... The CLIF Consortium Acute Decompensation score (CLIF-C ADs) for prognosis of hospitalised **cirrhotic** patients without ... in vivo and contributes to the poor prognosis of human **cirrhosis**, but not ... a NS3/4A protease inhibitor) and elbasvir (a NS5A inhibitor) with **ribavirin** for patients ...
[相关文章](#) [所有 5 个版本](#) [引用](#) [保存](#) [更多](#)

[PDF] Hepatitis C—the need for changes in the system in the health care in Poland

[jhpor.com 中的 \[PDF\]](#)

J Kobierski, M Hałdaś, M Władyściuk - *Virus - jhpor.com*
 ... generation di- rect-acting antiviral agents sofosbuvir, simeprev- ir, daclatasvir, ledipasvir tablets54–59 and recently **ombitasvir**, **paritaprevir**, **ritonavir** and **dasabuvir**. ... with genotype 1, all drugs are routinely used together with pegylated interferon alpha and **ribavirin**, in so ...
[引用](#) [保存](#) [更多](#)

[HTML] Hepatitis C therapy: Looking toward interferon-sparing regimens

[japha.org 中的 \[HTML\]](#)

TH Au, CJ Destache, R Vivekanandan - *Journal of the American ...*, 2015 - [txai.japha.org](#)
 ... and antibodies to the virus may be detected approximately 2 months **after** exposure. ... Historically, combination therapy with pegylated interferon (IFN) and **ribavirin** (RBV) was initiated. ... in the setting of HCV infection can accelerate liver fibrosis, progress to **cirrhosis**, and contribute ...
[被引用次数: 1](#) [相关文章](#) [所有 56 个版本](#) [引用](#) [保存](#) [更多](#)

A journey around the medicinal chemistry of hepatitis C virus inhibitors targeting NS4B: from

[acs.org 中的 \[HTML\]](#)

[全部](#) [新闻](#) [图片](#) [购物](#) [视频](#) [更多 ▾](#) [搜索工具](#)

找到约 3,970 条结果 (用时 0.69 秒)

Ombitasvir-Paritaprevir-Ritonavir and Dasabuvir (Viekira Pak)

www.hepatitisc.uw.edu/page/treatment/drugs/3d ▾ 翻译此页Note all regimens include **ribavirin** except for genotype 1b without **cirrhosis**. ...

Indications: The regimen **ombitasvir-paritaprevir-ritonavir** plus **dasabuvir** is ... Dosing with **Hepatic** Impairment: For patients with mild **hepatic** impairment (Child-Pugh ... to avoid pregnancy during therapy and for 6 months **after completing** therapy; ...

[PDF] Ombitasvir, Paritaprevir/Ritonavir and Dasabuvir - Pharma...

www.pbm.va.gov/.../Ombitasvir_Paritaprevir_Ritonavir_plus_... ▾ 翻译此页

Known hypersensitivity to **ombitasvir**, **paritaprevir**, **ritonavir**, or **dasabuvir** or any other component of this ... and concomitant **ribavirin**, and for 6 months **after** treatment has concluded. ... antiretroviral regimens or **hepatocellular carcinoma** ... In genotype 1a patients with **cirrhosis**, SVR rates varied by prior treatment history.

[PDF] About VIEKIRA PAK - AbbVie

https://www.abbvie.com/.../ProductFactsheet_ViekiraPak_US.p... ▾ 翻译此页作者 : HDVPAK Work - [相关文章](#)

(**ombitasvir**, **paritaprevir** and **ritonavir** tablets; **dasabuvir** tablets) ... VIEKIRA PAK™, with or without **ribavirin** (RBV), is indicated for the treatment of adult patients ...

Genotypes/Treatment - Hepatitis C New Drug Research And ...

hepatitisnewdrugresearch.com/genotypestreatment.html ▾ 翻译此页Simple drug regimen cures hepatitis C virus in patients **after** 12 weeks. November

16 ... Sovaldi/**ribavirin** yields high SVR for Egyptians with HCV genotype 4 ... What about a higher grade of steatosis, or higher incidence of **hepatocellular carcinoma**? ... Using **Ombitasvir/Paritaprevir/Ritonavir** Plus **Dasabuvir** in Cirrhotic, ...