



Calcium-sensing receptor: a new target for therapy of diarrhea



学术搜索

找到约 1,640 条结果 (用时 0.08 秒)

我的著作引用情况

文章

我的图书馆

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

 包括专利 包含引用

小提示：只搜索中文(简体)结果，可在 学术搜索设置 指定搜索语言

[The OPTIMA study: assessing a new cinacalcet \(Sensipar/Mimpara\) treatment algorithm for secondary hyperparathyroidism](#)

P Messa, F Macário, M Yaqoob, K Bouman... - Clinical Journal of the ..., 2008 - Am Soc Nephrol  
 ... alternative approach to the treatment of SHPT by directly targeting the calcium-sensing receptor (CaR) on ... in Patients with End-Stage Renal Disease) study, we compared a new treatment algorithm using ... no change in the proportion of patients reaching the Ca × P target range ...  
 被引用次数: 193 相关文章 所有 7 个版本 引用 保存

asnjournals.org 中的 [HTML]

[Cinacalcet HCl, an oral calcimimetic agent for the treatment of secondary hyperparathyroidism in hemodialysis and peritoneal dialysis: a randomized, double-blind, ...](#)

JS Lindberg, B Cullen, G Wong... - Journal of the ..., 2005 - Am Soc Nephrol  
 ... Calcimimetics are positive allosteric modulators of the calcium-sensing receptor that increase its sensitivity to ... achieved this target, comparable to the proportion who achieved this target in the ... Sprague, Evanston, IL; Marc Stegman, Memphis, TN; Vashu Thakur, New Orleans, LA ...  
 被引用次数: 343 相关文章 所有 10 个版本 引用 保存

asnjournals.org 中的 [HTML]

[Functions and roles of the extracellular Ca 2+-sensing receptor in the gastrointestinal tract](#)

SC Hebert, S Cheng, J Geibel - Cell calcium, 2004 - Elsevier  
 ... Calcium-sensing receptor: physiology, pathology and pharmacological modulation, ... 5-trisphosphate (PI-PLC-IP 3 ) pathway by G protein-coupled cell membrane receptors (see Fig. ... for modulating intestinal fluid secretion through the colonic Ca 2+ -sensing receptor could provide ...  
 被引用次数: 97 相关文章 所有 6 个版本 引用 保存

researchgate.net 中的 [PDF]

[The functions and roles of the extracellular Ca2+-sensing receptor along the gastrointestinal tract](#)



## 23014-Review

BY SAM XIANJUN CHENG

Quotes Excluded  
Bibliography Excluded8%  
SIMILAR**Name of journal:** World Journal of Gastroenterology**ESPS Manuscript NO:** 23014**Manuscript Type:** REVIEW**Calcium-sensing receptor: A new target for therapy of diarrhea**

Sam Xianjun Cheng

**Abstract**

Management of acute diarrhea remains a global challenge, particularly in resource-limiting countries. Oral rehydration solution (ORS), a passive rehydrating therapy developed approximately 40 years ago, remains the mainstay treatment. Although ORS

## Match Overview

- | Rank | Source  | Words     | Similarity (%) |
|------|---|-----------|----------------|
| 1    | Internet  | 403 words | 4%             |
|      | crawled on 24-Mar-2010  |           |                |
|      | <a href="http://www.ncbi.nlm.nih.gov">www.ncbi.nlm.nih.gov</a>  |           |                |
| 2    | CrossCheck  | 297 words | 3%             |
|      | Tang, Lieqi, Minzhi Peng, Li Liu, Wenhan Chang, Henry J. Binder, and Sam X. Cheng. "Calcium-Sensing Receptor Sti...     |           |                |
| 3    | CrossCheck  | 120 words | 1%             |
|      | Cheng, S. X. "Calcium-sensing receptor inhibits secretagogue-induced electrolyte secretion by intestine via the ente... |           |                |
| 4    | CrossCheck  | 89 words  | 1%             |
|      | Cheng, Sam X., Yaima L. Lightfoot, Tao Yang, Mojgan Zadeh, Lieqi Tang, Bikash Sahay, Gary P. Wang, Jennifer L. Ow...    |           |                |



Calcium-sensing receptor: A new target for therapy of diarrhea



学术搜索

找到约 1,530 条结果 (用时 0.12 秒)

我的著作引用情况

文章

我的图书馆

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

 包括专利 包含引用

小提示：只搜索中文(简体)结果，可在 学术搜索设置 指定搜索语言

[The OPTIMA study: assessing a new cinacalcet \(Sensipar/Mimpara\) treatment algorithm for secondary hyperparathyroidism](#)

[asnjournals.org 中的 \[HTML\]](#)

P Messa, F Macário, M Yaqoob, K Bouman... - Clinical Journal of the ..., 2008 - Am Soc Nephrol  
... alternative approach to the treatment of SHPT by directly targeting the calcium-sensing receptor (CaR) on ... in Patients with End-Stage Renal Disease) study, we compared a new treatment algorithm using ... no change in the proportion of patients reaching the Ca × P target range ...  
被引用次数: 194 相关文章 所有 7 个版本 引用 保存

[Cinacalcet HCl, an oral calcimimetic agent for the treatment of secondary hyperparathyroidism in hemodialysis and peritoneal dialysis: a randomized, double-blind, ...](#)

JS Lindberg, B Cullen, G Wong... - Journal of the ..., 2005 - Am Soc Nephrol  
... Calcimimetics are positive allosteric modulators of the calcium-sensing receptor that increase its sensitivity to ... achieved this target, comparable to the proportion who achieved this target in the ... Sprague, Evanston, IL; Marc Stegman, Memphis, TN; Vashu Thakur, New Orleans, LA ...  
被引用次数: 343 相关文章 所有 10 个版本 引用 保存

[Functions and roles of the extracellular Ca 2+-sensing receptor in the gastrointestinal tract](#)

[researchgate.net 中的 \[PDF\]](#)

SC Hebert, S Cheng, J Geibel - Cell calcium, 2004 - Elsevier  
... Calcium-sensing receptor: physiology, pathology and pharmacological modulation... 5-trisphosphate (PI-PLC-IP 3 ) pathway by G protein-coupled cell membrane receptors (see Fig. ... for modulating intestinal fluid secretion through the colonic Ca 2+ -sensing receptor could provide ...  
被引用次数: 98 相关文章 所有 6 个版本 引用 保存

[The functions and roles of the extracellular Ca2+-sensing receptor along the gastrointestinal tract](#)

[网页](#) [图片](#) [购物](#) [新闻](#) [视频](#) [更多](#) [搜索工具](#)

找到约 46,100 条结果 (用时 0.53 秒)

### Google 学术 : Calcium-sensing receptor: A new target for therapy of diarrhea

- ... a new cinacalcet (Sensipar/Mimpara) treatment ... - Messa - 被引用次数 : 194
- ... HCl, an oral calcimimetic agent for the treatment of ... - Lindberg - 被引用次数 : 344
- ... Ca 2+-sensing receptor in the gastrointestinal tract - Hebert - 被引用次数 : 98

### Translating Molecular Physiology of Intestinal Transport into ...

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) > ... > Literature > PubMed Central (PMC) - 翻译此页  
2013年10月31日 - This is based on the view that successful drug **therapy for diarrhea** will result .... Potential Drug **Targets** for Treating **Diarrhea** by Stimulation of Intestinal Na<sup>+</sup> Absorption ... The **new** approach uses ORS to add colonic Na<sup>+</sup> absorption by ... The intestinal **calcium-sensing receptor** (CaSR) regulates intestinal ...

### Calcium-sensing receptor 20 years later

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) > ... > Literature > PubMed Central (PMC) - 翻译此页  
2014年5月28日 - The **calcium-sensing receptor** (CaSR) has played an important role as a .... a **new target** both for constipation and more importantly for **diarrhea** (49). ... compounds may provide a unique **therapy for secretory diarrhea** (48).

### Secretory diarrhoea: mechanisms and emerging therapies ...

[www.nature.com/nrgastro/journal/v12/.../nrgastro.2015.111.htm](http://www.nature.com/nrgastro/journal/v12/.../nrgastro.2015.111.htm) - 翻译此页  
作者 : JR Thiagarajah - 2015 - 被引用次数 : 2  
2015年6月30日 - **Targeted therapy-induced diarrhea**: A review of the literature ... protection in the gut: **new techniques**, transport pathways and regulatory pathways ...