

学术搜索

找到约 458 条结果 (用时0.11秒)

文章

我的图书馆

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

英语网页

☒ 包括专利☒ 包含引用☐ 创建快讯您是不是要找: The prognostic value of *perioperative* leukocyte count in resectable gastric cancer

Prospective randomized trial of early postoperative intraperitoneal chemotherapy as an adjuvant to resectable gastric cancer.

W Yu, I Whang, I Suh, A Averbach, D Chang... - Annals of ..., 1998 - ncbi.nlm.nih.gov

... Eligible patients had a white blood cell count of at least 4000/mcl or more, a platelet count 150,000/mcl or more, a blood urea nitrogen level of less than 30 mg/dl, and a creatinine ... Mean of follow-up in months (range) ... Surgery Surgery + EPIC Only Category (%) (% p value ...

被引用次数: 236 相关文章 所有 5 个版本 引用 保存

Neo-adjuvant chemotherapy for operable gastric cancer: long term results of the Dutch randomised FAMTX trial

HH Hartgrink, CJH Van de Velde, H Putter... - European Journal of ..., 2004 - Elsevier

... With a two-sided significance level of 0.05 and a power of 0.90, requiring 225 patients in each arm; the ... n, Median, 5 year, p-Value. ... For the group without response the prolonged time interval between randomisation and operation may have led to a strongly decreased prognosis. ...

被引用次数: 150 相关文章 所有 8 个版本 引用 保存

... III trial of preoperative chemotherapy with hyperfractionation radiotherapy plus surgery versus surgery alone for resectable esophageal squamous cell carcinoma

JL Lee, SI Park, SB Kim, HY Jung, GH Lee... - Annals of ..., 2004 - Eur Soc Med Oncology

... creatinine clearance of >50 ml/min; normal liver function with serum bilirubin level of <1.5 ... grade 2 or worse renal toxicity, cisplatin was withheld until the creatinine value recovered to ... Multivariate analysis showed that only weight loss was an independent prognostic factor for OS ...

被引用次数: 228 相关文章 所有 5 个版本 引用 保存

[PDF] Pretreatment serum albumin as a predictor of cancer survival: a systematic review of the epidemiological literature

D Gupta, CG Lis - Nutr J, 2010 - biomedcentral.com

... analysis, serum albumin level and the pathologic T, N statuses were independent factors correlated with prognosis [63]. A study was done to assess the value of combination of hypoalbuminemia and an elevated circulating concentra- tion of CRP as a prognostic score in ...

被引用次数: 126 相关文章 所有 17 个版本 引用 保存 更多

Impact of systemic inflammation on outcome following resection for intrahepatic cholangiocarcinoma

D Gomez, G Morris - Stiff, G, Toogood - Journal of surgical ..., 2008 - Wiley Online Library

nih.gov 中的 [PDF]

oxfordjournals.org 中的 [HTML]

biomedcentral.com 中的 [PDF]

Name of Journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 20294

Manuscript Type: Retrospective Study

Prognostic value of peri-operative leukocyte count in resectable gastric cancer

Chen XF *et al.* Prognostic value of perioperative leukocyte count

Xiao-Feng Chen, Jing Qian, Dong Pei, Cheng Zhou, Oluf Dimitri Røe, Fang Zhu, Shao-Hua He, Ying-Ying Qian, Yue Zhou, Jun Xu, Jin Xu, Xiao Li, Guo-Qiang Ping, Yi-Qian Liu, Ping Wang, Ren-Hua Guo, Yong-Qian Shu

Xiao-Feng Chen, Jing Qian, Dong Pei, Cheng Zhou, Fang Zhu, Shao-Hua He, Ying-Ying Qian, Yue Zhou, Jun Xu, Yi-Qian Liu, Ren-Hua Guo, Yong-Qian Shu, Department of Oncology, the First Affiliated Hospital of Nanjing Medical University, Nanjing 210029, Jiangsu Province, China

Oluf Dimitri Røe, Department of Cancer Research and Molecular Medicine, Norwegian

Match Overview

1	CrossCheck 123 words Li, Qi-Gen. "Liver transplantation for biliary atresia: A single-center study from mainland China", <i>World Journal of Gastr</i>	2%
2	Internet 43 words crawled on 21-Feb-2015 en.wikipedia.org	1%
3	CrossCheck 41 words Chen, Xiaofeng, Quan Zhu, Yiqian Liu, Ping Liu, Yongmei Yin, Renhua Guo, Kaihua Lu, Yanhong Gu, Lianke Liu, Jin	1%
4	Internet 40 words crawled on 10-Aug-2012 www.ijo.cn	1%
5	Internet 28 words crawled on 26-Oct-2015 www.e-sciencecentral.org	<1%
6	Internet 25 words crawled on 24-Jan-2014 www.slideshare.net	<1%
7	Internet 22 words crawled on 22-Feb-2010 www.wjgnet.com	<1%
8	Internet 21 words crawled on 19-Jul-2010 www.nature.com	<1%
9	Internet 20 words crawled on 09-Mar-2014 www.jecr.com	<1%

Glgo

学术搜索

找到约 471 条结果 (用时0.04秒)

文章

我的图书馆

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利

☒ 包含引用

☐ 创建快讯

Prognostic value of peri-operative leukocyte count in resectable gastric cancer

您是不是要找: Prognostic value of **perioperative** leukocyte count in resectable gastric cancer

小提示: 只搜索**中文(简体)**结果, 可在 学术搜索设置 指定搜索语言

Prospective randomized trial of early postoperative intraperitoneal chemotherapy as an adjuvant to **resectable gastric cancer**.

W Yu, I Whang, I Suh, A Averbach, D Chang... - Annals of ..., 1998 - ncbi.nlm.nih.gov

... Eligible patients had a **white blood cell count** of at least 4000/mcl or more, a platelet **count** 150,000/mcl or more, a blood urea nitrogen **level** of less than 30 mg/dl, and a creatinine ... Mean of follow-up in months (**range**) ... Surgery Surgery + EPIC Only Category (%) (% **p value** ...

被引用次数: 243 相关文章 所有 5 个版本 引用 保存

Neo-adjuvant chemotherapy for operable **gastric cancer**: long term results of the Dutch randomised FAMTX trial

HH Hartgrink, CJH Van de Velde, H Putter... - European Journal of ..., 2004 - Elsevier

... With a two-sided significance **level** of 0.05 and a power of 0.90, requiring 225 patients in each arm; the ... n, Median, 5 year, **p-Value**. ... For the group without response the prolonged time interval between randomisation and operation may have led to a strongly decreased **prognosis**. ...

被引用次数: 157 相关文章 所有 7 个版本 引用 保存

... III trial of preoperative chemotherapy with hyperfractionation radiotherapy plus surgery versus surgery alone for **resectable esophageal squamous cell carcinoma**

JL Lee, SI Park, SB Kim, HY Jung, GH Lee... - Annals of ..., 2004 - Eur Soc Med Oncology

... creatinine clearance of >50 ml/min; normal liver function with serum bilirubin **level** of <1.5 ... grade 2 or worse renal toxicity, cisplatin was withheld until the creatinine **value** recovered to ... Multivariate analysis showed that only weight loss was an independent **prognostic** factor for OS ...

被引用次数: 241 相关文章 所有 5 个版本 引用 保存

[PDF] Pretreatment serum albumin as a predictor of **cancer** survival: a systematic review of the epidemiological literature

D Gupta, CG Lis - Nutr J, 2010 - biomedcentral.com

... analysis, serum albumin **level** and the pathologic T, N statuses were independent factors correlated with **prognosis** [63]. A study was done to assess the **value** of combination of hypoalbuminemia and an elevated circulating concentra- tion of CRP as a **prognostic** score in ...

保存 更多

nih.gov 中的 [PDF]

oxfordjournals.org 中的 [HTML]

biomedcentral.com 中的 [PDF]

[网页](#) [图片](#) [新闻](#) [购物](#) [视频](#) [更多 ▾](#) [搜索工具](#)

找到约 31,800 条结果 (用时 0.23 秒)

Google 学术 : Prognostic value of perioperative leukocyte count in resectable gastric cancer

Preoperative chemotherapy for stage III–IV gastric ... - Fink - 被引用次数 : 134

... for potentially resectable gastric carcinoma - Ajani - 被引用次数 : 137

Indications for early postoperative intraperitoneal ... - Yu - 被引用次数 : 151

Prognostic value of preoperative CEA and CA 19-9 levels in ...

www.ncbi.nlm.nih.gov/pubmed/20698248 - 翻译此页

作者 : E Dilege - 2010 - 被引用次数 : 56 - 相关文章

Prognostic value of preoperative CEA and CA 19-9 levels in resectable gastric cancer.

Dilege E(1), Mihmanli M, Demir U, Ozer K, Bostanci O, Kaya C, Aksakal O ...

缺少字词 : leukocyte count

Prognostic value of preoperative serum tumor markers in ...

www.ncbi.nlm.nih.gov > ... > PubMed Central (PMC) ▾ 翻译此页

作者 : ZB Huang - 2014 - 被引用次数 : 7 - 相关文章

2014年5月10日 - Prognostic value of preoperative serum tumor markers in gastric cancer ... METHODS: We evaluated 363 patients with gastric cancer who ... or CA50 level is an independent prognostic factor of gastric cancer[6-8,10,12-14,18]. value of preoperative CEA and CA 19-9 levels in resectable gastric cancer.

缺少字词 : leukocyte

Clinicopathologic and Prognostic Value of Serum ...

www.hindawi.com/journals/dm/2015/549843/ ▾ 翻译此页