



学术搜索

获得 2 条结果 (用时 0.09 秒)

文章

我的图书馆

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

英语网页

 包括专利 包含引用 创建快讯

[图书] MRCS Revision Guide: Trunk and Thorax

langtoninfo.com 中的 [PDF]

M Kanani, L Harling - 2012 - books.google.com

... small bowel 80 **Gastric** and duodenal **ulceration** 80 Upper GI malignancies 86 **Oesophageal** and **gastric** ... 5. The use of diathermy adjacent to metal **implants** or other metal objects may allow ... Used in orthopaedic theatres to reduce the risk of **implant** infection (a fourfold reduction ...

[相关文章](#) [所有 2 个版本](#) [引用](#) [保存](#) [更多](#)

CIRSE 2013 Barcelona, Spain

C RSE - search.proquest.com

... **Cancer** biotherapy & radiopharmaceuticals. ... intra-arterial perfusion MRI as a predictor of **tumor** response to chemoembolization for hepatocellular **carcinoma**. ... S. Encapsulation of magnetotactic bacteria for targeted and controlled delivery of anticancer agents for **tumor** therapy. ...

[相关文章](#) [所有 2 个版本](#) [引用](#) [保存](#) 创建快讯[关于 Google 学术搜索](#)[隐私权](#)[条款](#)[提供反馈](#)



Name of Journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 22199

Manuscript Type: CASE REPORT

Implantation of esophageal cancer onto post-dissection ulcer after gastric endoscopic submucosal dissection

Asai S *et al.* Cancer implantation to post-dissection ulcer

Satoshi Asai, Koutarou Takeshita, Yuki Kanou, Eisuke Nakao, Kirie Hashimoto, Takumi Ichinoma, Naoki Fujimoto, Eisuke Akamine, Takuji Mori, Atsuhiro Ogawa

Satoshi Asai, Koutarou Takeshita, Yuki Kanou, Eisuke Nakao, Kirie Hashimoto, Takumi Ichinoma, Naoki Fujimoto, Eisuke Akamine, Takuji Mori, Atsuhiro Ogawa, Department of Gastroenterology, Tane General Hospital, Nishi-ku, Osaka 550-0025, Japan,

Author contributions: Asai S drafted of the article; Takeshita K, Kanou Y were involved in

Match Overview

- | Rank | Source | Words | Percentage |
|------|--|-----------|------------|
| 1 | CrossCheck | 125 words | 5% |
| 1 | Fan, Ru-Ying. "Immunoglobulin G4-related autoimmune polyglandular syndrome type 1 with primary Sjögren's syndrome, IgG4-associated dacryoaditis and sialadenitis: A case report", World Journal of Gastroenterology, 2015, 21(1), 11-15. | 125 words | 5% |
| 2 | CrossCheck | 38 words | 1% |
| 2 | Mitchell S. Cappell. "Risk Factors and Risk Reduction of Malignant Seeding of the Percutaneous Endoscopic Gastrostomy Site", Gastroenterology Research and Practice, 2012, 2012, 1-6. | 38 words | 1% |
| 3 | Internet | 25 words | 1% |
| 3 | crawled on 01-Jul-2015
www.wjgnet.com | 25 words | 1% |



学术搜索

获得 2 条结果 (用时0.07秒)

文章

我的图书馆

时间不限

2015以来

2014以来

2011以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

 包括专利 包含引用 创建快讯

小提示：只搜索中文(简体)结果，可在 学术搜索设置 指定搜索语言

[图书] MRCS Revision Guide: Trunk and Thorax

M Kanani, L Harling - 2012 - books.google.com

... small bowel 80 Gastric and duodenal ulceration 80 Upper GI malignancies 86 Oesophageal and gastric ... 5. The use of diathermy adjacent to metal implants or other metal objects may allow ... Used in orthopaedic theatres to reduce the risk of implant infection (a fourfold reduction ...

相关文章 所有 2 个版本 引用 保存

langtoninfo.com 中的 [PDF]

CIRSE 2013 Barcelona, Spain

C RSE - search.proquest.com

... Cancer biotherapy & radiopharmaceuticals. ... intra-arterial perfusion MRI as a predictor of tumor response to chemoembolization for hepato-cellular carcinoma. ... S. Encapsulation of magnetotactic bacteria for targeted and controlled delivery of anticancer agents for tumor therapy. ...

相关文章 所有 2 个版本 引用 保存

 创建快讯 创建快讯



cancer onto post-dissection ulcer after gastric endoscopic submucosal dissection



网页 图片 视频 新闻 购物 更多 ▾ 搜索工具

找到约 38,800 条结果 (用时 0.60 秒)

Stricture Occurring after Endoscopic Submucosal Dissection ...

www.ncbi.nlm.nih.gov › ... › Literature › PubMed Central (PMC) - 翻译此页

作者 : GH Kim - 2014 - 被引用次数 : 1 - 相关文章

2014年11月30日 - Abstract. Endoscopic submucosal dissection (ESD) is a widely accepted treatment for early **gastric** and **esophageal cancer**. ... Incidence of and risk factors for **post**-ESD stricture However, this risk seems to increase when steroids are injected directly **onto** the **ulcer** bed immediately **after** esophageal ESD.

Useful strategies to prevent severe stricture after endoscopic ...

www.ncbi.nlm.nih.gov › ... › Literature › PubMed Central (PMC) - 翻译此页

作者 : K Uno - 2015 - 相关文章

2015年6月21日 - A **post**-ESD **ulceration** of greater than three-fourths of **esophageal** circumference was ... Notably, **endoscopic submucosal dissection** (ESD) achieves optimal ... the same criteria for **gastric cancer** or ESCC remains controversial[13]. **implantation** in the prevention of scar formation 2 wk **after** EMR, but there ...

PDF(1608K) - Wiley Online Library

onlinelibrary.wiley.com/doi/10.1111/j.1443-1661.2012.../pdf - 翻译此页

作者 : H Isomoto - 2013 - 被引用次数 : 36 - 相关文章

prevention of intractable **post**-procedural stricture of the esophagus. Key words: early **esophageal cancer**, **endoscopic submucosal dissection**, **post**-procedural ...

Prevention and Treatment of Esophageal Stenosis after ...

www.hindawi.com/journals/grp/2014/457101/ - 翻译此页

作者 : J Wen - 2014 - 被引用次数 : 3 - 相关文章

2014年8月31日 - Endoscopic submucosal dissection (ESD) for the treatment of