

High risk of temporomandibular disorder in irritable bowel syndrome: Is there a c



全部 图片 视频 新闻 地图 图书

找到约 928,000 条结果

时间不限

过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果

精确匹配

[Central sensitization: Implications for the diagnosis and treatment of ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3268359/>

18 Oct 2010 ... The comorbidity of those pain hypersensitivity syndromes that present in ... whether there are individuals with a higher inherited propensity for developing ... others, and if so, whether this conveys an increased risk both of developing temporomandibular joint disease and irritable bowel syndrome, all of ...

[Guidelines on the irritable bowel syndrome: mechanisms and ... - NCBI](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2095723/>

These guidelines are designed to be applied to adults with IBS, though they are ... is greater in this population and not just in the group of IBS patients with severe ... stress aggravates their symptoms, this is also true of organic disease in 40%, ... with chronic fatigue syndrome, in 64% with temporomandibular joint disorder, ...

[Relationship between Temporomandibular Disorders, Widespread ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3475612/>

However, TMD patients differ in their experience of bodily pain and the impact and ... respiratory disease, epilepsy or seizure disorder, or high blood pressure not ... (FM), chronic fatigue syndrome (CFS), irritable bowel syndrome (IBS), interstitial ... Scale (GCPS) scores regarding severity of non-facial pain was greater in the ...

[Temporomandibular joint dysfunction - Wikipedia](#)

https://en.wikipedia.org/.../Temporomandibular_joint_dysfunction ▼

Temporomandibular joint dysfunction (TMD, TMJD) is an umbrella term covering pain and ... "Temporomandibular Pain and Dysfunction Syndrome – Aching in the ... Females with this variation, are at 2–3 times greater risk of developing TMD than ... There is a poor correlation between TMD pain severity and evidence of ...

[PDF] [Guidelines on the irritable bowel syndrome - British Society of ...](#)

Name of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 30244

Manuscript Type: ORIGINAL ARTICLE

Case Control Study

High risk of temporomandibular disorder in irritable bowel syndrome: Is there a correlation with greater illness severity?

Serena Gallotta, Vincenzo Bruno, Santo Catapano, Nicola Mobilio, Carolina Ciacchi, Paola Iovino

Match Overview

1	Internet 128 words crawled on 15-Oct-2016 bmcgastroenterol.biomedcentral.com	4%
2	Internet 63 words crawled on 02-Sep-2016 thejournalofheadacheandpain.springeropen.com	2%
3	Internet 57 words crawled on 04-May-2013 www.medicinaoral.com	2%
4	Internet 42 words crawled on 24-Oct-2012 www.ibs-care.org	1%
5	Crossref 39 words Manfredini, Daniele, Marco Olivo, Giuseppe Ferronato, R osario Marchese, Alessandro Martini, and Luca Guarda-	1%
6	Crossref 35 words Speciali, José G., and Fabíola Dach. "Temporomandib ... ar Dysfunction and Headache Disorder", Headache The	1%
7	Crossref 33 words Ennio Lubrano. "Fibromyalgia in patients with irritable ... wel syndrome", International Journal of Colorectal Disea	1%
8	Internet 28 words crawled on 13-Jul-2012 www.lucaguarda.it	1%

High risk of temporomandibular disorder in irritable bowel syndrome: Is there a c

全部 图片 视频 新闻 地图 图书

找到约 928,000 条结果

时间不限

过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果

精确匹配

[Central sensitization: Implications for the diagnosis and treatment of ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3268359/>

18 Oct 2010 ... The comorbidity of those pain hypersensitivity syndromes that present in ... whether **there** are individuals with a **higher** inherited propensity for developing ... others, and if so, whether this conveys an increased **risk** both of developing **temporomandibular joint disease** and **irritable bowel syndrome**, all of ...

[Guidelines on the irritable bowel syndrome: mechanisms and ... - NCBI](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2095723/>

These guidelines are designed to be applied to adults with **IBS**, though they are ... is **greater** in this population and not just in the group of **IBS** patients with **severe** ... stress aggravates **their** symptoms, this is also true of organic **disease** in 40%, ... with chronic fatigue **syndrome**, in 64% with **temporomandibular joint** disorder, ...

[Relationship between Temporomandibular Disorders, Widespread ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3475612/>

However, **TMD** patients differ in **their** experience of bodily pain and the impact and ... respiratory **disease**, epilepsy or seizure disorder, or **high** blood pressure not ... (FM), chronic fatigue syndrome (CFS), **irritable bowel syndrome** (IBS), interstitial ... Scale (GCPS) scores regarding **severity** of non-facial pain was **greater** in the ...

[Temporomandibular joint dysfunction - Wikipedia](#)

https://en.wikipedia.org/.../Temporomandibular_joint_dysfunction ▼

Temporomandibular joint dysfunction (TMD, TMJD) is an umbrella term covering pain and ... "Temporomandibular Pain and Dysfunction Syndrome – Aching in the Females with this variation, are at 2–3 times **greater risk** of developing **TMD** than **There** is a poor **correlation** between **TMD** pain **severity** and evidence of ...

[\[PDF\] Guidelines on the irritable bowel syndrome - British Society of ...](#)

[全部](#)[新闻](#)[图片](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 936,000 条结果 (用时 0.97 秒)

Guidelines on the irritable bowel syndrome: mechanisms and practical ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2095723/> - 翻译此页

作者: R Spiller - 2007 - 被引用次数: 668 - 相关文章

These guidelines are designed to be applied to adults with IBS, though they are is greater in this population and not just in the group of IBS patients with severe stress aggravates their symptoms, this is also true of organic disease in 40%, ... with chronic fatigue syndrome, in 64% with temporomandibular joint disorder, ...

Relationship between Temporomandibular Disorders, Widespread ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: H Chen - 2012 - 被引用次数: 26 - 相关文章

However, TMD patients differ in their experience of bodily pain and the impact and ... respiratory disease, epilepsy or seizure disorder, or high blood pressure not ... (FM), chronic fatigue syndrome (CFS), irritable bowel syndrome (IBS), interstitial Scale (GCPS) scores regarding severity of non-facial pain was greater in the ...

Irritable Bowel Syndrome and Co-morbid Gastrointestinal and Extra ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: AD Sperber - 2010 - 被引用次数: 48 - 相关文章

2010年4月27日 - Patients with IBS and another functional disorder, in comparison with In addition, patients with more than 1 disorder have greater disease severity, higher rates of ... sleep disturbances, relation of stress to symptoms, physician visits, fatigue syndrome, fibromyalgia, and temporomandibular disorder.

The epidemiology of irritable bowel syndrome

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: C Canavan - 2014 - 被引用次数: 160 - 相关文章

2014年2月4日 - Irritable bowel syndrome (IBS) is a functional condition of the bowel that is ...

symptoms to those who do not consult, but they do have greater ... Patients diagnosed with IBS are