

Expression of TFs and TWIST1 in colorectal cancer and their correlation with met

全部 图片 视频 新闻 地图 图书

找到约 10,600 条结果

时间不限

过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果

精确匹配

[Twist1 is a potential prognostic marker for colorectal cancer and ...](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4529619/)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4529619/>

15 May 2015 ... **Twist1** is a **potential prognostic** marker for **colorectal cancer** and associated with chemoresistance ... The molecular mechanisms of **Twist1 expression** and its effects on ... Moreover, positive **Twist1 expression** is **correlated** with poor overall ... problem in chemotherapeutic **treatment** of **metastatic** cancers.

[Expression of Epithelial-Mesenchymal Transition-Inducing ... - NCBI](http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3169728/)

www.ncbi.nlm.nih.gov/pmc/articles/PMC3169728/

27 Apr 2011 ... The **expression** levels of EMT-inducing TFs (TWIST1, SNAIL1, ... **There** was no association between the presence of CTCs measured by CellSearch[®] or AdnaTest[™] ... (OS) in patients with **metastatic** breast, **colon**, or prostate **cancers** ... of tumor-initiating **potential** observed amongst breast tumor cells.

[Metastatic Colonization Requires the Repression of the Epithelial ...](http://www.sciencedirect.com/science/article/pii/S1535610812004424)

www.sciencedirect.com/science/article/pii/S1535610812004424

29 Nov 2012 ... Our results help reevaluate the **potential** benefits of current therapeutic ... For invasion to occur, **there** is evidence that carcinoma cells can ... had gained the **expression** of mesenchymal markers, including some EMT-TFs (Figure 2E). ... (F) **Expression** of PRRX1 and TWIST1 in a panel of human **cancer** cell ...

[Colorectal cancer and hypercoagulability | SpringerLink](http://link.springer.com/article/10.1007/s00595-013-0606-5)

link.springer.com/article/10.1007/s00595-013-0606-5

14 May 2013 ... Hypercoagulability **Colorectal cancer** Platelets Fibrinogen d-dimer ... have been shown to increase the **metastatic potential** of cancer in a ... system also **correlate** with a worse **prognosis** of **colorectal cancer**, independent of the TNM factors, ... **TFs expressed** in cancer tissue react with clotting factor VIIa and ...

[PDF] [Epithelial-mesenchymal transition in gastric cancer](#)

Name of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 29803

Manuscript Type: ORIGINAL ARTICLE

Retrospective Cohort Study

Expression of TFFs and TWIST1 in colorectal cancer and their correlation
with metastatic potential and prognosis

Akram Yusup, Bailikezi Huji, Cheng Fang, Fei Wang, Hai-Jiang Wang,
Halmurat Upur

Abstract

AIM

Match Overview

1	Internet 178 words crawled on 27-Jun-2016 www.medsci.org	5%
2	Crossref 100 words Perry, J.K., "Are trefoil factors oncogenic?", Trends in Endocrinology & Metabolism, 200803	3%
3	Crossref 82 words Li, L.N., "Differential sensitivity of colorectal cancer cell lines to artesunate is associated with expression of bel ...	2%
4	Internet 78 words crawled on 07-Sep-2016 en.wikipedia.org	2%
5	Internet 77 words crawled on 11-Aug-2014 www.molecular-cancer.com	2%
6	Crossref 60 words Bur??in Tuna, "PS2 and HSP70 Expression in Rectal / ... enocarcinomas", Applied Immunohistochemistry & Mole	2%
7	Internet 51 words crawled on 15-Feb-2007 clincancerres.aacrjournals.org	1%
8	Crossref 36 words Lu, P., A. Kamboj, S. B. Gibson, and C. M. Anderson, "Pol y(ADP-Ribose) Polymerase-1 Causes Mitochondrial D ...	1%

Expression of TFs and TWIST1 in colorectal cancer and their correlation with met

全部 图片 视频 新闻 地图 图书

找到约 10,600 条结果

时间不限

过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果

精确匹配

[Twist1 is a potential prognostic marker for colorectal cancer and ...](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4529619/)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4529619/>

15 May 2015 ... **Twist1** is a **potential prognostic** marker for **colorectal cancer** and associated with chemoresistance ... The molecular mechanisms of **Twist1 expression** and its effects on ... Moreover, positive **Twist1 expression** is **correlated** with poor overall ... problem in chemotherapeutic **treatment** of **metastatic** cancers.

[Expression of Epithelial-Mesenchymal Transition-Inducing ... - NCBI](http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3169728/)

www.ncbi.nlm.nih.gov/pmc/articles/PMC3169728/ ▼

27 Apr 2011 ... The **expression** levels of EMT-inducing TFs (TWIST1, SNAIL1, ... **There** was no association between the presence of CTCs measured by CellSearch[®] or AdnaTest[™] ... (OS) in patients with **metastatic** breast, **colon**, or prostate **cancers** ... of tumor-initiating **potential** observed amongst breast tumor cells.

[Metastatic Colonization Requires the Repression of the Epithelial ...](http://www.sciencedirect.com/science/article/pii/S1535610812004424)

www.sciencedirect.com/science/article/pii/S1535610812004424 ▼

29 Nov 2012 ... Our results help reevaluate the **potential** benefits of current therapeutic ... For invasion to occur, **there** is evidence that carcinoma cells can ... had gained the **expression** of mesenchymal markers, including some EMT-TFs (Figure 2E). ... (F) **Expression** of PRRX1 and TWIST1 in a panel of human **cancer** cell ...

[Colorectal cancer and hypercoagulability | SpringerLink](http://link.springer.com/article/10.1007/s00595-013-0606-5)

link.springer.com/article/10.1007/s00595-013-0606-5

14 May 2013 ... Hypercoagulability **Colorectal cancer** Platelets Fibrinogen d-dimer ... have been shown to increase the **metastatic potential** of cancer in a ... system also **correlate** with a worse **prognosis** of **colorectal cancer**, independent of the TNM factors, ... **TFs expressed** in cancer tissue react with clotting factor VIIa and ...

[PDF] [Epithelial-mesenchymal transition in gastric cancer](#)

[全部](#)[新闻](#)[图片](#)[视频](#)[购物](#)[更多 ▾](#)[搜索工具](#)

找到约 11,600 条结果 (用时 0.99 秒)

您是不是要找: [Expression of *TFFs* and TWIST1 in colorectal cancer and their correlation with metastatic potential and prognosis](#)[Twist1 is a potential prognostic marker for colorectal cancer and ...](#)<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)作者: DJ Zhu - 2015 - [相关文章](#)

2015年5月15日 - *Twist1* is a **potential prognostic** marker for **colorectal cancer** and associated with chemoresistance ... The molecular mechanisms of **Twist1 expression** and **its** effects on ... Moreover, positive **Twist1 expression** is **correlated** with poor overall ... problem in chemotherapeutic **treatment** of **metastatic** cancers.

缺少字词: **tf**[TWIST1 is expressed in colorectal carcinomas and predicts patient ...](#)<https://www.ncbi.nlm.nih.gov/pubmed/21464926> - [翻译此页](#)作者: I Gomez - 2011 - 被引用次数: 43 - [相关文章](#)

2011年3月28日 - **Colorectal cancer** is one of the tumors in which **TWIST1** is ... of 151 **colorectal cancer** patients, in order to investigate **its prognostic** value as a ... tissues (86.1%) and **correlated** with lymph node **metastasis** (LNM). Adjusted analysis showed that the **expression** levels of **TWIST1** **correlated** with overall **survival** ...

缺少字词: **tf** **potential**[Epithelial–mesenchymal transition in tumor metastasis](#)<onlinelibrary.wiley.com/doi/10.1002/1878-0261.12017/pdf> - [翻译此页](#)

作者: KT Yeung

2016年10月21日 - List of Keywords: EMT, **cancer**, metastasis, invasion, progression, circulating epithelial (EpRas) cells and mouse **colon** carcinoma hnPCC cells ... nuclear translocation of **TWIST1** by releasing **TWIST1** from **its** ... al. showed that SNAIL1 **expression** is directly **correlated** with EMT and **metastatic potential**.