

全部 图片 视频 新闻 地图 图书

找到约 500,000 条结果

时间不限

过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果

精确匹配

[Parental perceptions regarding lifestyle interventions for obese ...](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4029236/)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4029236/>

Nonalcoholic fatty liver disease (NAFLD) affects 30% of obese children globally. ... **lifestyle change** cited by NAFLD parents were lack of time, self-motivation and **role** ... **Lifestyle modification**, **Nonalcoholic fatty liver disease**, **Parental self- efficacy** ... comparison of parental **perceptions among** parental groups of varying BMIs ...

[Clinics in Liver Disease | Vol 18, Iss 1, Pgs 1-280, \(February 2014 ...](http://www.sciencedirect.com/science/journal/10893261/18/1)

www.sciencedirect.com/science/journal/10893261/18/1

Obesity-Associated Nonalcoholic Fatty Liver Disease ... Nutrition, physical activity , and behavioral **modifications** are critical components of the ... This article reviews the relationship **among** gut microbiota, obesity, and NAFLD. ... increased burden of **illness**, whole body **function**, performance, and **perception of self- efficacy**.

[Role of Exercise in Optimizing the Functional Status of Patients with ...](https://www.researchgate.net/.../258921519_Role_of_Exercise_in_Optimizing_the_Functional_Status_of_Patients_with_Nonalcoholic_Fatty_Liver_Disease)

https://www.researchgate.net/.../258921519_Role_of_Exercise_in_Optimizing_the_Functional_Status_of_Patients_with_Nonalcoholic_Fatty_Liver_Disease

Nonalcoholic fatty liver disease (NAFLD) is frequently concomitant with obesity. ... burden of **illness**, whole body **function**, performance, and **perception of self- efficacy**. ... regularly and in conjunction with dietary and other behavioral **change**. ... fatty liver disease[8,20,21]and based on important **role of life style** in different ...

[Spectrum of Liver Disease in Type 2 Diabetes and ... - Diabetes Care](http://care.diabetesjournals.org/content/30/3/734)

care.diabetesjournals.org/content/30/3/734

This includes abnormal liver enzymes, **nonalcoholic fatty liver disease** ... The liver **diseases** seen in type 2 diabetes cover virtually the entire spectrum of liver ... In four clinical trials involving 3,701 **patients** with type 2 diabetes, **between 2** and the **efficacy** of meglitinides in the treatment of **patients** with liver disease have not ...

Name of Journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 31713

Manuscript Type: ORIGINAL ARTICLE

Observational Study

Role of illness perception and self-efficacy in lifestyle modification among non-alcoholic fatty liver disease patients

Zelber-Sagi S *et al.* Illness perception and self-efficacy in NAFLD

Shira Zelber-Sagi, Shiran Bord, Gali Dror-Lavi, Matthew Lee Smith, Samuel D Towne, Assaf Buch, Muriel Webb, Hanny Yeshua, Assy Nimer, Oren Shibolet

Shira Zelber-Sagi, Assaf Buch, Muriel Webb, Hanny Yeshua, Oren Shibolet,
Liver Unit, Department of Gastroenterology, Tel-Aviv Medical Center, Tel-Aviv 6423906, Israel

Match Overview

1	Internet 144 words crawled on 01-May-2016 www.wjgnet.com	3%
2	Internet 96 words crawled on 29-Nov-2016 pdfs.semanticscholar.org	2%

[全部](#)[新闻](#)[图片](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 378,000 条结果 (用时 0.90 秒)

Parental perceptions regarding lifestyle interventions for obese ... - NCBI

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4029236/> - 翻译此页

作者: IR Iñiguez - 2014 - 被引用次数: 2 - 相关文章

Nonalcoholic fatty liver disease (NAFLD) affects 30% of obese children globally. ... **lifestyle change** cited by NAFLD parents were lack of time, self-motivation and **role** ... **Lifestyle modification**, **Nonalcoholic fatty liver disease**, **Parental self-efficacy** ... comparison of parental **perceptions among** parental groups of varying BMIs ...

Clinics in Liver Disease | Vol 18, Iss 1, Pgs 1-280, (February 2014 ...

www.sciencedirect.com/science/journal/10893261/18/1 - 翻译此页

Obesity-Associated **Nonalcoholic Fatty Liver Disease** ... Nutrition, physical activity, and behavioral **modifications** are critical components of the treatment ... The **Role** of Medications for the Management of **Patients** with NAFLD ... increased burden of **illness**, whole body **function**, performance, and **perception of self-efficacy**.

Parental perceptions regarding lifestyle interventions for obese ...

https://www.researchgate.net/.../262581080_Parental_perceptions_regarding... - 翻译此页

2016年1月26日 - Major barriers to **lifestyle change** cited by NAFLD parents were lack of time, self-motivation and **role** modelling of healthy lifestyle behaviours. ... adolescents with **nonalcoholic fatty liver disease**. ... **fatty liver disease**; **Parental self-efficacy** ... of parental **perceptions among** parental groups of varying BMIs.

Role of exercise in optimizing the functional status of patients with ...

www.pubpdf.com/.../Role-of-exercise-in-optimizing-the-functional-status-of... - 翻译此页

2014年2月24日 - PDF Source for '**Nonalcoholic fatty liver disease** (NAFLD) is frequently concomitant with obesity...' ... **illness**, whole body **function**, performance, and **perception of self-efficacy**. ... the benefits of **lifestyle modification** with exercise (and/or physical ... **Among** these, severer forms with histopathological features of ...

The role of lifestyle changes in the management of chronic liver ...

bmcmedicine.biomedcentral.com/articles/10.1186/1741-7015-9-70 - 翻译此页

作者: V Nobili - 2011 - 被引用次数: 46 - 相关文章