

Typhoid perforation in developing countries: still unavoidable deaths?

全部 图片 视频 新闻 地图 图书

找到约 2,600 条结果

时间不限

过去 1 小时内

过去 24 小时内

过去 1 周内

过去 1 个月内

过去 1 年内

所有结果

精确匹配

显示的是以下查询字词的结果: [Typhoid perforation in developing countries: still **avoidable** deaths?](#)

仍然搜索: Typhoid perforation in developing countries: still **unavoidable** deaths?

Google 学术: [Typhoid perforation in developing countries: still **avoidable** deaths?](#)

[Typhoid ileal perforations: why such mortalities?](#) - Archampong - 被引用次数: 60

[Surgery in developing countries: essential training in ...](#) - Ozgediz - 被引用次数: 98

[Global disease burden of conditions requiring ...](#) - Stewart - 被引用次数: 84

[Indications and outcome of childhood **preventable** bowel resections ...](#)

<https://www.ncbi.nlm.nih.gov/pubmed/24841005>

BACKGROUND: While many bowel resections in **developed countries** are due to ... morbidity and **mortality** following **preventable** bowel resection in our centre. ... **Typhoid** intestinal **perforation** did not feature as an indication for bowel resection ...

[Prevalence, Morbidity, and **Mortality** Patterns of **Typhoid** Ileal ...](#) - NCBI

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4161930/>

24 May 2014 ... **Typhoid** ileal perforation still carries a high **mortality** especially in rural ... infective disease that is endemic in many **developing countries** [1-3].

[Typhoid fever - Wikipedia](#)

https://en.wikipedia.org/wiki/Typhoid_fever

Typhoid fever, also known simply as **typhoid**, is a bacterial infection due to *Salmonella typhi* ... The risk of **death** may be as high as 20% without treatment. An older, killed-whole-cell vaccine is **still** used in countries where the newer ... To help decrease rates of **typhoid** fever in **developing nations**, the World Health ...

[Patient safety in developing countries: retrospective estimation of ...](#)

www.bmj.com/content/344/bmj.e832

13 Mar 2012 ... **Preventable** harm to patients resulting from their healthcare is unacceptable at any time. ... Health systems in **developing** and transitional **countries** face severe health threats

Name of Journal: World Journal of Gastroenterology

ESPS Manuscript NO: 32501

Manuscript Type: EDITORIAL

Typhoid perforation in developing countries: Still unavoidable deaths?

Contini Sandro

Abstract

Typhoid fever is a public health challenge mostly concentrated in impoverished, overcrowded areas of the developing world, with lack of safe drinking and sanitation. The most serious complication is typhoid intestinal perforation (TIP), observed in 0.8 to 39%, with a striking rate difference between High-Income and Low-Middle-Income countries (LMICs). Although the mortality rate consequent to TIP in resource-poor countries is improved in the last decades, it is still fluctuating from 5% to 80% due to surgical- and not

Match Overview

1	Crossref 28 words Luby, Stephen P., Samir Saha, and Jason R. Andrews. "Towards sustainable public health surveillance for enteric fever"	1%
2	Internet 24 words crawled on 06-Sep-2014 www.bioline.org.br	1%
3	Internet 16 words crawled on 03-May-2015 www.scielosp.org	1%
4	Publications 13 words "Researchers from Bill and Melinda Gates Foundation Report Findings in Typhoid Fever (Challenges and ", World Dis	1%
5	Internet 12 words crawled on 22-Aug-2016 www.science.gov	<1%

Typhoid perforation in developing countries: Still unavoidable deaths?

全部 图片 视频 新闻 地图 图书

找到约 114,000 条结果

时间不限

过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果

精确匹配

您是不是要找: [Typhoid perforation in developing countries: Still *avoidable* deaths?](#)

Google 学术: [Typhoid perforation in developing countries: Still unavoidable deaths?](#)

[Anesthesia for children in Sub-Saharan Africa—a ...](#) - OURO - BANG'NA - 被引用次数: 31

[Operative treatment of typhoid perforation of the bowel](#) - Archampong - 被引用次数: 74

[Maternal deaths at Harare Maternity Hospital during ...](#) - Crowther - 被引用次数: 19

[Typhoid perforation: Post-operative Intensive Care Unit care and ...](#)
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5154222/>

Keywords: Critical care, Intensive Care Unit, outcome, **typhoid perforation** ... the disease, principally because many communities **still** fall short of standards for drinking ... The high incidence of **perforation** in most **developing countries** has been attributed to **Typhoid perforation** is associated with high morbidity and **mortality**.

[PDF] [A Clinical Study of Prognostic Factors in Typhoid ...](#) - SSRG Journals

www.internationaljournalsssrg.org/IJMS/.../IJMS-V3I5P101.pdf ▼

communities **still** fall short of standards for drinking water, hygiene ... of **perforation** in most **developing countries** has been ... **mortality** and **unavoidable** morbidity.

[PDF] [Management of Bowel Perforation in Typhoid Fever](#) - Tropical Doctor

tdo.sagepub.com/content/21/4/149.full.pdf ▼

typhoid perforation, which was widely advocated after the ... **developed countries**' and with a widely varying frequency in the ... overall **mortality** of **typhoid** is difficult to ascertain. The rates ... Some **deaths** are **inevitable** in patients who present.

[Postoperative Complications Of Typhoid Ileal Perforation In Children ...](#)

ispub.com/IJS/21/1/9305 ▼

Typhoid ileal perforation is one of the most lethal complications of **typhoid** fever, causing high morbidity and **mortality** in endemic areas ^{1,2} ... the **perforation** preventing further contamination, the postoperative course is **still** characterized ... It is a challenging surgical

[全部](#)[新闻](#)[图片](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 108,000 条结果 (用时 0.80 秒)

您是不是要找 : **Typhoid perforation in developing countries: Still *avoidable* deaths?**

Google 学术 : **Typhoid perforation in developing countries: Still *unavoidable* deaths?**

Anesthesia for children in Sub-Saharan Africa—a ... - OURO-BANG'NA - 被引用次数 : 31

Operative treatment of **typhoid perforation** of the bowel - Archampong - 被引用次数 : 74

Maternal **deaths** at Harare Maternity Hospital during ... - Crowther - 被引用次数 : 19

Typhoid perforation: Post-operative Intensive Care Unit care and ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5154222/> - 翻译此页

作者 : MO Akinwale - 2016 - 相关文章

Keywords: Critical care, Intensive Care Unit, outcome, **typhoid perforation** ... the disease, principally because many communities **still** fall short of standards for drinking ... The high incidence of **perforation** in most **developing countries** has been attributed to **Typhoid perforation** is associated with high morbidity and **mortality**.

[PDF] **A Clinical Study of Prognostic Factors in Typhoid ... - SSRG Journals**

www.internationaljournalssrg.org/IJMS/2016/Volume3.../IJMS-V3I5P101.p... ▼ 翻译此页

communities **still** fall short of standards for drinking water, hygiene ... of **perforation** in most **developing countries** has been ... **mortality** and **unavoidable** morbidity.

Management of Bowel Perforation in Typhoid Fever - Tropical Doctor

tdo.sagepub.com/content/21/4/149.full.pdf ▼ 翻译此页

typhoid perforation, which was widely advocated after the ... **developed countries** and with a widely varying frequency in the ... overall **mortality** of **typhoid** is difficult to ascertain. The rates Some