

Proposed criteria to differentiate heterogeneous eosinophilic gastrointestinal

Q

学术搜索

找到约 427 条结果 (用时0.07秒)

文章

我的图书馆

时间不限

2016以来 2015以来 2012以来 自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页 简体中文网页

✔ 包括专利

✔ 包含引用

≥ 创建快讯

小提示: 只搜索中文(简体)结果,可在学术搜索设置。指定搜索语言

Eosinophilic gastroenteritis

S Khan - Best practice & research Clinical gastroenterology, 2005 - Elsevier ... tract, the esophageal epithelium is unique in being devoid of eosinophils under non-inflammatory conditions. 7. ... The classification of EG on the basis of depth of eosinophilic infiltration proposed by Klein 33 is ... The authors did not discuss the criteria for mucosal eosinophilia. ... 被引用次数: 177 相关文章 所有 6 个版本 引用 保存

Histopathologic diagnosis of eosinophilic conditions in the gastrointestinal tract

JM Hurrell, RM Genta, SD Melton - Advances in anatomic ..., 2011 - journals.lww.com ... consent. For more information, please refer to our Privacy Policy. Close Window. Advances in Anatomic Pathology. Wolters Kluwer Health Logo: Subscribe. Search Jobs. All Issues. Advanced Search. ... 被引用次数: 43 相关文章 所有 6 个版本 引用 保存

Eosinophils: changing perspectives in health and disease

HF Rosenberg, KD Dyer, <u>PS Foster</u> - Nature Reviews Immunology, 2013 - nature.com ... Gastrointestinal Eosinophil Research Symposium (FIGERS) — published consensus guidelines for diagnosis ... These criteria include: clinical evidence of oesophageal dysfunction (including dysphagia, abdominal ... Although <u>eosinophils</u> are associated with these conditions, it is ... 被引用次数: 227 相关文章 所有 9 个版本 引用 保存

Evaluation and differential diagnosis of marked, persistent eosinophilia

TB Nutman - Immunology and allergy clinics of North America, 2007 - Elsevier ... Eosinophils are bone marrow-derived leukocytes whose development and terminal differentiation are under the ... associated gastrointestinal disease (EGID), HES have been classified as heterogeneous group of ... Conditions associated with marked peripheral blood eosinophilia. ... 被引用次数: 85 相关文章 所有 9 个版本 引用 保存

Evaluation and differential diagnosis of marked, persistent eosinophilia R Mejia, TB Nutman - Seminars in hematology, 2012 - Elsevier

... are bone marrow–derived leukocytes whose development and terminal differentiation are under ... mast cell involvement) and systemic mastocytosis with eosinophilia have been proposed. ... Eosinophils participate in the inflammatory infiltrate in numerous dermatologic conditions. ...

[PDF] research

[HTML] nature.d

[HTML] nih.gov

[HTML] nih.gov

31461-Review BY HIROKI SATO

Quotes Included Bibliography Included

4% SIMILAR

Name of journal: World Journal of Gastroenterology

ESPS Manuscript NO: 31461

Manuscript Type: ORIGINAL ARTICLE


Prospective Study

Proposed criteria to differentiate heterogeneous eosinophilic gastrointestinal disorders of the esophagus, including eosinophilic esophageal myositis

Sato H et al. Heterogeneous eosinophilic esophagitis

Hiroki Sato, Nao Nakajima, Kazuya Takahashi, Go Hasegawa, Ken-ichi Mizuno, Satoru Hashimoto, Satoshi Ikarashi, Kazunao Hayashi, Yutaka Honda, Junji Yokoyama, Yuichi Sato, Shuji Terai

Hiroki Sato, Nao Nakajima, Kazuya Takahashi, Mizuno Ken-ichi, Satoru Hashimoto, Satoshi Ikarashi, Kazunao Hayashi, Yutaka Honda, Junji













Proposed criteria to differentiate heterogeneous eosinophilic gastrointestinal -

Q

学术搜索

找到约 445 条结果 (用时0.09秒)

文章

我的图书馆

时间不限

2017以来 2016以来 2013以来 自定义范围...

按相关性排序

按日期排序

不限语言

中文网页 简体中文网页

✔ 包括专利

✓ 包含引用

≥创建快讯

小提示: 只搜索中文(简体)结果,可在学术搜索设置。指定搜索语言

Histopathologic diagnosis of eosinophilic conditions in the gastrointestinal tract JM Hurrell, RM Genta, SD Melton - Advances in anatomic ..., 2011 - journals.lww.com Eosinophils, a constitutive component of the columnar-lined gastrointestinal tract, play an essentia. 被引用次数: 51 相关文章 所有 7 个版本 引用 保存

Eosinophilic gastroenteritis

S Khan - Best practice & research Clinical gastroenterology, 2005 - Elsevier ... epithelium is unique in being devoid of eosinophils under non-inflammatory conditions. 7. ... IL-5 is the most specific for eosinophils, inducing eosinophil growth, differentiation, activation, and ... The currently accepted diagnostic criteria are the presence of gastrointestinal symptoms ... 被引用次数: 178 相关文章 所有 7个版本 引用 保存

Eosinophils: changing perspectives in health and disease

HF Rosenberg, KD Dyer, <u>PS Foster</u> - Nature Reviews Immunology, 2013 - nature.com ... Gastrointestinal Eosinophil Research Symposium (FIGERS) — published consensus guidelines for diagnosis ... These criteria include: clinical evidence of oesophageal dysfunction (including dysphagia, abdominal ... Although <u>eosinophils</u> are associated with these conditions, it is ... 被引用次数: 251 相关文章 所有 13 个版本 引用 保存

Evaluation and differential diagnosis of marked, persistent eosinophilia

TB Nutman - Immunology and allergy clinics of North America, 2007 - Elsevier ... Eosinophils are bone marrow-derived leukocytes whose development and terminal differentiation are under the ... associated gastrointestinal disease (EGID), HES have been classified as heterogeneous group of ... Conditions associated with marked peripheral blood eosinophilia. ... 被引用次数: 88 相关文章 所有 10 个版本 引用 保存

Evaluation and differential diagnosis of marked, persistent eosinophilia

R Mejia, TB Nutman - Seminars in hematology, 2012 - Elsevier ... are bone marrow-derived leukocytes whose development and terminal differentiation are under ... HES (with mast cell involvement) and systemic mastocytosis with eosinophilia have been proposed. 29. ... to be able to distinguish between HES and those conditions with overlapping ... 被引用次数: 21 相关文章 所有 10 个版本 引用 保存

[PDF] researchgate.net

[HTML] nature.com

[HTML] nih.gov

[HTML] nih.gov



Proposed criteria to differentiate heterogeneous eosinophilic gastrointestinal dis



全部

图片

新闻

视频

购物

更多

设置

工具

找到约 11,700 条结果 (用时 0.71 秒)

Evaluation and differential diagnosis of marked, persistent eosinophilia

https://www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: TB Nutman - 2007 - 被引用次数: 88 - 相关文章

Hyperosinophilic syndromes (HES) are a group of heterogeneous disorders many of ... and terminal differentiation are under the control of several cytokines (IL-3, ... Rarely,infection with Sarcocystis hominis, a cause of eosinophilic myositis, has Other disorders associated with eosinophilic panniculitis include atopic and ...

Do eosinophil numbers differentiate eosinophilic esophagitis from ...

www.ncbi.nlm.nih.gov/pubmed/20524860 ▼ 翻译此页

Do eosinophil numbers differentiate eosinophilic esophagitis from ... settings: gastroesophageal reflux disease (GERD) and eosinophilic esophagitis (EE). ... provide pathologists with the currently proposed histologic criteria of GERD and EE, ... of the First International Gastrointestinal Eosinophil Research Symposium, and ...

缺少字词: heterogeneous myositis

Eosinophilic gastroenteritis and related eosinophilic disorders - NCBI

https://www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: C Prussin - 2014 - 被引用次数: 28 - 相关文章

Eosinophilic gastroenteritis (EGE) represents one member within the spectrum ... gastrointestinal disorders (EGIDs), which includes eosinophilic esophagitis (EoE), in the duodenum have been proposed for the diagnosis of eosinophilic gastritis ... widespread EGID that includes their esophagus, stomach and small bowel.

缺少字词: heterogeneous myositis

Eosinophilic esophagitis: Diagnostic tests and criteria - NCBI

https://www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) - 翻译此页