

Name of journal: World Journal of Gastroenterology

ESPS Manuscript NO: 31979

Manuscript Type: Retrospective Study

Clinical Characteristics of Peptic Ulcer Perforation

Young Joo Yang *et al.* Clinical Characteristics of Peptic Ulcer Perforation in Korea

Young Joo Yang, Chang Seok Bang, Suk Pyo Shin, Tae Young Park, Ki Tae Suk,
Gwang Ho Baik, Dong Joon Kim

Young Joo Yang, Chang Seok Bang, Suk Pyo Shin, Tae Young Park, Ki Tae Suk,
Gwang Ho Baik, Dong Joon Kim, Department of Internal Medicine, Hallym
University College of Medicine, Chuncheon, 24253, South Korea

Author contributions: Chang Seok Bang designed research; Young Joo Yang, Chang
Seok Bang, Suk Pyo Shin, Tae Young Park, Ki Tae Suk, Gwang Ho Baik, and Dong
Joon Kim performed research; Gwang Ho Baik contributed new reagent/analytic

Match Overview

1	Internet 176 words crawled on 13-May-2016 www.wjgnet.com	3%
2	Internet 49 words crawled on 25-Dec-2016 office.wjgnet.com	1%
3	Internet 39 words crawled on 10-Aug-2016 translational-medicine.biomedcentral.com	1%
4	Internet 28 words crawled on 07-Feb-2017 www.e-sciencecentral.org	<1%

学术搜索

找到约 32,300 条结果（用时0.05秒）

文章

我的图书馆

时间不限

2017以来

2016以来

2013以来

自定义范围...

按相关性排序

按日期排序


不限语言

中文网页

简体中文网页

☒ 包括专利

☒ 包含引用

 创建快讯

小提示：只搜索中文(简体)结果，可在 学术搜索设置 指定搜索语言

GSRS—a clinical rating scale for gastrointestinal symptoms in patients with irritable bowel syndrome and peptic ulcer disease

J Svedlund, I Sjödin, G Dotevall - Digestive diseases and sciences, 1988 - Springer

Abstract An interview-based rating scale consisting of 15 items for assessment of gastrointestinal symptoms in irritable bowel syndrome and peptic ulcer disease has been developed. The interrater reliability was estimated by means of independent and

被引用次数：745 相关文章 所有 9 个版本 引用 保存

Concurrent use of nonsteroidal anti-inflammatory drugs and oral anticoagulants places elderly persons at high risk for hemorrhagic peptic ulcer disease

RI Shorr, WA Ray, JR Daugherty... - Archives of Internal ..., 1993 - archinte.jamanetwork.com

... according to the International Classification of Diseases, Version 9, Clinical Modification ... interval, 1.6 to 3.1) (Table 1). Analysis by type of presentation revealed that ... We initially considered models that included demographic characteristics, nursing home residence, recent ...

被引用次数：794 相关文章 所有 6 个版本 引用 保存

Peptic ulcer disease

P Malfertheiner, FKL Chan, KEL McColl - The Lancet, 2009 - Elsevier

... Citation Only; Citation and Abstract; Advanced search. JavaScript is disabled on your browser. Please enable JavaScript to use all the features on this page. The Lancet The Lancet. ... Clinical manifestations and diagnosis. ... The 5 mm criterion is arbitrary, but is used in clinical trials. ...

被引用次数：839 相关文章 所有 42 个版本 引用 保存

[PDF] uff.br

Role of Helicobacter pylori eradication in the prevention of peptic ulcer bleeding relapse

J Labenz, G Börsch - Digestion, 1994 - karger.com

... and June 1992 a total of 70 consecutive patients presenting with clinically significant bleeding ... patients were instructed to report to the study physicians with all symptoms referable to ... These two groups of patients had similar demographic and clinical characteristics (tables 1,2 ...

被引用次数：223 相关文章 所有 5 个版本 引用 保存

Misoprostol Reduces Serious Gastrointestinal Complications in Patients with Rheumatoid Arthritis Receiving Nonsteroidal Anti-Inflammatory DrugsA

找到约 553,000 条结果 (用时 1.09 秒)

Google 学术 : Clinical characteristics of peptic ulcer perforation in Korea

..., cagA, and vacA status and clinical outcome: studies in ... - Yamaoka - 被引用次数 : 499

Has peptic ulcer disease changed during the past ten ... - Jang - 被引用次数 : 62

Clinical characteristics of patients diagnosed as peptic ... - Kim - 被引用次数 : 26

Clinical Characteristics of Peptic Ulcer Disease in Korea

<https://synapse.koreamed.org/DOIx.php?id=10.7704/kjhugr.2014.14...> ▼ 翻译此页

2014年3月4日 - Corresponding author: Byung-Wook Kim. Division of Gastroenterology, Department of Internal Medicine, The Catholic University of Korea, ...

The clinical characteristics of patients with free perforation in Korean ...

[https://www.ncbi.nlm.nih.gov/NCBI/Literature/PubMed Central \(PMC\)](https://www.ncbi.nlm.nih.gov/NCBI/Literature/PubMedCentral(PMC)) - 翻译此页

作者 : YS Doh - 2015 - 被引用次数 : 4 - 相关文章

2015年3月18日 - The clinical characteristics of patients with free perforation in Korean 2 patients had peptic ulcer perforations, 1 patient had a perforation ...

Incidence and Short-term Mortality From Perforated Peptic Ulcer in ...

[https://www.ncbi.nlm.nih.gov/NCBI/Literature/PubMed Central \(PMC\)](https://www.ncbi.nlm.nih.gov/NCBI/Literature/PubMedCentral(PMC)) - 翻译此页

作者 : SJ Bae - 2012 - 被引用次数 : 17 - 相关文章

2012年11月5日 - Perforated peptic ulcer (PPU) is associated with serious health and YS Clinical characteristics of elderly Korean patients with peptic ulcer.

[PDF] Analysis of Risk Factors for Postoperative Morbidity in Perforated ...

www.biomedsearch.com/attachments/00/22/50/02/.../jgc-12-26.pdf ▼ 翻译此页

作者 : JM Kim - 被引用次数 : 32 - 相关文章

Institute of Health Sciences, Gyeongsang National University, Jinju, Korea. Purpose: Emergency