

文章

我的图书馆

时间不限

2017以来

2016以来

2013以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利

☒ 包含引用

☒ 创建快讯

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

Reliability of antitransglutaminase antibodies as predictors of gluten-free diet compliance in adult celiac disease

K Vahedi, F Mascart, JY Mary, JE Laberrenne... - The American journal of ..., 2003 - Elsevier
OBJECTIVE: Strict lifelong compliance to a gluten-free diet (GFD) minimizes the long-term risk of mortality, especially from lymphoma, in adult celiac disease (CD). Although serum IgA antitransglutaminase (IgA-tTG-ab), like antiendomysium (IgA-EMA) antibodies, are sensitive
被引用次数: 201 相关文章 所有 10 个版本 引用 保存

Characteristics of adult celiac disease in the USA: results of a national survey

PHR Green, SN Stavropoulos, SG Panagi... - The American journal of ..., 2001 - nature.com
... thought to have "grown out of the disease." Two patients had symptoms in childhood requiring diets that excluded ... Other patients may start a gluten-free diet as a "natural" dietary cure for symptoms related to ... Compliance of adolescents with celiac disease with a gluten free diet.
被引用次数: 494 相关文章 所有 14 个版本 引用 保存

[HTML] nature.com

Celiac disease: evaluation of the diagnosis and dietary compliance in Canadian children

M Rashid, A Cranney, M Zarkadas, ID Graham... - Pediatrics, 2005 - Am Acad Pediatrics
... Dietary restriction may impact the child's social activities including school and extracurricular events as ... 1, 15 Compliance with a gluten-free diet is essential to prevent the ... recommendations of the North American Society for Pediatric Gastroenterology, Hepatology and Nutrition.
被引用次数: 199 相关文章 所有 7 个版本 引用 保存

[PDF] celiac.ca

Factors that influence adherence to a gluten-free diet in adults with celiac disease

DA Leffler, J Edwards-George, M Dennis... - Digestive diseases and ..., 2008 - Springer
Abstract Objective The only treatment for celiac disease is lifelong adherence to a gluten-free diet, yet adherence is limited and factors influencing adherence are poorly understood. The purpose of this study was to determine factors influencing gluten-free diet adherence in
被引用次数: 135 相关文章 所有 12 个版本 引用 保存

[HTML] nih.gov

Follow-up of patients with celiac disease: achieving compliance with treatment

MM Pietzak - Gastroenterology, 2005 - Elsevier
... The "dietary antibodies" AGA IgG and IgA normalize within 2 to 6 months of the GFD, and ... Report of Working Group of European Society of Paediatric Gastroenterology and Nutrition. ... Long-term follow-up of celiac adults on gluten-free diet: prevalence and correlates of intestinal ...
被引用次数: 185 相关文章 所有 15 个版本 引用 保存

[HTML] gastrojournal.org

Prevalence of thyroid disorders in untreated adult celiac disease patients and

[HTML] nature.com

Name of Journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 32289

Manuscript Type: Editorial

Dietary compliance in celiac disease

Freeman HJ. Dietary compliance in celiac disease

Hugh James ¹Freeman

Hugh James Freeman, Department of Medicine (Gastroenterology), University of British Columbia, Vancouver, BC V6T 1Z4, Canada

Author contributions: Freeman HJ solely contributed to this paper.

Conflict-of-interest statement: The author has no conflict of interest.

Open-Access: This article is an open-access article which was selected by an in-house

Match Overview

1	Internet 115 words crawled on 22-Dec-2016 www.wjgnet.com	4%
2	Internet 31 words crawled on 25-Dec-2016 office.wjgnet.com	1%
3	Crossref 24 words Bascuñán, Karla A., María Catalina Vespa, and Magdaler ... Araya. "Celiac disease: understanding the gluten-free diet",	1%

学术搜索

找到约 19,400 条结果 (用时0.08秒)

文章

我的图书馆

时间不限

2017以来

2016以来

2013以来

自定义范围...

按相关性排序

按日期排序

不限语言

中文网页

简体中文网页

☒ 包括专利

☒ 包含引用

创建快讯

小提示：只搜索中文(简体)结果，可在 学术搜索设置 指定搜索语言

Reliability of antitransglutaminase antibodies as predictors of gluten-free diet compliance in adult celiac disease

K Vahedi, F Mascart, JY Mary, JE Laberrenne... - The American journal of ..., 2003 - Elsevier

OBJECTIVE: Strict lifelong compliance to a gluten-free diet (GFD) minimizes the long-term risk of mortality, especially from lymphoma, in adult celiac disease (CD). Although serum IgA antitransglutaminase (IgA-tTG-ab), like antiendomysium (IgA-EMA) antibodies, are sensitive

被引用次数: 206 相关文章 所有 10 个版本 引用 保存

Characteristics of adult celiac disease in the USA: results of a national survey

PHR Green, SN Stavropoulos, SG Panagi... - The American journal of ..., 2001 - nature.com

... thought to have "grown out of the disease." Two patients had symptoms in childhood requiring diets that excluded ... Other patients may start a gluten-free diet as a "natural" dietary cure for symptoms related to ... Compliance of adolescents with coeliac disease with a gluten free diet. ...

被引用次数: 503 相关文章 所有 14 个版本 引用 保存

[\[HTML\] nature.com](#)

Celiac disease: evaluation of the diagnosis and dietary compliance in Canadian children

M Rashid, A Cranney, M Zarkadas, ID Graham... - Pediatrics, 2005 - Am Acad Pediatrics

... Dietary restriction may impact the child's social activities including school and extracurricular events as ... 1, 15 Compliance with a gluten-free diet is essential to prevent the ... recommendations of the North American Society for Pediatric Gastroenterology, Hepatology and Nutrition.

被引用次数: 203 相关文章 所有 7 个版本 引用 保存

[\[PDF\] celiac.ca](#)

Factors that influence adherence to a gluten-free diet in adults with celiac disease

DA Leffler, J Edwards-George, M Dennis... - Digestive diseases and ..., 2008 - Springer

Abstract Objective The only treatment for celiac disease is lifelong adherence to a gluten-free diet, yet adherence is limited and factors influencing adherence are poorly understood. The purpose of this study was to determine factors influencing gluten-free diet adherence in

被引用次数: 141 相关文章 所有 13 个版本 引用 保存

[\[HTML\] nih.gov](#)

... for the diagnosis and treatment of celiac disease in children:
recommendations of the North American Society for Pediatric Gastroenterology,

[All](#)[News](#)[Images](#)[Videos](#)[Shopping](#)[More](#)[Settings](#)[Tools](#)

About 295,000 results (0.70 seconds)

Scholarly articles for Dietary compliance in celiac disease

Celiac disease: evaluation of the diagnosis and **dietary** ... - Rashid - Cited by 203

Compliance with gluten-free **diet** in adolescents with ... - Fabiani - Cited by 202

... of gluten-free **diet compliance** in adult **celiac disease** - Vahedi - Cited by 206

Dietary compliance and the gluten-free diet - Dr. Schär Institute

www.drschaer-institute.com/.../dietary-compliance-and-the-gluten-free-diet-1233.htm ... ▼

Adherence to the gluten-free **diet** is not always easy. There are various factors that influence the **dietary** behavior of individuals with **celiac disease**.

Factors that Influence Adherence to a Gluten-Free Diet in Adults with ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC)

by DA Leffler - 2008 - Cited by 141 - Related articles

Objective. The only treatment for **celiac disease** is lifelong **adherence** to a gluten-free **diet**, yet **adherence** is limited and factors influencing **adherence** are poorly ...

A gluten-free diet score to evaluate dietary compliance in patients with ...

<https://www.ncbi.nlm.nih.gov/pubmed/19331704>

by F Biagi - 2009 - Cited by 55 - Related articles

Br J Nutr. 2009 Sep;102(6):882-7. doi: 10.1017/S0007114509301579. Epub 2009 Mar 31. A **gluten-free diet** score to evaluate **dietary compliance** in patients ...

Monitoring of gluten-free diet compliance in celiac patients by ... - NCBI

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC)

by I Comino - 2012 - Cited by 55 - Related articles

Jan 18, 2012 - Background: Certain immunotoxic peptides from **gluten** are resistant to gastrointestinal digestion and can interact with **celiac**-patient factors to ...