

Overexpression of fibrinogen-like protein 2 protects against T cell-induced colitis

全部 图片 视频 新闻 购物 地图 图书

找到约 21,300 条结果

时间不限

过去 1 小时内  
过去 24 小时内  
过去 1 周内  
过去 1 个月内  
过去 1 年内

所有结果

精确匹配

[Google 学术: Overexpression of fibrinogen-like protein 2 protects against T cell-induced colitis](#)

[Regulatory T-cells: diverse phenotypes integral to ...](#) - Peterson - 被引用次数: 148

[... attributes of CD1d-restricted natural killer \(NK\) T cell ...](#) - Rolf - 被引用次数: 34

[The role of Ang/Tie signaling in lymphangiogenesis](#) - Wu - 被引用次数: 21

[Role of Regulatory T Cells \(Treg\) and the Treg Effector Molecule ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4524397/>

30 Jul 2015 ... **Fibrinogen-like protein 2** (FGL2) has been identified by a number of investigators as an ... of action and ability of CD4<sup>+</sup>CD25<sup>+</sup>Foxp3<sup>+</sup> Treg **to induce** tolerance. ... This binding transmits an inhibitory signal that **prevents** DC .... prevented **T cell-** mediated **colitis**, whereas wild-type Treg were only partially ...

[The regulatory T cell effector molecule fibrinogen-like protein 2 is ...](#)

<https://www.ncbi.nlm.nih.gov/pubmed/24990517>

The regulatory **T cell** effector molecule **fibrinogen-like protein 2** is necessary for the development of rapamycin-induced tolerance **to** fully MHC-mismatched ...

[The regulatory T cell effector molecule fibrinogen-like protein 2 is ...](#)

[onlinelibrary.wiley.com/doi/10.1111/imm.12354/full](https://onlinelibrary.wiley.com/doi/10.1111/imm.12354/full) ▼

8 Dec 2014 ... The regulatory **T cell** effector molecule **fibrinogen-like protein 2** is necessary for the development of rapamycin-induced tolerance **to** fully ..... 5.5-conjugated monoclonal antibodies **against** mouse CD4 (RM4-5), Foxp3 ..... We have preliminary data that **over-expression** of fgl2 in the heart does not lead **to** ...

[\[PDF\] Download thesis \(PDF\) - TSpace - University of Toronto](#)

[https://tspace.library.utoronto.ca/.../Bartczak\\_Agata\\_201511\\_PhD\\_thesis.pdf](https://tspace.library.utoronto.ca/.../Bartczak_Agata_201511_PhD_thesis.pdf) ▼

Fibrinogen-**-** like protein 2 ... development but they were **protected against** the development of

## Match Overview

1	Crossref 18 words MacDonald, Katherine G., Paul C. Orban, and Megan K. Levings. "T regulatory cell therapy in transplantation : s ...	<1%
2	Crossref 16 words Moreels, Tom G., and Paul A. Pelckmans. "Gastrointestinal Parasites : Potential Therapy for Refractory Inflamm ...	<1%
3	Internet 14 words crawled on 16-Oct-2015 <a href="http://miuse.mie-u.ac.jp">miuse.mie-u.ac.jp</a>	<1%
4	Crossref 14 words Allez, Matthieu, and Lloyd Mayer. "Regulatory T Cells : Face Keepers in the Gut", Inflammatory Bowel Diseases.	<1%
5	Internet 13 words crawled on 15-Dec-2016 <a href="http://pdfs.semanticscholar.org">pdfs.semanticscholar.org</a>	<1%
6	Internet 13 words crawled on 20-May-2016 <a href="http://d-scholarship.pitt.edu">d-scholarship.pitt.edu</a>	<1%
7	Crossref 13 words Liu, Hao, Peter S. Yang, Tina Zhu, Justin Manuel, Jianhua Zhang, Wei He, Itay Shalev, Li Zhang, Myron I. Cybulsk	<1%
8	Internet 13 words crawled on 10-Oct-2012 <a href="http://onlinelibrary.wiley.com">onlinelibrary.wiley.com</a>	<1%

Name of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 32249

Manuscript Type: Original Article

*Basic Study*

**Overexpression of fibrinogen-like protein 2 protects against T cell-induced colitis**

Agata Bartczak, Jianhua Zhang, Oyedele Adeyi, Achiya Amir, David Grant, Reginald Gorczynski, Nazia Selzner, Andrzej Chruscinski, Gary A Levy

**Abstract**

**AIM**

To determine the effect of overexpression of fibrinogen-like protein 2 (FGL2) on regulatory T cell (Treg) and effector T (Teff) cell function on T cell-induced colitis in *Rag1*<sup>-/-</sup> mice.



Overexpression of fibrinogen-like protein 2 protects against T cell-induced colitis

全部 图片 视频 新闻 购物 地图 图书

找到约 42,100 条结果

时间不限

过去 1 小时内  
过去 24 小时内  
过去 1 周内  
过去 1 个月内  
过去 1 年内

所有结果

精确匹配

[Google 学术: Overexpression of fibrinogen-like protein 2 protects against T cell-induced colitis](#)

[Regulatory T-cells: diverse phenotypes integral to ...](#) - Peterson - 被引用次数: 157

[... attributes of CD1d-restricted natural killer \(NK\) T cell ...](#) - Rolf - 被引用次数: 35

[The role of Ang/Tie signaling in lymphangiogenesis](#) - Wu - 被引用次数: 21

[Role of Regulatory T Cells \(Treg\) and the Treg Effector Molecule ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4524397/>

30 Jul 2015 ... **Fibrinogen-like protein 2** (FGL2) has been identified by a number of investigators as an ... of action and ability of CD4<sup>+</sup>CD25<sup>+</sup>Foxp3<sup>+</sup> Treg **to induce** tolerance. .... of Treg **prevents** the development of tolerance.39,46–48 In order **to** .... prevented **T cell-mediated colitis**, whereas wild-type Treg were only ...

[Beyond CTLA-4 and PD-1, the Generation Z of Negative Checkpoint ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4544156/>

21 Aug 2015 ... Multiple negative checkpoint regulators **protect** the host **against** autoimmune ... The **T-cell** immunoglobulin and mucin-containing protein 3 (TIM-3) was initially ..... and TIM-3 and produce more IL-10 and **Fibrinogen-like protein 2** (Fgl2). .... Similarly, BTLA-deficient **T cells** do not **induce** increased colitis when ...

[Transcriptomic Analysis of Persistent Infection with Foot-and-Mouth ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5028045/>

19 Sep 2016 ... Genes related **to** prostaglandin E2 production and the **induction** of ..... intact apoptotic **cells** is essential **to protect** the surrounding tissue **against** the ... **Fibrinogen-like protein 2** (FGL2) was significantly **overexpressed** in ..... A CD4<sup>+</sup> **T-cell** subset inhibits antigen-specific **T-cell** responses and **prevents colitis**.

[\[PDF\] Download thesis \(PDF\) - TSpace - University of Toronto](#)

[全部](#)[图片](#)[新闻](#)[购物](#)[视频](#)[更多](#)[设置](#)[工具](#)

找到约 43,900 条结果 (用时 0.72 秒)

## Google 学术 : Overexpression of fibrinogen-like protein 2 protects against T cell-induced colitis

Regulatory T-cells: diverse phenotypes integral to ... - Peterson - 被引用次数 : 157

... attributes of CD1d-restricted natural killer (NK) T cell ... - Rolf - 被引用次数 : 35

The role of Ang/Tie signaling in lymphangiogenesis - Wu - 被引用次数 : 21

### Role of Regulatory T Cells (Treg) and the Treg Effector Molecule ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者 : A Chruscinski - 2015 - 被引用次数 : 2 - 相关文章

2015年7月30日 - Fibrinogen-like protein 2 (FGL2) has been identified by a number of investigators as an ... of action and ability of CD4<sup>+</sup>CD25<sup>+</sup>Foxp3<sup>+</sup> Treg to induce tolerance. .... cells, which lack FcγRIIB, are protected from FGL2-induced apoptosis.41 .... prevented T cell-mediated colitis, whereas wild-type Treg were only ...

### Beyond CTLA-4 and PD-1, the Generation Z of Negative Checkpoint ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者 : J Isabelle Le Mercier - 2015 - 被引用次数 : 36 - 相关文章

2015年8月21日 - Multiple negative checkpoint regulators protect the host against autoimmune ... The T-cell immunoglobulin and mucin-containing protein 3 (TIM-3) was initially .... and TIM-3 and produce more IL-10 and Fibrinogen-like protein 2 (Fgl2). .... Similarly, BTLA-deficient T cells do not induce increased colitis when ...

### Fibrinogen-Like Protein 2/Fibroleukin Induces Long-Term Allograft ...

[journals.plos.org/plosone/article?id=10.1371/journal.pone.0119686](https://journals.plos.org/plosone/article?id=10.1371/journal.pone.0119686) ▼ 翻译此页

作者 : S Bézie - 2015 - 被引用次数 : 5 - 相关文章

2015年3月12日 - Over-expression of FGL2 in vivo through adenovirus associated virus ... (2015)