

Optimal treatment strategy for Siewert type II and III adenocarcinoma of the esoph

全部 图片 视频 新闻 购物 地图 图书

找到约 3,390 条结果

时间不限

过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果

精确匹配

[Comparison of survival outcomes between transthoracic and ... - NCBI](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5018536/>

This **retrospective study** was conducted in patients with **Siewert-II/III esophagogastric junction adenocarcinoma** who underwent either TT or TA operations in the ...

[Impact of the Siewert Classification on the Outcome of Patients ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4581544/>

10 Sep 2015 ... Oesophageal and **gastroesophageal junction** cancer is the eighth most common ... **Siewert type 2** and **3 tumors** are generally considered and **treated** as patients ... In this **retrospective study**, we analyzed the outcome of a series of 68 patients Median **follow-up** was 77.5 months (**range**, 3–135 months).

[Adenocarcinoma of the Esophagogastric Junction: The Role of ...](#)

https://www.researchgate.net/.../23564000_Adenocarcinoma_of_the_Esophagogastric_Junction_The_Role_of_Abdominal-Transhiatal_Resection

The surgical **strategy** for **adenocarcinoma** of the **esophagogastric junction** is still controversial. ... operated patients with **Siewert type II** and **III cardia adenocarcinoma**. ... esophagogastric junctional cancer; a single center **retrospective cohort study** Subtotal Gastrectomy for Gastric Cancer: **Long Term** Outcomes of Billroth I ...

[Clinicopathological features and surgical outcomes of ...](#)

www.ejs.eg.net/article.asp?issn=1110-1121;year=2016;...2;...;type=3

We **retrospectively studied** 90 patients who underwent curative surgery for Table 5:Long-term follow-up and oncologic outcome Unchanging trend of **esophagogastric junction adenocarcinoma** in Korea: experience at a single ... comparison of **Siewert type II** and **III adenocarcinomas** of the **gastroesophageal junction**.

[Therapeutic strategies for esophagogastric junction cancer](#)

www.sciencedirect.com/science/article/pii/S1682606X15001115

Name of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 32140

Manuscript Type: ORIGINAL ARTICLE

Retrospective Cohort Study

Optimal treatment for Siewert type II and III adenocarcinoma of the esophagogastric junction: A retrospective cohort study with long-term follow-up

Kei Hosoda, Keishi Yamashita, Hiromitsu Moriva, Hiroaki Mieno, Masahiko

Match Overview

1	Crossref 44 words Hosoda, Kei, Keishi Yamashita, Natusya Katada, and Masahiko Watanabe. "Overview of multimodal therapy fo ...	1%
2	Internet 34 words crawled on 18-Jan-2017 ar.iiarjournals.org	1%
3	Crossref 34 words Goto, Hironobu, Masanori Tokunaga, Norihiko Sugisawa, Yutaka Tanizawa, Etsuro Bando, Taiichi Kawamura, M	1%
4	Crossref 26 words Galizia, Gennaro, Eva Lieto, Ferdinando De Vita, Paolo Castellano, Francesca Ferraraccio, Anna Zamboli, Andrea	1%
5	Internet 18 words crawled on 07-Feb-2017 www.dovepress.com	1%
6	Crossref 17 words Sirisha Jonnalagadda. "Validation of the lymph node ratio as a prognostic factor in patients with N1 nonsmall cel	<1%
7	Crossref 14 words Mine, S., T. Sano, N. Hiki, K. Yamada, S. Nunobe, and T. Yamaguchi. "Lymphadenectomy around the left renal v ...	<1%
8	Crossref 14 words Goto, Hironobu, Masanori Tokunaga, Yuichiro Miki, Rie Makuuchi, Norihiko Sugisawa, Yutaka Tanizawa, Etsuro B	<1%

Optimal treatment for Siewert type II and III adenocarcinoma of the esophagogast

全部 图片 视频 新闻 购物 地图 图书

找到约 8,100 条结果

时间不限

过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果

精确匹配

[Comparison of survival outcomes between transthoracic and ... - NCBI](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5018536/>

This **retrospective study** was conducted in patients with **Siewert-II/III esophagogastric junction adenocarcinoma** who underwent In the 308 patients, 39 patients lost contact during **follow-up**, and the total ... For the **long-term** survival outcomes, the survival curves of the two groups are presented in Figures 1, 2, 3.

[Neoadjuvant vs. adjuvant treatment of Siewert type II ... - NCBI](#)

www.ncbi.nlm.nih.gov/pmc/articles/PMC4880769/

6 Oct 2015 ... Cancer of the **gastroesophageal junction** (GEJ) has been rising in incidence in ... to neoadjuvant RT for the **treatment** of **Siewert type II** GEJ cancer. The median **follow-up** times for the neoadjuvant and adjuvant radiation **cohorts** of secondary **malignancy** should the patient achieve **long term** survival.

[Clinicopathological features and surgical outcomes of ...](#)

www.ejs.eg.net/article.asp?issn=1110-1121;year=2016;...2;...;type=3

Keywords: Esophageal **carcinoma**, **esophagogastric junction**, gastric **carcinoma**, **Siewert's** ... junction **adenocarcinoma** single center experience: a **retrospective cohort study**. ... In Eastern countries, the incidence of **type II** and **type III cancers** is higher compared with Table 5: **Long-term follow-up** and oncologic outcome

[Therapeutic strategies for esophagogastric junction cancer](#)

www.sciencedirect.com/science/article/pii/S1682606X15001115

25 Dec 2015 ... However, previous **studies** on the classification, surgical **treatment**, and multimodal ... the **long-term** survival of patients with EGJ cancer remains poor. **Tumor** location and classification of **esophagogastric junction** (EGJ) cancer. ... EGJ (Sq or Ade) lesions are considered **Siewert Type II** and **Type III** as well ...

[Comparisons of Clinical Outcomes and Prognoses in Patients W ...](#)

[全部](#)[图片](#)[新闻](#)[购物](#)[地图](#)[更多](#)[设置](#)[工具](#)

找到约 7,920 条结果 (用时 0.81 秒)

[Comparison of survival outcomes between transthoracic and ... - NCBI](#)

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)

作者: W Zhang - 2016 - [相关文章](#)

This **retrospective study** was conducted in patients with **Siewert-II/III esophagogastric junction adenocarcinoma** who underwent In the 308 patients, 39 patients lost contact during **follow-up**, and the total ... For the **long-term** survival outcomes, the survival curves of the two groups are presented in Figures 1, **2,2, ,33**.

[Neoadjuvant vs. adjuvant treatment of Siewert type II ... - NCBI](#)

www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)

作者: JA Miccio - 2016 - [相关文章](#)

2015年10月6日 - Cancer of the **gastroesophageal junction** (GEJ) has been rising in incidence in ... to neoadjuvant RT for the **treatment** of **Siewert type II** GEJ cancer. The median **follow-up** times for the neoadjuvant and adjuvant radiation **cohorts** of secondary **malignancy** should the patient achieve **long term** survival.

[Clinicopathological features and surgical outcomes of ...](#)

www.ejs.eg.net/article.asp?issn=1110-1121;year=2016;...2;...;type=3 - [翻译此页](#)

作者: A El Nakeeb - 2016 - [相关文章](#)

Keywords: Esophageal **carcinoma**, **esophagogastric junction**, gastric **carcinoma**, **Siewert's ... junction adenocarcinoma** single center experience: a **retrospective cohort study**. ... In Eastern countries, the incidence of **type II** and **type III cancers** is higher compared with Table 5: **Long-term follow-up** and oncologic outcome

[Comparisons of Clinical Outcomes and Prognoses in Patients W ...](#)

journals.lww.com > Home > December 2015 - Volume 94 - Issue 50 - [翻译此页](#)

作者: J Zhou - 2015 - [相关文章](#)